

CASO®

D E S I G N

INNOVATIVE KITCHEN TECHNOLOGY



COMPETENCE BOOK WINE COOLERS

No.4

IT DEPENDS ON THE TEMPERATURE

Whether red wine with an aromatic bouquet; a crisp white wine; a well-chilled beer or cool summer drinks, CASO Design wine and barbecue coolers ensure maximum enjoyment.

Ice cube makers and ice cream machines deliver that extra helping of coolness. If you like tasty, tender meat, you will love the CASO Design Dry Aged Cooler. There is no better way to get the best out of your meat!

Enjoy with
CASO Design



CONTENT

Wine Cooler for one bottle	9
Wine Cooler	10
CASO Control App	11
Wine Cooler with the CASO Control App and Built-In Wine Cooler	21
Barbecue Cooler & Barbecue Cooler with the CASO Control App	25
Beer Dispenser	27
Lounge Table with sound bar and cooling compartments	29
Dry-Aging	31
Social Media & websites	32
Overview	42




Wine Cooler for one bottle

VinoCase Black



Item 615



- + Modern table-top wine cooler, ideal to maintain the temperature of an already chilled bottle of wine, champagne, sparkling wine, etc.
- + **Suitable for all bottles with a diameter up to 9 cm**
- + High-quality, elegant matt black housing – enables you to perfectly stage your favourite wine on any table/ sideboard
- + **Temperature electronically adjustable from 5 to 18 °C* in 1 °C - increments (or 41 to 64 °F in 1 °F increments) – for the optimum drinking temperature**
- + White LED temperature display with practical sensor touch controls
- + **Quiet operation**
- + Compact size for space-saving storage




* The achievable value in the interior can not exceed the ambient temperature at the installation site.

Wine Cooler for one bottle

WineCase One Inox



Item 611



- + High quality wine cooler for one bottle (up to 9 cm Ø)
- + **Ideal for maintaining the temperature of an already cooled bottle of wine, champagne, sparkling wine, etc.**
- + Put your favourite wine in the limelight
- + Noble design with stainless steel housing
- + Compact size – perfect on every sideboard
- + **Temperature electronically adjustable from 5 - 18 °C* in 1 °C steps (or 41 - 64 °F in 1 °F steps)**
- + White LED temperature display
- + Practical sensor touch operation

WineCase One Inox Black | Item 614

- + Like WineCase One Inox, but with black stainless steel housing




Cordless wine cooler for 1 bottle

WineCase Deluxe Inox



Item 616



Item 617

- Wine Cooler:**
- + **Your perfect companion for dinner and barbecues, at the table and on the patio**
 - + High-quality, battery-powered wine cooler for one bottle (up to 90 mm Ø) – the perfect addition to your dinner, barbecue, etc.
 - + Ideal for maintaining the temperature of a chilled bottle of wine, champagne, sparkling wine, etc.
 - + **Precisely tempers your wine at the desired temperature thanks to battery operation for up to 120 minutes****
 - + Stylish design with high-quality stainless steel housing
 - + Can be operated with battery or power adapter (even without battery)
 - + **Temperature can be set electronically from 5 - 18 °C in 1 °C-steps (or 41 - 64 °F in 1 °F-steps)**
 - + White LED temperature display
 - + Practical sensor touch operation
 - + Quiet operation
 - + Incl. removable battery (charging time approx. 2 hours) and battery adapter with power supply (additional spare battery available separately)

- Battery:**
- + Replacement battery for wine cooler WineCase Deluxe Inox
 - + Easy insertion and changing of the battery
 - + Continuous operating time: approx. 120 min**
 - + Full charging time approx. 2 hours



** Depending on the set ambient and wine temperature

Wine Cooler

WineComfort 24 black

Item 644

Special Functions

Sensor-Touch

2 zones for red and white wine

UV protection

- + High quality wine cooler with compressor technology

+ **Two separate temperature zones for white and red wine, individually adjustable via sensor touch operation**

+ Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires

+ **Storage of up to 24 bottles (up to 310 mm height)***

+ 3-layer insulating glass with UV filter for optimum aroma protection
- + **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****

+ LED temperature display of the cooling zones

+ Switchable interior lighting

+ Timeless design and elegant handle

+ Five wood storage shelves

+ Lockable door

* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site



Smart Kitchen

Temperature control easily via the CASO Control app

Every wine has its own character which becomes more pronounced as it ages. CASO Design wine refrigerators provide the ideal conditions required for this process. Our Wi-Fi-enabled appliances can also be easily controlled using a smartphone – even if you’re not at home. The free CASO control app is essential for this and can be used to check and control your wine refrigerator’s storage temperature and lighting.

NEW: Temperature Profiles in the App Portal
Our latest enhancement allows you to select custom temperature profiles online. They include both the pre-set profiles “Standard Celsius” and “Standard Fahrenheit” as well as energy-saving profiles “Eco Celsius” and “Eco Fahrenheit”. To get even more enjoyment out of your wine cooler you can also create your own profiles – perfectly customised to suit your life.


NEW: LED light strips dimmable via smartphonet
The built-in appliances in the WineDeluxe WD series have dimmable LED light strips to create a special atmosphere. You can now easily control the 4 light intensity levels via the app.

- Summary:
- Perfect temperature and light control from virtually anywhere
 - App development “Made in Germany”
 - Monitors your wine cooler
 - Easy light control from almost anywhere
 - NEW! Enhanced features in the app portal: Choose pre-set (Standard/Eco) or custom temperature profiles
 - NEW for all WineDeluxe WC built-in wine coolers – LED light strips with 4 dimmable light intensity levels
 - Free for Android and iOS

www.casocontrol.com



SCAN ME
DOWNLOAD



Wine coolers

Series **WineComfort Smart**

Special
functions

Stainless steel
housing

Sensor-Touch

2 zones for red
and white wine

Appable

UV protection

- + High quality wine control device with compressor technology

+ **Via integrated Wi-Fi module and with the CASO app controllable from almost anywhere**

+ **CASO app monitors and reports any errors in seconds**

+ Two separate temperature zones, individually adjustable for white & red wine

+ Sensor-touch operation

+ Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires

+ **Active fans per temperature zone ensuring a very even temperature per zone**
- + 3-layer insulating glass with UV filter for optimum aroma protection

+ **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****

+ LED temperature display of the cooling zones

+ Switchable interior lighting

+ Timeless design with elegant stainless steel front and ergonomic handle

+ With lockable door



With a wooden storage shelf with a device for presenting your best wines (model WineComfort 1260 Smart und 1800 Smart)



Temperature control easily via CASO Control App

24



G

A

T

G

38



G

A

T

G

66



G

A

T

G

126



G

A

T

G

180



G

A

T

G

WineComfort 240 Smart | Art.Nr. 719

- + Storage for up to 24 bottles (up to 310 mm in height)*
- + Six wood storage shelves (five of them with ball bearing extensions)

WineComfort 380 Smart | Art.Nr. 720

- + Storage for up to 38 bottles (up to 310 mm in height)*
- + Seven wood storage shelves (six of them with ball bearing extensions)

WineComfort 660 Smart | Art.Nr. 725

- + Storage for up to 66 bottles (up to 310 mm in height)*
- + Seven wood storage shelves (six of them with ball bearing extensions)

WineComfort 1260 Smart | Art.Nr. 728

- + Storage for up to 126 bottles (up to 310 mm in height)*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

WineComfort 1800 Smart | Art.Nr. 730

- + Storage for up to 180 bottles (up to 310 mm in height)*
- + Eight wood storage shelves (even of them with ball bearing extensions) incl. one with a device for presenting your best wines

*Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site

10 | 11

Wine coolers

Series **WineExclusive Smart**

Special functions

Sensor-Touch

1 zone for red and white wine

2 zones for red and white wine

Appable

UV protection

- + High quality wine cooler with compressor technology

+ **Via integrated Wi-Fi Module and with the CASO Control App contrillable from almost everywhere**

+ **Two separate temperature zones for white and red wine, individually adjustable via sensor touch operation**

+ Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires

+ **Storage for up to 24 / 38 / 66 / 126 / 180 bottles (up to 310 mm height)***
- + **3-layer insulating glass with UV filter for optimum aroma protection (WineExklusiv 180 Smart 2-layer)**

+ Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)**

+ LED temperature display of the cooling zones

+ Switchable interior lighting

+ Elegant design glass front


+ Lockable door



With a wooden storage shelf with a device for presenting your best wines (model WineExklusiv 126 / 180 Smart)



Temperature control easily via CASO Control App



- WineExclusive 12 | Art.Nr. 716**

+ Active fans ensuring a very even temperature

+ **1 temperature zone**

+ 3 wood storage shelves (2 of them with ball bearing extensions)
- WineExclusive 24 Smart | Art.Nr. 718**

+ Six wood storage shelves (five of them with ball bearing extensions)
- WineExclusive 38 Smart | Art.Nr. 721**

+ **Active fans per temperature zone ensuring a very even temperature per zone**

+ Seven wood storage shelves (six of them with ball bearing extensions)
- WineExclusive 66 Smart | Art.Nr. 726**

+ **Active fans per temperature zone ensuring a very even temperature per zone**

+ Seven wood storage shelves (six of them with ball bearing extensions)
- WineExclusive 126 Smart | Art.Nr. 729**

+ **Active fans per temperature zone ensuring a very even temperature per zone**

+ Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines
- WineExclusive 180 Smart | Art.Nr. 731**

+ **Active fans per temperature zone ensuring a very even temperature per zone**

+ Eight wood storage shelves (seven of them with ball bearing extensions) incl. one with a device for presenting your best wines

Wine coolers with base ventilation

Series **WineChef Pro**

Special
functions


Stainless steel
housing


Sensor-Touch


2 zones for red
and white wine


Appable


Base ventilation


UV protection

- + **WiFi Smart Control – comfortable control from almost anywhere due to the innovative CASO Control App**
- + **CASO app monitors and reports any errors in seconds**
- + Two separate temperature zone, per zones temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + High quality stainless steel design
- + Sensor-Touch operation
- + **Active fans per temperature zone ensuring a very even temperature per zone**
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + **Thanks to cooling above the device base, it can be used free-standing or can be built under (WineChef Pro 40) resp. convertible (WineChef Pro 126 / 126-2D / 180)**
- + 3-layer insulating glass for optimal protection
- + White LED temperature display of the cooling zones
- + Switchable interior lighting
- + Lockable door



The ventilation located at the front of the device under the base makes it possible to use wine refrigerators both as freestanding appliances as well as convertible and integrated models.



With a wooden storage shelf that can be tilted to display your wines (for models WineChef Pro 126, 126-2D, 180)



- WineChef Pro 40 | Art.Nr. 772**
- + Storage for up to 40 bottles*
 - + Five wood storage shelves (four of them with ball bearing extensions)



- WineChef Pro 126 | Art.Nr. 775**
- + Storage for up to 126 bottles*
 - + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines



- WineChef Pro 126-2D | Art.Nr. 776**
- + **With two doors for each zone**
 - + Storage for up to 126 bottles*
 - + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines




- WineChef Pro 180 | Art.Nr. 779**
- + Storage for up to 180 bottles*
 - + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines


* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site

Wine coolers with base ventilation

Series **WineChef Pro Black**



- + **WiFi Smart Control – comfortable control from almost anywhere due to the innovative CASO Control App**
- + High quality wine cooler with compressor technology
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + **Thanks to cooling above the device base, it can be used freely or can be built under / resp. convertible**
- + **Two separate temperature zones for white and red wine, individually adjustable**
- + **Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)****
- + Active fans per temperature zone ensuring a very even temperature per zone
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Sensor-touch operation
- + White LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant, black stainless steel front and ergonomic handle
- + Lockable door



- WineChef Pro 40 Black | Art.Nr. 773**


 - + Storage for up to 40 bottles (up to 310 mm height)*
 - + Five wood storage shelves (four of them with ball bearing extensions)
- WineChef Pro 126-2D Black | Art.Nr. 777**

 - + **With two doors for each zone**
 - + Storage for up to 126 bottles*
 - + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines
- WineChef Pro 180 Black | Art.Nr. 780**

 - + Storage for up to 180 bottles*
 - + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

Built-in wine coolers

Series **WeinSafe 18 EB**






- + High quality wine control device with compressor technology
- + One temperature zone
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Storage for up to 18 bottles (up to 310 mm in height)*
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + **Active fan ensures a very even temperature**
- + LED temperature display of the cooling zone
- + Switchable interior lighting
- + **Timeless and elegant design**
 - 627: Glass front and minimalist handle
 - 629: Stainless steel frame and minimalist handle
- + Three removable wood storage shelves (two of them with ball bearing extensions)



Note! No standard kitchen furniture installation dimensions!
Wine cooler hinge from above / door swings out

The wooden storage shelves are easy to pull out.



WineSafe 18 EB Black



WineSafe 18 EB Inox

* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site

Wine coolers with base ventilation

Taste is a question of the temperatur



Wine coolers with base ventilation

WineChef Duo 122 Black

Item 674



- + High-quality wine cooler with compressor technology
- + Storage for up to 122 wine bottles*
- + **Two separate temperature zones, individually adjustable for the right and left side**
- + Sensor-touch display with LED temperature indicators for both zones and quick-select options for preferred settings
- + Temperature range electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + **Active fan ensures consistent temperature distribution**
- + Quiet-running compressor: Provides the tranquility your wine needs
- + 3-layer insulating safety glass with UV filter for optimal aroma protection
- + **Can be used freestanding or built-in thanks to cooling over the appliance base**
- + Equipped with 13 wave-shaped wire shelves and 4 metal shelves
- + Side-mounted interior LED lighting beautifully showcases your wine
- + Timeless black design with elegant tinted glass front
- + Comes with a lockable door

NEW



122

* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site

Wine coolers

Taste is a question of the temperatur

Temperature control easily
via CASO Control App




Wine coolers

WineSafe 300 Smart

Item 664




Sensor-Touch



For red and
white wine



Appable



UV protection

- + High-quality wine cooler with compressor technology for a storage for up to 300 bottles*
- + One temperature zone
- + Intuitive sensor-touch operation
- + Smooth-running compressors on vibration-reduced feet: Ensures the tranquility your wine needs
- + **Active fans ensure consistent temperature distribution across all levels**
- + 2-layer insulating safety glass with UV filter for optimal aroma protection
- + **Electronically adjustable temperature range from 5 - 20 °C (41 - 68 °F)****
- + **Remote control via integrated Wi-Fi and the CASO Control App**
- + LED temperature display for the cooling zone
- + Timeless black design with elegant tinted glass front
- + 11 removable wooden shelves
- + Comes with a lockable door

NEW



300


* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)
** The achievable value in the interior can not exceed the ambient temperature at the installation site

Outdoor Cooling

BBQ-Cooler S-R | S-L



Item 700 / Item 701




- + **Design barbecue cooler with high-quality stainless steel housing and compressor technology**
- + Versions:
 - 700 / BBQ-Cooler S-R: Door hinge on the right
 - 701 / BBQ-Cooler S-L: Door hinge on the left
- + **Ideal for interior and exterior use (splash water protection according to IPX-4, e.g. for covered terraces)**
- + 6 adjustable temperature increments (-1 - 10 °C)
- + A lot of space for beverages and foods due to ca. 63 l interior volume
- + 4 practical iron chrome shelves with height adjustability thanks to easy click system
- + Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms
- + **3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods**
- + Overview of how many drinks are still being cooled
- + Door with self-closing mechanism reliable cooling
- + **Interior made of hygienic stainless steel for an easy cleaning**
- + Connectible LED interior illumination

Outdoor Cooling

BBQ-Cooler Black S-R | S-L



Item 702 / Item 703



- + **Like BBQ-Cooler S, but with high-quality black stainless steel housing**
- + Versions:
 - 702 / BBQ-Cooler Black S-R: Door hinge on the right
 - 703 / BBQ-Cooler Black S-L: Door hinge on the left




Outdoor Cooling

BBQ-Cooler M-R



Item 696




- + **Design barbecue cooler with high-quality stainless steel housing and compressor technology**
- + **Ideal for interior and exterior use (splash water protection according to IPX-4, e.g. for covered terraces)**
- + 6 adjustable temperature increments (ca. -1 - 10 °C)
- + A lot of space for beverages and foods due to ca. 125 l interior volume
- + 4 practical shelves with height adjustability thanks to easy click system
- + **Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms**
- + **3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods**
- + Overview of how many drinks are still being cooled
- + Door with self-closing mechanism reliable cooling
- + **Interior made of hygienic stainless steel for an easy cleaning**
- + Connectible LED interior illumination
- + Suitable for professional catering as well as for household use

Outdoor Cooling

BBQ-Cooler L-R



Item 697



- + **Like BBQ-Cooler M-R, only with a generous 190 l interior volume**


Outdoor Cooling

BBQ-Deluxe R Smart

NEW



Item 707



- + **Design barbecue cooler with digital touch display and compressor technology**
- + **High-quality stainless steel housing – Ideal for interior and exterior use (e.g. for covered terraces)**
- + **Can be controlled from anywhere via the integrated Wi-Fi module with the CASO app**
- + Temperature levels adjustable in 1 °C steps (approx. -1 - 10 °C)
- + A lot of space for beverages and foods due to ca. 63 l interior volume
- + 3 practical iron chrome shelves
- + **3-layer, tinted UV safety glass for optimal sun protection and reliable cooling of the drinks and foods**
- + Lockable door with self-closing mechanism reliable cooling
- + **Interior made of hygienic stainless steel for an easy cleaning**
- + Connectible LED interior illumination


Outdoor Cooling

BBQ-Deluxe L Smart

NEW



Item 708



- + **Like BBQ-Deluxe R Smart, but with door hinge on the left**



Outdoor Cooling

BBQ-Deluxe Black R Smart

NEW



Item 709



- + **Design barbecue cooler with digital touch display and compressor technology**
- + **High-quality steel housing with matt black weather-resistant powder coating**
- + **Ideal for interior and exterior use (e.g. for covered terraces)**
- + **Can be controlled from anywhere via the integrated Wi-Fi module with the CASO app**
- + Temperature levels adjustable in 1 °C steps (approx. -1 - 10 °C)
- + A lot of space for beverages and foods due to ca. 63 l interior volume
- + 3 practical iron chrome shelves
- + **3-layer, tinted UV safety glass for optimal sun protection and reliable cooling of the drinks and foods**
- + Lockable door with self-closing mechanism reliable cooling
- + **Interior made of hygienic stainless steel for an easy cleaning**
- + Connectible LED interior illumination


Outdoor Cooling

BBQ-Deluxe Black L Smart

NEW



Item 710



- + **Like BBQ-Deluxe Black R Smart, but with door hinge on the left**



Temperature control easily via CASO Control App

Beer Dispenser

BeerMaster

Can be combined with:

- + BBQ Cooler S-R, Item 700
- + Trolley for BBQ Cooler S-R, Item 782
- + Drip tray, Item 687

or

- + Counter & Cool (BBQ Cooler incl. Trolley, Item 781
- + Drip tray, Item 687



NEW

Heineken adapter

Item 582

Special functions

Outdoor

For all 5 litre beer kegs

Preserves beer for up to 10 days

- + High-quality product for fresh and cool beer
 - + **Cooling system preserves beer for up to 10 days**
 - + Optimum enjoyment thanks to 9 selectable temperatures (from 4 - 12 °C)
 - + **Infinitely adjustable pressure for perfect beer enjoyment – as if was pulled in a pub**
 - + **Suitable for all commercially available 5 litre beer kegs**, such as Krombacher, Warsteiner, Veltins, Bitburger, Heineken, etc.
 - + The perfect addition to your party
- + Hygienic, easy cleaning
 - + Scope of delivery:
 - Beer hose, Heineken adapter, 3 CO₂ pressure cartridges, Cleaning pump etc.



Barbecue Cooler with trolley and Beer Dispenser

TapBeer & Cool

NEW

Item 583

Special functions

Outdoor

UV-Protection

- Barbecue Cooler:**

 - + **splash water protection (according to IPX-4)**
 - + Door hinge on the right
 - + **Temperature manual adjustable from 0 - 10 °C**
 - + Compressor technology
 - + With drip tray for the beer dispenser
 - + Connectible white LED interior illumination
 - + Storage volume of about 63 liters, removable shelves
 - + 3-coat insulating safety glass with UV filter for optimal light protection
- Trolley:**

 - + Stainless steel trolley for CASO Barbecue Cooler with removable side shelves
 - + **Splash water protection – Ideal for covered terraces**
 - + Drawer with self-closing mechanism
 - + **Side parts up to 25 kg loadable**
 - + **Easily washable and very hygienic**
 - + With four stable swivel castors for easy transport (front with parking brake)



Sound & Cool

More than a lounge table




Lounge table with soundbar and cooling compartments

Sound & Cool



Item 792



- + Lounge table with cooling compartments, integrated music speakers and charging option for smartphones etc.
- + Reliable compressor cooling
- + **Two cooling compartments (total 135 l) for snacks and drinks with individually adjustable temperature:**
 - Left cooling zone: 3 – 8 °C / 70 l volume
 - Right cooling zone: 6 – 12 °C / 65 l volume
- + The practical ECO mode ensures the temperature setting with the lowest power consumption (depending on the ambient temperature)
- + **Convenient playback of music etc. via Bluetooth 5.0**
- + Different sound programme: auto, rock, film, pop, jazz
- + With RGB LED light strip for atmospheric ambience: Individual lighting depending on the music setting
- + **Practical charging options:**
 - USB ports: 2x USB (5 V) and 1x USB-C (5 V).
 - Wireless charging for compatible smartphones (up to 15 W)
- + LED display with touch control panel
- + **High-quality tempered glass with a max. load of up to 200 kg**
- + Acoustic signal if the refrigerator compartment is open for too long
- + Versions:
 - 792: Black body with black glass top
 - 793: White body with black glass top
 - 794: Wood effect body with black glass top



Item 793



Item 794



Dry aging cabinet

DryAged Master 380 Pro

The special way to age meat

Fancy a Galician beef sirloin steak? An absolute dream for meat lovers. Thanks to its strong marbling this cut is extra tender and aromatic and can achieve its full potential in the CASO DryAged maturing cabinet.

This special way of aging meat makes it particularly tender and aromatic. Beef aged meat on the bone has been a sensation in the USA for decades now.

Dry aging is the oldest known process for maturing meat and involves aging it on the bone for a certain length of time at a controlled temperature and humidity.

CASO DryAged coolers include finely adjustable air conditioning technology and a high-quality finish. A “must-have” for meat lovers who want ultimate enjoyment.



Item 691

freestanding
and convertible

Dry aging cabinet

DryAged Master 63



freestanding

Dry aging cabinet

DryAged Master 125



freestanding,
can be built under
and converted

Item 689


Item 690



Stainless steel



Sensor-Touch




UV protection


- + High quality maturing cabinet with compressor technology
- + **For storing, presenting and maturing high quality meat**
- + DryAged Master 125 can be built under and converted, DryAged Master 380 Pro convertible
- + Usable volume:
 - 689: 63 l
 - 690: 125 l
 - 691: 380 l
- + **Temperature electronically adjustable from 2 - 14 °C (in 1 °C steps)**
- + Indoor humidity adjustable from 50 - 85 %
- + Active fans for a very even temperature
- + **Intuitive operation using the touch control panel**
- + 3-layer UV glass
- + Lockable with an integrated lock
- + Switchable interior lighting
- + **Switchable, antibacterial UV light**
- + With built-in activated carbon filter
- + Incl. Racks and hangers with meat hooks made of stainless steel + one H₂O storage (two pieces for DryAged Master 380 Pro)

Accessories

+ Activated carbon filter, item 692



+ H₂O storage (4 pieces), item 693



Can be ordered on www.caso-design.de



The hook supplied with the appliance ensures that every surface of the meat matures perfectly.



The dark colouring is a classic characteristic and is removed before using the meat.



Perfectly marbled meat for an intensive taste experience.

* The achievable value in the interior can not exceed the ambient temperature at the installation site



CASO Design online

Social Media & Websites



/casogermany



/casodesign



/casodesign



/casodesign



Website:
www.caso-design.com

CASO App Portal:
www.casoapp.com

CASO Apps:
www.myfoodmanager.de
www.casocontrol.de

Article overview

Wine coolers

Wine coolers for 1 bottle



Product name	VinoCase Black	WineCase One Inox	WineCase One Black	WineCase Deluxe Inox
Item	615	611	614	616
EAN	40 38437 00615 5	40 38437 00611 7	40 38437 00614 8	40 38437 00616 2
Housing / colour	Black	Stainless steel	Black Stainless steel	Stainless steel
Temperature range*	5 - 18 °C	5 - 18 °C	5 - 18 °C	5 - 18 °C
Cooling technology	Peltier	Peltier	Peltier	Peltier
Bottles**	1	1	1	1
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
Power	72 Watt	72 Watt	72 Watt	72 Watt
Voltage	100 V - 240 V; 50 Hz / 60 Hz	100 V - 240 V; 50 Hz / 60 Hz	100 V - 240 V; 50 Hz / 60 Hz	100 V - 240 V; 50 Hz / 60 Hz
Measures (WxHxD)	140 x 250 x 270 mm	135 x 245 x 285 mm	135 x 245 x 285 mm	135 x 245 x 285 mm
Weight	1.25 kg	2.4 kg	2.4 kg	2,4 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1

Wine cooler



Product name	WineComfort 24 Black
Item	644
EAN	40 38437 00644 5
Housing / colour	Black with stainless steel frame
Temperature range*	5 - 20 °C
Temperature zones	2
Cooling technology	Compressor
Bottles**	24
Shelves	5
Operation	Sensor-Touch
UV filter glass	■
Interior lighting	LED
Energy efficiency class	G
Annual consumption	135 kWh/a
Power	60 Watt
Voltage	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 820 x 550 mm
Weight	36 kg
Certification	CE, GS
Certification	1

* The achievable value in the interior can not exceed the ambient temperature at the installation site
** Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

Article overview

Wine coolers

Wine coolers					
Product name	WineComfort 240 Smart	WineComfort 380 Smart	WineComfort 660 Smart	WineComfort 1260 Smart	WineComfort 1800 Smart
Item	719	720	725	728	730
EAN	40 38437 00719 0	40 38437 00720 6	40 38437 00725 1	40 38437 00728 2	40 38437 00730 5
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range*	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
Bottles**	24	38	66	126	180
Smart Control 	▪	▪	▪	▪	▪
Shelves	6	7	7	7	8
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪	▪	▪	▪
Interior lighting	LED	LED	LED	LED	LED
Energy efficiency class	G	G	G	G	G
Annual consumption	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Power	60 Watt	60 Watt	60 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	400 x 876 x 600 mm	395 x 1035 x 675 mm	595 x 1035 x 675 mm	595 x 1590 x 685 mm	595 x 1860 x 760 mm
Weight	36.7 kg	45.9 kg	56.9 kg	76.9 kg	87.6 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1	1

* The achievable value in the interior can not exceed the ambient temperature at the installation site
** Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

Wine coolers						
Product name	WineExclusive 12	WineExclusive 24 Smart	WineExclusive 38 Smart	WineExclusive 66 Smart	WineExclusive 126 Smart	WineExclusive 180 Smart
Item	716	718	721	726	729	731
EAN	40 38437 00716 9	40 38437 00718 3	40 38437 00721 3	40 38437 00726 8	40 38437 00729 9	40 38437 00731 2
Housing / colour	Black / glass front	Black / glass front	Black / glass front	Black / glass front	Black / glass front	Black / glass front
Temperature range*	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	1	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor	Kompressor
Bottles**	12	24	38	66	126	180
Smart Control 		▪	▪	▪	▪	▪
Shelves	3	6	7	7	7	8
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪	▪	▪	▪	▪
Interior lighting	LED	LED	LED	LED	LED	LED
Energy efficiency class	G	G	G	G	G	G
Annual consumption	130 kWh/a	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Power	60 Watt	60 Watt	70 Watt	60 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 520 x 515 mm	400 x 876 x 585 mm	400 x 1035 x 685 mm	600 x 1035 x 685 mm	600 x 1590 x 685 mm	600 x 1860 x 750 mm
Weight	23.95 kg	37 kg	47.8 kg	60.4 kg	84,6 kg	97 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1	1	1

Article overview

Wine coolers

Wine coolers				
				
Product name	WineChef Pro 40	WineChef Pro 126	WineChef Pro 126-2D	WineChef Pro 180
Item	772	775	776	779
EAN	40 38437 00772 5	40 38437 00775 6	40 38437 00776 3	40 38437 00779 4
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range*	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	2	2	2 + 2 doors	2
Cooling technology	Compressor	Compressor	Compressor	Compressor
Bottles**	40	126	126	180
Kind of use	Free-standing or can be built under	Free-standing or convertible	Free-standing or convertible	Free-standing or convertible
Smart Control 	▪	▪	▪	▪
Shelves	5	7	7	7
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪	▪	▪
Interior lighting	LED	LED	LED	LED
Energy efficiency class	G	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	166 kWh/a	175 kWh/a
Power	70 Watt	55 Watt	55 Watt	55 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	595 x 825 x 625 mm	595 x 1630 x 740 mm	595 x 1630 x 740 mm	595 x 1860 x 740 mm
Weight	48.5 kg	101 kg	97.8 kg	107 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1

Wine coolers			
			
Product name	WineChef Pro 40 Black	WineChef Pro 126-2D Black	WineChef Pro 180 Black
Item	773	777	780
EAN	40 38437 00773 2	40 38437 00777 0	40 38437 00780 0
Housing / colour	Black stainless steel front	Black stainless steel front	Black stainless steel front
Temperature range*	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	2	2 + 2 doors	2
Cooling technology	Compressor	Compressor	Compressor
Bottles**	40	126	180
Kind of use	Free-standing or can be built under	Free-standing or convertible	Free-standing or convertible
Smart Control 	▪	▪	▪
Shelves	5	7	7
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪	▪
Interior lighting	LED	LED	LED
Energy efficiency class	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	175 kWh/a
Power	70 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	595 x 825 x 640 mm	595 x 1630 x 740 mm	595 x 1860 x 740 mm
Weight	52.5 kg	104 kg	107.75 kg
Certification	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1

Built-in wine coolers		
		
Product name	WineSafe 18 EB Black	WineSafe 18 EB Inox
Item	627	629
EAN	40 38437 00627 8	40 38437 00629 2
Housing / colour	Glas front	Stainless steel frame
Niche height	45er	45er
Temperature range*	5 - 20 °C	5 - 20 °C
Temperature zones	1	1
Cooling technology	Compressor	Compressor
Bottles**	18	18
Shelves	3	3
Operation	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪
Interior lighting	LED	LED
Energy efficiency class	G	G
Annual consumption	128 kWh/a	128 kWh/a
Power	60 Watt	60 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	590 x 455 x 575 mm	590 x 455 x 575 mm
Weight	28.3 kg	28.5 kg
Certification	CE, GS	CE, GS
Packing unit	1	1

Wine coolers		
		
Product name	WineSafe 300 Smart	WineChef Duo 122 Black
Item	664	674
EAN	40 38437 00664 3	40 38437 00674 2
Housing / colour	Black	Black
Temperature range*	5 - 20 °C	5 - 20 °C / 2-20 °C
Temperature zones	1	2
Cooling technology	Compressor	Compressor
Bottles**	300	122
Kind of use	Free-standing or convertible	
Smart Control 	▪	
Shelves	11	13 left, 4 right
Operation	Sensor-Touch	Sensor-Touch
UV filter glass	▪	▪
Interior lighting	LED	LED
Energy efficiency class	G	G
Annual consumption	209 kWh/a	173 kWh/a
Power	200 Watt	160 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	805 x 204,5 x 800 mm	550 x 890 x 1627 mm
Weight	168 kg	108 kg
Certification	CE, GS	CE, GS
Packing unit	1	1

* The achievable value in the interior can not exceed the ambient temperature at the installation site
** Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

Article overview

Barbecue Cooler

Barbecue Cooler



Product name	BBQ-Cooler S-R	BBQ-Cooler S-L	BBQ-Cooler Black S-R	BBQ-Cooler Black S-L	BBQ Cooler M-R	BBQ Cooler M-L	BBQ-Deluxe R Smart	BBQ-Deluxe L Smart	BBQ-Deluxe Black R Smart	BBQ-Deluxe Black L Smart	Steel trolley (without cooler)
Item	700	701	702	703	696	697	707	708	709	710	782
EAN	40 38437 00700 8	40 38437 00701 5	40 38437 00702 2	40 38437 00703 9	40 38437 00696 4	40 38437 00697 1	40 38437 00707 7	40 38437 00708 4	40 38437 00709 1	40 38437 00710 7	40 38437 00782 4
Housing / colour	Stainless steel	Stainless steel	Stainless steel black	Stainless steel black	Stainless steel	Stainless steel	Stainless steel	Stainless steel	Black power coating	Black power coating	Stainless steel
Door hinge	On the right	On the left	On the right	On the left	On the right	On the right	On the right	On the left	On the right	On the left	Can be combined with other BBQ-Coolers: Item 700, 701, 702 and 703
Temperature range*	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	-1 - 10 °C	
Temperature zones	1	1	1	1	1	1	1	1	1	1	
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	
Smart Control 							▪	▪	▪	▪	
Storage capacity	63 l	63 l	63 l	63 l	125 l	190 l	63 l	63 l	63 l	63 l	
Shelves	4	4	4	4	4	4	4	4	4	4	
Operation							Digital-Touch-Display	Digital-Touch-Display	Digital-Touch-Display	Digital-Touch-Display	
IPX-4 (splash water protection)	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	
UV filter glass	▪	▪	▪	▪	▪	▪	▪	▪	▪	▪	
Interior lighting	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED	
Energy efficiency class	A	A	A	A	B	B	A	A	A	A	
Annual consumption	345 kWh/a	345 kWh/a	345 kWh/a	345 kWh/a	584 kWh/a	657 kWh/a					
Power	0.4 A	0.4 A	0.4 A	0.4 A	0.6 A	0.6 A	0,4 A	0,4 A	0,4 A	0,4 A	
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	
Measures (WxHxD)	430 x 675 x 555 mm	430 x 675 x 555 mm	430 x 680 x 550 mm	430 x 680 x 550 mm	395 x 1025 x 650 mm	595 x 1025 x 650 mm	430 x 688 x 510 mm	430 x 688 x 510 mm	430 x 688 x 510 mm	430 x 688 x 510 mm	1010 x 985 x 600 mm
Weight	32.1 kg	32.1 kg	35.15 kg	35.15 kg	44.1 kg	59.5 kg					27.8 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	
Packing unit	1	1	1	1	1	1	1	1	1	1	1

* The achievable value in the interior can not exceed the ambient temperature at the installation site

Article overview

Beer Dispenser / Lounge tables

Beer Dispenser



Product name	BeerMaster	TapBeer & Cool
Item	582	583
EAN	40 38437 00582 0	40 38437 00583 7
Housing / colour	Stainless steel / black	Stainless steel / black
Door hinge	On the right	
Temperature range*	4 - 12 °C	Beer Dispenser: 4 - 12 °C / BBQ Cooler: -1 - 10 °C
Temperature zones	1	
Cooling technology	Peltier	Compressor
Storage capacity	BBQ Cooler: 63 l	
Shelves	4	
IPX-4 (splash water protection)	▪	
UV filter glass	▪	
Interior lighting	▪	
Energy efficiency class	G	
Annual consumption	99 kWh/a	
Accessories	Beer hose, Heineken adapter, 3 CO ₂ pressure cartridges, Cleaning pump etc.	Beer hose, Heineken adapter, 3 CO ₂ pressure cartridges, Cleaning pump etc.
Power	65 Watt	Beer Dispenser: 65 Watt / BBQ Cooler: 60 Watt
Voltage	220-240V; 50Hz	Beer Dispenser: 220-240V; 50Hz / BBQ Cooler: 230 V / 50 Hz
Measures (WxHxD)	280 x 475 x 480 mm	Beer Dispenser: 280 x 475 x 480 mm BBQ Cooler: 430 x 690 x 540 mm
Weight	5.4 kg	Beer Dispenser: 5.4 kg / BBQ Cooler: 31.4 kg
Certification	CE, GS	CE, GS
Packing unit	1	1

Lounge tables with sound bar and cooling compartments



Product name	Sound & Cool Black	Sound & Cool White	Sound & Cool Wood
Item	792	793	794
EAN	40 38437 00792 3	40 38437 00793 0	40 38437 00794 7
Housing / colour	Black housing with black glass top	White housing with black glass top	Wood-look housing with black glass top
Temperature range*	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C
Temperature zones	2	2	2
Cooling technology	Compressor	Compressor	Compressor
Storage volume	Left cooling zone: 70 l Right cooling zone: 65 l	Left cooling zone: 70 l Right cooling zone: 65 l	Left cooling zone: 70 l Right cooling zone: 65 l
Operation	Touch	Touch	Touch
Load capacity glass plate	Up to 200 kg	Up to 200 kg	Up to 200 kg
Sound programs	Auto, Rock, Film, Pop, Jazz	Auto, Rock, Film, Pop, Jazz	Auto, Rock, Film, Pop, Jazz
RGB light bar	▪	▪	▪
Energy efficiency class	F	F	F
Annual consumption	91 kWh/a	91 kWh/a	91 kWh/a
Power	0.7 A	0.7 A	0.7 A
Voltage	220 V - 240 V; 50/60 Hz	220 V - 240 V; 50/60 Hz	220 V - 240 V; 50/60 Hz
Measures (WxHxD)	1305 x 460 x 700 mm	1305 x 460 x 700 mm	1305 x 460 x 700 mm
Weight	55.3 kg	55.3 kg	55.3 kg
Certification	CE	CE	CE
Packing unit	1	1	1

* The achievable value in the interior cannot exceed the ambient temperature at the installation site

Article overview

Dry aged coolers

	Dry-Aged Cooler		
			
Product name	DryAged Master 63	DryAged Master 125	DryAged Master 380 Pro
Item	689	690	691
EAN	40 38437 00689 6	40 38437 00690 2	40 38437 00691 9
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range*	2 - 14 °C	2 - 14 °C	2 - 14 °C
Temperature zones	1	1	1
Cooling technology	Compressor	Compressor	Compressor
Volume	63 Liter	125 Liter	380 Liter
Operation	Sensor-touch	Sensor-touch	Sensor-touch
UV filter glass	■	■	■
Interior lighting	■	■	■
Annual consumption	190 kWh/a	200 kWh/a	290 kWh/a
Accesories	4 racks, hangers with 3 meat hooks, H ₂ O storage	4 racks, hangers with 3 meat hooks, H ₂ O storage	4 racks, hangers with 6 meat hooks, H ₂ O storage
Power	0,4 A	140 Watt	240 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 875 x 595 mm	595 x 825 x 640 mm	595 x 1860 x 740 mm
Weight	41.4 kg	57.4 kg	104.2 kg
Certification	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1



CASO[®]
D E S I G N

INNOVATIVE KITCHEN TECHNOLOGY



Competence book



Competence book kitchen



SCAN ME
You can find all
catalogues here


Germany

CASO Design

CASO GmbH
Raiffeisenstraße 9
59757 Arnsberg, Germany

fon +49 (0) 29 32 . 547 66 0
fax +49 (0) 29 32 . 547 66 77
info@caso-design.de

www.caso-design.de



Subject to change, colour variation and printing errors. Copyright by CASO GmbH // Layout: CASO GmbH // Pictorial sources: www.foto-stoll.de, www.stock.adobe.com, www.unsplash.com and CASO GmbH. For writing efficiency reasons, the male gender is usually used to designate groups of people. This is in no way meant to constitute any discrimination of or prejudice against the female and diverse genders, but is mainly meant to ensure that it is not unnecessarily difficult to read a text. Printed in Germany V1_2025.