

IT DEPENDS ON THE TEMPERATURE

Whether red wine with an aromatic bouquet; a crisp white wine; a well-chilled beer or cool summer drinks, CASO Design wine and barbecue coolers ensure maximum enjoyment.

Ice cube makers and ice cream machines deliver that extra helping of coolness. If you like tasty, tender meat, you will love the CASO Design Dry Aged Cooler. There is no better way to get the best out of your meat!

Enjoy with CASO Design



CONTENT

Wine Cooler for one bottle	9
Wine Cooler	10
CASO Control App	11
Wine Cooler with the CASO Control App and Built-In Wine Cooler	21
Barbecue Cooler	23
Beer Dispenser	25
Lounge Table with sound bar and cooling compartments	27
Dry-Aging	29
Social Media & websites	30
Overview	39



Enjoy wine with your meal

Stable temperatures thanks to CASO Design

For many connoisseurs, gourmet cuisine must be accompanied by a great white or red wine, depending on what they are eating.

Without a doubt, the perfect wine rounds off a good meal. Achieving the ideal drinking temperature is an essential element of this. Wine coolers are a great way to keep wine that has been stored in a CASO Design wine refrigerator at a desired temperature ranging from 5 to 18 °C when served at the table.

Other drinks such as mineral water, lemonade or sparkling wine can also be chilled and kept cool.



Wine Cooler for one bottle

VinoCase Black



Item 615



- + Modern table-top wine cooler, ideal to maintain the temperature of an already chilled bottle of wine, champagne, sparkling wine, etc.
- + Suitable for all bottles with a diameter up to 9 cm
- + High-quality, elegant matt black housing enables you to perfectly stage your favourite wine on any table! sideboard
- Temperature electronically adjustable from 5 to 18 °C* in 1 °C - increments (or 41 to 64 °F in 1 °F increments) – for the optimum drinking temperature
- + White LED temperature display with practical sensor touch controls
- + Quiet operation
- + Compact size for space-saving storage

Wine Cooler for one bottle

WineCase One Inox







- + High quality wine cooler for one bottle (up to 9 cm \emptyset)
- Ideal for maintaining the temperature of an already cooled bottle of wine, champagne, sparkling wine, etc.
- + Put your favourite wine in the limelight
- + Noble design with stainless steel housing
- + Compact size perfect on every sideboard
- Temperature electronically adjustable from 5 18 °C* in 1 °C steps (or 41 - 64 °F in 1 °F steps)
- + White LED temperature display
- + Practical sensor touch operation

Wine Cooler for one bottle

WineCase One Black



iteiii 01







+ Like WineCase One Inox, but with black stainless steel housing









^{*} The achievable value in the interior can not exceed the ambient temperature at the installation site.

Cordless wine cooler for 1 bottle

WineCase Deluxe Inox



Battery

WineCase Deluxe Inox-Akku





Item 617

Item 616

Special functions



















Wine Cooler:

- + Your perfect companion for dinner and barbecues, at the table and on the patio
- + High-quality, battery-powered wine cooler for one bottle + Easy insertion and changing of the battery (up to 90 mm \emptyset) – the perfect addition to your dinner, barbecue, etc.
- + Ideal for maintaining the temperature of a chilled bottle of wine, champagne, sparkling wine, etc.
- + Precisely tempers your wine at the desired temperature thanks to battery operation for up to 120 minutes*
- + Stylish design with high-quality stainless steel housing
- + Can be operated with battery or power adapter (even without battery)
- + Temperature can be set electronically from 5 18°C

- + Incl. removable battery (charging time approx. 2 hours) battery available separately)

- + Replacement battery for wine cooler WineCase Deluxe Inox
- + Full charging time approx. 2 hours





- + Practical sensor touch operation
- + Quiet operation
- and battery adapter with power supply (additional spare




- + Continuous operating time: approx. 120 min*











Cordless wine cooler for 1 bottle

Taste is a question of the temperatur

Wine Cooler

WineComfort 24 black

Item 644









- + High quality wine cooler with compressor technology
- + Two separate temperature zones for white and red wine, individually adjustable via sensor touch
- + Smooth running compressors on vibration-reduced feet: + Timeless design and elegant handle provide the calm, quiet location your wine requires
- Storage of up to 24 bottles (up to 310 mm height)*
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)**
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Five wood storage shelves
- + Lockable door





Every wine has its own character which becomes more pronounced as it ages. CASO Design wine refrigerators provide the ideal conditions required for this process. Our Wi-Fi-enabled appliances can also be easily controlled using a smartphone – even if you're not at home. The free CASO control app is essential for this and can be used to check and control your wine refrigerator's storage temperature and lighting.

NEW: Temperature Profiles in the App Portal

Our latest enhancement allows you to select custom temperature profiles online. They include both the pre-set profiles "Standard Celsius" and "Standard Fahrenheit" as well as energy-saving profiles "Eco Celsius" and "Eco Fahrenheit". To get even more enjoyment out of your wine cooler you can also create your own profiles – perfectly customised to suit your life.

NEW: LED light strips dimmable via smartphonet

The built-in appliances in the WineDeluxe WD series have dimmable LED light strips to create a special atmosphere. You can now easily control the 4 light intensity levels via the app.

- Perfect temperature and light control from virtually anywhere
- App development "Made in Germany"
- · Monitors your wine cooler
- Easy light control from almost anywhere
- NEW! Enhanced features in the app portal: Choose pre-set (Standard/Eco) or custom temperature profiles
- NEW for all WineDeluxe WC built-in wine coolers LED light strips with 4 dimmable light intensity levels
- Free for Android and iOS








Wine coolers

Series WineComfort Smart



- + High quality wine control device with compressor technology
- Via integrated Wi-Fi module and with the CASO app controllable from almost anywhere
- + CASO app monitors and reports any errors in seconds
- + Two separate temperature zones, individually adjustable for white & red wine
- + Sensor-touch operation
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + 3-layer insulating glass with UV filter for optimum aroma protection
- Temperature electronically adjustable from 5 20 °C (41 - 68 °F)**
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant stainless steel front and ergonomic handle
- + With lockable door



With a wooden storage shelve with a device for presenting your best wines (model WineComfort 1260 Smart und 1800 Smart)





WineComfort 240 Smart | Art.Nr. 719

- + Storage for up to 24 bottles (up to 310 mm in height)*
- + Six wood storage shelves (five of them with ball bearing extensions)

WineComfort 380 Smart | Art.Nr. 720

- + Storage for up to 38 bottles (up to 310 mm in height)*
- + Seven wood storage shelves (six of them with ball bearing extensions)

WineComfort 660 Smart | Art.Nr. 725

- + Storage for up to 66 bottles (up to 310 mm in height)*
- Seven wood storage shelves (six of them with ball bearing extensions)

WineComfort 1260 Smart | Art.Nr. 728

- + Storage for up to 126 bottles (up to 310 mm in height)*
- Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

WineComfort 1800 Smart | Art.Nr. 730

- + Storage for up to 180 bottles (up to 310 mm in height)*
- Eight wood storage shelves (even of them with ball bearing extensions) incl. one with a device for presenting your best wines

Wine coolers

Series WineExclusive Smart











(uv

UV protection


+ High quality wine cooler with compressor technology

- + Via integrated Wi-Fi Module and with the CASO Control App contrillable from almost everywhere
- wine, individually adjustable via sensor touch operation
- 310 mm height)*
- + 3-layer insulating glass with UV filter for optimum aroma protection (WineExklusive 180 Smart 2-layer)
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)**



With a wooden storage shelve with a device for presenting your best wines (model WineExklusive 126 / 180 Smart)





WineExclusive 12 | Art.Nr. 716

- + Active fans ensuring a very even temperature
- + 1 temperature zone
- + 3 wood storage shelves (2 of them with ball bearing extensions)

WineExclusive 24 Smart | Art.Nr. 718

+ Six wood storage shelves (five of them with ball bearing extensions)

WineExclusive 38 Smart | Art.Nr. 721

- + Active fans per temperature zone ensuring a very even temperature
- + Seven wood storage shelves (six of them with ball bearing extensions)

WineExclusive 66 Smart | Art.Nr. 726

- Active fans per temperature zone ensuring a very even temperature per zone
- Seven wood storage shelves (six of them with ball bearing extensions)

WineExclusive 126 Smart | Art.Nr. 729

- + Active fans per temperature zone ensuring a very even temperature per zone
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

WineExclusive 180 Smart | Art.Nr. 731

- Active fans per temperature zone ensuring a very even temperature per zone
- + Eight wood storage shelves (seven of them with ball bearing extensions) incl. one with a device for presenting your best wines

Series WineChef Pro
















UV protection Base ventilation



- + CASO app monitors and reports any errors in seconds
- + Two separate temperature zone, per zones temperature electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + High quality stainless steel design
- + Sensor-Touch operation
- + Active fans per temperature zone ensuring a very even temperature per zone
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Thanks to cooling above the device base, it can be used free-standing or can be built under (WineChef Pro 40) resp. convertible (WineChef Pro 126 / 126-2D / 180)
- + 3-layer insulating glass for optimal protection
- + White LED temperature display of the cooling zones
- + Switchable interior lighting
- + Lockable door


40







The ventilation located at the front of the device under the base makes it With a wooden storage shelf that can be tilted to display your wines possible to use wine refrigerators both as freestanding appliances as well (for models WineChef Pro 126, 126-2D, 180) as convertible and integrated models.



WineChef Pro 40 | Art.Nr. 772

- + Storage for up to 40 bottles*
- + Five wood storage shelves (four of them with ball bearing extensions)

WineChef Pro 126 | Art.Nr. 775

- + Storage for up to 126 bottles*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

WineChef Pro 126-2D | Art.Nr. 776

- + With two doors for each zone
- + Storage for up to 126 bottles*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

WineChef Pro 180 | Art.Nr. 779

- + Storage for up to 180 bottles*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

Wine coolers with base ventilation

Series WineChef Pro Black









+ Sensor-touch operation

+ Lockable door

+ Switchable interior lighting

front and ergonomic handle



(uv) UV protection

A4 17 00

+ White LED temperature display of the cooling zones

+ Timeless design with elegant, black stainless steel

+ WiFi Smart Control – comfortable control from almost

- anywhere due to the innovative CASO Control App + High quality wine cooler with compressor technology
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Thanks to cooling above the device base, it can be used freely or can be built under / resp. convertible
- + Two separate temperature zones for white and red wine, individually adjustable
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)**
- + Active fans per temperature zone ensuring a very even temperature per zone
- for optimum aroma protection



G

WineChef Pro 40 Black | Art.Nr. 773

310 mm height)*

+ Storage for up to 40 bottles (up to

+ Five wood storage shelves (four of

them with ball bearing extensions)

WineChef Pro 126-2D Black | Art.Nr. 777

G

- + With two doors for each zone
- + Storage for up to 126 bottles*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best

WineChef Pro 180 Black | Art.Nr. 780

- + Storage for up to 180 bottles*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your hest wines

Gâ

Built-in wine coolers

Series WeinSafe 18 EB








+ High quality wine control device with compressor technology


- + One temperature zone
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Storage for up to 18 bottles (up to 310 mm in height)*
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)**
- + Active fan ensures a very even temperature
- + LED temperature display of the cooling zone
- + Switchable interior lighting
- + Timeless and elegant design
- 627: Glass front and minimalist handle
- 629: Stainless steel frame and minimalist handle
- + Three removable wood storage shelves (two of them with ball bearing extensions)

furniture installation dimensions! Wine cooler hinge from above $\it I$ door swings out

Note! No standard kitchen

The wooden storage shelves are easy to pull out.








* Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm) ** The achievable value in the interior can not exceed the ambient

temperature at the installation site

Wine coolers with base ventilation

WineChef Duo 122 Black









NEW



do un de



- + Storage for up to 122 wine bottles*
- + Two separate temperature zones, individually adjustable for the right and left side
- + Sensor-touch display with LED temperature indicators for both zones and quick-select options for preferred settings
- + Temperature range electronically adjustable from 5 - 20 °C (41 - 68 °F)**
- + Active fan ensures consistent temperature distribution
- + Quiet-running compressor: Provides the tranquility your wine needs
- + 3-layer insulating safety glass with UV filter for optimal aroma protection
- + Can be used freestanding or built-in thanks to cooling over the appliance base
- + Equipped with 13 wave-shaped wire shelves and 4 metal shelves
- + Side-mounted interior LED lighting beautifully showcases your wine
- + Timeless black design with elegant tinted glass front
- + Comes with a lockable door

Item 674

10 00 12

1111/1/deset////

G

WineSafe 300 Smart




Wine coolers











- + One temperature zone
- + Intuitive sensor-touch operation
- + Smooth-running compressors on vibration-reduced feet: Ensures the tranquility your wine needs
- + Active fans ensure consistent temperature distribution across all levels
- + Storage for up to 300 bottles*
- + 2-layer insulating safety glass with UV filter for optimal aroma protection
- + Electronically adjustable temperature range from 5 - 20 °C (41 - 68 °F)**
- + Remote control via integrated Wi-Fi and the CASO Control App
- + LED temperature display for the cooling zone
- + Timeless black design with elegant tinted glass front
- + 12 removable wooden shelves (2 of them with ball bearing extensions)
- + Comes with a lockable door









temperature at the installation site





Item 664





BBQ-Cooler S-R | L

Outdoor Cooling


BBQ-Cooler Black S-R | L



Item 700 / Item 701

Uν

UV protection



 Design barbecue cooler with high-quality stainless steel housing and compressor technology

- + Versions:
- 700 / BBQ-Cooler S-R: Door hinge on the right
- 701 / BBQ-Cooler S-L: Door hinge on the left
- + Ideal for interior and exterior use (splash water protection according to IPX-4, e.g. for covered terraces)
- + 6 adjustable temperature increments (-1 10 °C)
- + A lot of space for beverages and foods due to ca. 63 I interior volume
- + 4 practical iron chrome shelves with height adjustability thanks to easy click system
- + Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms
- + 3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods
- + Overview of how many drinks are still being cooled
- + Door with self-closing mechanism reliable cooling
- + Interior made of hygienic stainless steel for an easy
- + Connectible LED interior illumination

(uv) Special functions

Outdoor

UV protection

- + Like BBQ-Cooler S, but with high-quality black stainless steel housing
- + Versions:
- 702 / BBQ-Cooler Black S-R: Door hinge on the right
- 703 / BBQ-Cooler Black S-L: Door hinge on the left




Outdoor Cooling

BBQ-Cooler M-R









- Ideal for interior and exterior use (splash water protection according to IPX-4, e.g. for covered terraces)
- + 6 adjustable temperature increments (ca. -1 10 °C)
- + A lot of space for beverages and foods due to ca. 125 l interior volume
- + 4 practical shelves with height adjustability thanks to easy easy click system
- + Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms
- + 3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods
- + Overview of how many drinks are still being cooled
- + Door with self-closing mechanism reliable cooling
- + Interior made of hygienic stainless steel for an easy cleaning
- + Connectible LED interior illumination
- + Suitable for professional catering as well as for household use

Outdoor Cooling

BBQ-Cooler L-R



Item 697



+ Like BBQ-Cooler M-R, only with a generous 190 l interior volume

Beer Dispenser

BeerMaster

Can be combined with:

BBQ Cooler S-R, Item 700

- + Trolley for BBQ Cooler S-R, Item 782
- + Drip tray, Item 687

Counter & Cool (BBQ Cooler incl. Trolley, Item 781

+ Drip tray, Item 687







Item 582









Preserves beer for up to 10 days

- + High-quality product for fresh and cool beer
- + Cooling system preserves beer for up to 10 days
- + Optimum enjoyment thanks to 9 selectable temperatures (from 4 - 12 °C)
- + Infinitely adjustable pressure for perfect beer enjoyment – as if was pulled in a pub
- + Suitable for all commercially available 5 litre beer kegs, such as Krombacher, Warsteiner, Veltins, Bitburger, Heineken, etc.
- + The perfect addition to your party

- + Hygienic, easy cleaning
- + Scope of delivery:
- Beer hose, Heineken adapter, 3 CO, pressure cartridges, Cleaning pump etc.



Barbecue Cooler with trolley and Beer Dispenser

TapBeer & Cool



Special functions

Barbecue Cooler:

+ Door hinge on the right

+ Compressor technology

Item 583

24 | 25



+ splash water protection (according to IPX-4)

+ Temperature manual adjustable from 0 - 10 °C

+ Storage volume of about 63 liters, removable shelves

+ With drip tray for the beer dispenser

+ Connectible white LED interior illumination





Trolley:

- + Stainless steel trolley for CASO Barbecue Cooler with removable side shelves
- + Splash water protection Ideal for covered terraces
- + Drawer with self-closing mechanism
- + Side parts up to 25 kg loadable
- + Easily washable and very hygienic
- + With four stable swivel castors for easy transport



Lounge table with soundbar and cooling compartments

Sound & Cool

Sound & Cool

More than a lounge table



Item 792

Special functions













iteiii 79

- + Lounge table with cooling compartments, integrated music speakers and charging option for smartphones etc.
- + Reliable compressor cooling
- Two cooling compartments (total 135 I) for snacks and drinks with individually adjustable temperature:
- Left cooling zone: 3 8 °C / 70 I volume
- Right cooling zone: 6 12 °C / 65 I volume
- + The practical ECO mode ensures the temperature setting with the lowest power consumption (depending on the ambient temperature)
- + Convenient playback of music etc. via Bluetooth 5.0
- + Different sound programme: auto, rock, film, pop, jazz
- + With RGB LED light strip for atmospheric ambience: Individual lighting depending on the music setting
- + Practical charging options:
- USB ports: 2x USB (5 V) and 1x USB-C (5 V).
- Wireless charging for compatible smartphones (up to 15 W)
- + LED display with touch control panel
- High-quality tempered glass with a max. load of up to 200 kg
- + Acoustic signal if the refrigerator compartment is open for too long
- + Versions:
- 792: Black body with black glass top
- 793: White body with black glass top
- 794: Wood effect body with black glass top














Dry aging cabinet

DryAged Master 63

Dry aging cabinet

DryAged Master 125





Item 689 Item 690

Special functions











+ High quality maturing cabinet with compressor technology

+ For storing, presenting and maturing high quality meat

- + DryAged Master 125 can be built under and converted, DryAged Master 380 Pro convertible
- + Usable volume:
- 689: 63 I
- 690: 125 l
- 691: 380 I
- + Temperature electronically adjustable from 2 14 °C (in 1 °C steps)
- + Indoor humidity adjustable from 50 85 %
- + Active fans for a very even temperature
- + Intuitive operation using the touch control panel
- + 3-layer UV glass
- + Lockable with an integrated lock
- + Switchable interior lighting
- + Switchable, antibacterial UV light
- + With built-in activated carbon filter
- + Incl. Racks and hangers with meat hooks made of stainless steell + one H₂O storage (two pieces for DryAged Master 380 Pro)

⁺ Activated carbon filter, + H₂O storeage (4 pieces), item 693 Can be ordered on www.caso-design.de



The hook supplied with the appliance ensures that every surface of the meat



The dark colouring is a classic characteristic and is removed before using the meat.



Perfectly marbled meat for an intensive

^{*} The achievable value in the interior can not exceed the ambient temperature at the installation site



CASO Design online

Social Media & Websites











*I*casodesign





/casodesign

/casodesign



Website: www.caso-design.com **CASO App Portal:** www.casoapp.com CASO Apps: www.myfoodmanager.de www.casocontrol.de

Article overview

Wine coolers

Item

EAN

Housing / colour

Temperature range**

Cooling technology

Bottles*

Operation

Power

Voltage

Weight

Certification

Packing unit

Measures (WxHxD)

Wine coolers for 1 bottle



615

40 38437 00615 5

Black

5 - 18 °C

Sensor-Touch

72 Watt

100 V - 240 V;

50 Hz / 60 Hz

140 x 250 x

1.25 kg

CE, GS

1



611

40 38437 00611 7

Stainless steel

5 - 18 °C

Sensor-Touch

72 Watt

100 V - 240 V;

50 Hz / 60 Hz

135 x 245 x

2.4 kg

CE, GS

WineCase One Inox WineCase One Black



614

40 38437 00614 8

Black Stainless steel

5 - 18 °C

Peltier

Sensor-Touch

72 Watt

100 V - 240 V;

135 x 245 x

2.4 kg

CE, GS



WineCase Deluxe 616 40 38437 00616 2 Stainless steel 5 - 18 °C Sensor-Touch 72 Watt 100 V - 240 V; 50 Hz / 60 Hz 135 x 245 x 2,4 kg

CE, GS

1



Product name	WineComfort 24 Black
tem	644
EAN	40 38437 00644 5
lousing / colour	Black with stainless steel frame
emperature range**	5 - 20 °C
emperature zones	2
cooling technology	Compressor
Bottles*	24
ihelves	5
Operation (Sensor-Touch
JV filter glass	
nterior lighting	LED
inergy efficiency class	G
Annual consumption	135 kWh/a
ower	60 Watt
/oltage	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 820 x 550 mm
Veight	36 kg
Certification	CE, GS
ertification	1

^{*} Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

^{**} The achievable value in the interior can not exceed the ambient temperature at the installation site

Article overview

Wine coolers



Product name	WineComfort 240 Smart	WineComfort 380 Smart	WineComfort 660 Smart	WineComfort 1260 Smart	WineComfort 1800 Smart
Item	719	720	725	728	730
EAN	40 38437 00719 0	40 38437 00720 6	40 38437 00725 1	40 38437 00728 2	40 38437 00730 5
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range**	5 - 20 °C	5 - 20 °C			
Temperature zones	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor
Bottles*	24	38	66	126	180
Smart Control					
Shelves	6	7	7	7	8
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass					
Interior lighting	LED	LED	LED	LED	LED
Energy efficiency class	G	G	G	G	G
Annual consumption	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Power	60 Watt	60 Watt	60 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz			
Measures (WxHxD)	400 x 876 x 600 mm	395 x 1035 x 675 mm	595 x 1035 x 675 mm	595 x 1590 x 685 mm	595 x 1860 x 760 mm
Weight	36.7 kg	45.9 kg	56.9 kg	76.9 kg	87.6 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1	1

Vine coolers		
	Z	





Product name	WineExclusive 12	WineExclusive 24 Smart	WineExclusive 38 Smart	WineExclusive 66 Smart	WineExclusive 126 Smart	WineExclusive 180 Smart
Item	716	718	721	726	729	731
EAN	40 38437 00716 9	40 38437 00718 3	40 38437 00721 3	40 38437 00726 8	40 38437 00729 9	40 38437 00731 2
Housing / colour	Black / glass front	Black / glass front	Black / glass front	Black / glass front	Black / glass front	Black / glass front
Temperature range**	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	1	2	2	2	2	2
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor	Kompressor
Bottles*	12	24	38	66	126	180
Smart Control 🥏				•		•
Shelves	3	6	7	7	7	8
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass Interior lighting Energy efficiency class				•		•
	LED	LED	LED	LED	LED	LED
	G	G	G	G	G	G
Annual consumption	130 kWh/a	136 kWh/a	146 kWh/a	165 kWh/a	180 kWh/a	184 kWh/a
Power	60 Watt	60 Watt	70 Watt	60 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 520 x 515 mm	400 x 876 x 585 mm	400 x 1035 x 685 mm	600 x 1035 x 685 mm	600 x 1590 x 685 mm	600 x 1860 x 750 mm
Weight	23.95 kg	37 kg	47.8 kg	60.4 kg	84,6 kg	97 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1	1	1	1


^{*} Bottle size based on a standard Bordeaux bottle (max. \emptyset 75 mm) ** The achievable value in the interior can not exceed the ambient temperature at the installation site

Article overview

Wine coolers

Packing unit





Product name	Pro 40	Winether Pro 126	winether Pro 126-2D	Winether Pro 180
Item	772	775	776	779
EAN	40 38437 00772 5	40 38437 00775 6	40 38437 00776 3	40 38437 00779 4
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range**	5 - 20 °C	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	2	2	2 + 2 doors	2
Cooling technology	Compressor	Compressor	Compressor	Compressor
Bottles*	40	126	126	180
Kind of use	Free-standing or can be built under	Free-standing or convertible	Free-standing or convertible	Free-standing or convertible
Smart Control			•	•
Shelves	5	7	7	7
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass				
Interior lighting	LED	LED	LED	LED
Energy efficiency class	G	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	166 kWh/a	175 kWh/a
Power	70 Watt	55 Watt	55 Watt	55 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	595 x 825 x 625 mm	595 x 1630 x 740 mm	595 x 1630 x 740 mm	595 x 1860 x 740 mm
Weight	48.5 kg	101 kg	97.8 kg	107 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS

1

Wine coolers		
WineChef Pro 40	WineChef Pro 126-	WinoChof Drn 190

Product name	WineChef Pro 40 Black	WineChef Pro 126- 2D Black	WineChef Pro 180 Black
Item	773	777	780
EAN	40 38437 00773 2	40 38437 00777 0	40 38437 00780 0
Housing / colour	Black stainless steel front	Black stainless steel front	Black stainless steel front
Temperature range**	5 - 20 °C	5 - 20 °C	5 - 20 °C
Temperature zones	2	2 + 2 doors	2
Cooling technology	Compressor	Compressor	Compressor
Bottles*	40	126	180
Kind of use	Free-standing or can be built under	Free-standing or convertible	Free-standing or convertible
Smart Control			
Shelves	5	7	7
Operation	Sensor-Touch	Sensor-Touch	Sensor-Touch
UV filter glass			
Interior lighting	LED	LED	LED
Energy efficiency class	G	G	G
Annual consumption	142 kWh/a	166 kWh/a	175 kWh/a
Power	70 Watt	75 Watt	75 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	595 x 825 x 640 mm	595 x 1630 x 740 mm	595 x 1860 x 740 mm
Weight	52.5 kg	104 kg	107.75 kg
Certification	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1



Product name	WineSafe 18 EB Black	WineSafe 18 EB Inox	
Item	627	629	
EAN	40 38437 00627 8		
Housing / colour	Glas front	Stainless steel frame	
Niche height	45er	45er	
Temperature range**	5 - 20 °C	5 - 20 °C	
Temperature zones	1	1	
Cooling technology	Compressor	Compressor	
Bottles*	18	18	
Shelves	3	3	
Operation	Sensor-Touch Sensor-To		
UV filter glass			
Interior lighting	LED	LED	
Energy efficiency class	G	G	
Annual consumption	128 kWh/a	128 kWh/a	
Power	60 Watt	60 Watt	
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	
Measures (WxHxD)	590 x 455 x 575 mm	590 x 455 x 575 mm	
Weight	28.3 kg	28.5 kg	
Certification	CE, GS	CE, GS	
Packing unit	1	1	



=		۱
=		ı
	1	ě
*		٠

Product name	WineSafe 300 Smart WineChef Duo 122 Black	
Item	664	674
EAN	40 38437 00664 3	
Housing / colour	Black	Black
Temperature range**	5 - 20 °C	5 - 20 °C / 2-20 °C
Temperature zones	1	2
Cooling technology	Compressor	Compressor
Bottles*	300	122
Kind of use		Free-standing or convertible
Smart Control		
Shelves	11	13 left, 4 right
Operation	Sensor-Touch	Sensor-Touch
UV filter glass		
Interior lighting	LED LED	
Energy efficiency class	G	G
Annual consumption	209 kWh/a	173 kWh/a
Power	200 Watt	160 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	805 x 204,5 x 800 mm	550 x 890 x 1627 mm
Weight	168 kg	108 kg
Certification	CE, GS	CE, GS
Packing unit	1	1

1

^{*} Bottle size based on a standard Bordeaux bottle (max. \emptyset 75 mm) ** The achievable value in the interior can not exceed the ambient temperature at the installation site

Barbecue Cooler / Beer Dispenser

Barbecue Cooler



















Product name	BBQ-Cooler S-R	BBQ-Cooler S-L	BBQ-Cooler Black S-R	BBQ-Cooler Black S-L	BBQ Cooler M-R	BBQ Cooler M-L	Steel trolley (without cooler)
Item	700	701	702	703	696	697	782
EAN	40 38437 00700 8	40 38437 00701 5	40 38437 00702 2	40 38437 00703 9	40 38437 00696 4	40 38437 00697 1	40 38437 00782 4
Housing / colour	Stainless steel	Stainless steel	Stainless steel black	Stainless steel black	Stainless steel	Stainless steel	Stainless steel
Door hinge	On the right	On the left	On the right	On the left	On the right	On the right	
Temperature range**	2 - 14 °C	2 - 14 °C	2 - 14 °C	2 - 14 °C	-1 - 10 °C	-1 - 10 °C	
Temperature zones	1	1	1	1	1	1	_
Cooling technology	Compressor	Compressor	Compressor	Compressor	Compressor	Compressor	_
Storage capacity	63 I	63 I	63 I	63 I	125	190 I	
Shelves	4	4	4	4	4	4	Can be combined with other BBQ-Coolers: Item 700, 701, 702 and 703
IPX-4 (splash water protection)							
UV filter glass							
Interior lighting	LED	LED	LED	LED	LED	LED	_
Energy efficiency class	А	A	A	А	В	В	
Annual consumption	345 kWh/a	345 kWh/a	345 kWh/a	345 kWh/a	584 kWh/a**	657 kWh/a**	
Power	0.4 A	0.4 A	0.4 A	0.4 A	0.6 A	0.6 A	
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	
Measures (WxHxD)	430 x 675 x 555 mm	430 x 675 x 555 mm	430 x 680 x 550 mm	430 x 680 x 550 mm	395 x 1025 x 650 mm	595 x 1025 x 650 mm	1010 x 985 x 600 mm
Weight	32.1 kg	32.1 kg	35.15 kg	35.15 kg	44.1 kg	59.5 kg	27.8 kg
Certification	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	CE, GS	
Packing unit	1	1	1	1	1	1	1

		6 4
Product name	BeerMaster	TapBeer & Cool
Item	582	583
EAN	40 38437 00582 0	40 38437 00583 7
Housing / colour	Stainless steel / black	Stainless steel / black
Door hinge		On the right
Temperature range**	4 - 12 °C	Beer Dispenser: 4 - 12 °C BBQ Cooler: 0 - 10 °C
Temperature zones		1
Cooling technology	Peltier	Compressor
Storage capacity		BBQ Cooler: 63 I
Shelves		4
IPX-4 (splash water protection)		
UV filter glass		
Interior lighting		
Energy efficiency class		G
Annual consumption		99 kWh/a
Accesories	Beer hose, Heineken adapter, 3 CO ₂ pressure cartridges, Cleaning pump etc.	Beer hose, Heineken adapter, 3 CO ₂ pressure cartridges, Cleaning pump etc.
Power	65 Watt	Beer Dispenser: 65 Watt BBQ Cooler: 60 Watt
Voltage	220-240V; 50Hz	Beer Dispenser: 220-240V; 50Hz BBQ Cooler: 230 V / 50 Hz
Measures (WxHxD)	280 x 475 x 480 mm	Beer Dispenser: 280 x 475 x 480 mm BBQ Cooler: 430 x 690 x 540 mm
Weight	5.4 kg	Beer Dispenser: 5.4 kg BBQ Cooler: 31.4 kg
Certification	CE, GS	CE, GS
Packing unit	1	1

^{*} Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

 $^{^{**}}$ The achievable value in the interior can not exceed the ambient temperature at the installation site

Article overview

Lounge tables / Dry aged coolers


Lounge tables with sound bar and cooling compartments







Product name	Sound & Cool Black	Sound & Cool White	Sound & Cool Wood
Item	792	793	794
EAN	40 38437 00792 3	40 38437 00793 0	40 38437 00794 7
Housing / colour	Black housing with black glass top	White housing with black glass top	Wood-look housing with black glass top
Temperature range*	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C	Left cooling zone: 3 - 8 °C Right cooling zone: 6 - 12 °C
Temperature zones	2	2	2
Cooling technology	Compressor	Compressor	Compressor
Storage volume	Left cooling zone: 70 l Right cooling zone: 65 l	Left cooling zone: 70 l Right cooling zone: 65 l	Left cooling zone: 70 l Right cooling zone: 65 l
Operation	Touch	Touch	Touch
Load capacity glass plate	Up to 200 kg	Up to 200 kg	Up to 200 kg
Sound programs	Auto, Rock, Film, Pop, Jazz	Auto, Rock, Film, Pop, Jazz	Auto, Rock, Film, Pop, Jazz
RGB light bar			
Energy efficiency class	F	F	F
Annual consumption	91 kWh/a	91 kWh/a	91 kWh/a
Power	0.7 A	0.7 A	0.7 A
Voltage	220 V - 240 V; 50/60 Hz	220 V - 240 V; 50/60 Hz	220 V - 240 V; 50/60 Hz
Measures (WxHxD)	1305 x 460 x 700 mm	1305 x 460 x 700 mm	1305 x 460 x 700 mm
Weight	55.3 kg	55.3 kg	55.3 kg
Certification	CE	CE	CE
Packing unit	1	1	1









	_		garantina and
Product name	DryAged Master 63	DryAged Master 125	DryAged Master 380 Pro
Item	689	690	691
EAN	40 38437 00689 6	40 38437 00690 2	40 38437 00691 9
Housing / colour	Stainless steel front	Stainless steel front	Stainless steel front
Temperature range**	2 - 14 °C	2 - 14 °C	2 - 14 °C
Temperature zones	1	1	1
Cooling technology	Compressor	Compressor	Compressor
Volume	63 Liter	125 Liter	380 Liter
Operation	Sensor-touch	Sensor-touch	Sensor-touch
UV filter glass		•	•
Interior lighting			
Annual consumption	190 kWh/a	200 kWh/a	290 kWh/a
Accesories	4 racks, hangers with 3 meat hooks, H ₂ O storage	4 racks, hangers with 3 meat hooks, H ₂ O storage	4 racks, hangers with 6 meat hooks, H ₂ O storage
Power	0,4 A	140 Watt	240 Watt
Voltage	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz	220 V - 240 V; 50 Hz
Measures (WxHxD)	395 x 875 x 595 mm	595 x 825 x 640 mm	595 x 1860 x 740 mm
Weight	41.4 kg	57.4 kg	104.2 kg
Certification	CE, GS	CE, GS	CE, GS
Packing unit	1	1	1

^{*}The achievable value in the interior cannot exceed the ambient temperature at the installation site









Competence book kitchen




SCAN ME You can find all catalogues here

Germany

CASO Design

CASO GmbH Raiffeisenstraße 9 59757 Arnsberg, Germany

fon +49 (0) 29 32 . 547 66 0 fax +49 (0) 29 32 . 547 66 77 info@caso-design.de



www.caso-design.de