

D E S I G N

INNOVATIVE KITCHEN TECHNOLOGY



COMPETENCE BOOK

# COMPETENCE BOOK – FOR TRUE CONNOISSEURS

Get inspired. We invite you to discover CASO Design themes – right now, in our latest competence book.

Its seven chapters present products that meet high design standards; use innovative digital technology to open up new application possibilities and deliver fantastic gourmet moments.

Enjoy your time with CASO Design.

Innovative kitchen technology – for true connoisseurs



### WHAT MOTIVATES US

CASO Design is one of the first brands to address the fusion of kitchens with daily living spaces through mobile appliances. In recent years, we have continuously developed this basic idea and made it our mission to design products that positively affect your daily life.

Through innovative functions, aesthetic shapes and ideas that are simply good.

We have entered many new areas and sustainably positioned ourselves as an innovative brand. Modern technologies, a consistent design strategy and intuitive operating concepts make this possible.

Peter Braukmann, Bernd Braukmann



## CONTENTS

| Chapter 1 | Microwaves, ovens, air fryers & more                                                                                         | 8   |
|-----------|------------------------------------------------------------------------------------------------------------------------------|-----|
|           | Steam cookers, microwaves, mini-ovens, air fryers, waffle makers and crêpe makers                                            |     |
| Chapter 2 | Induction                                                                                                                    | 48  |
|           | Single and double induction hobs                                                                                             |     |
| Chapter 3 | Vacuuming & sous vide                                                                                                        | 62  |
|           | Vacuum sealers for all requirements, sous vide cookers and a wide range of accessories                                       |     |
| Chapter 4 | Coffee & tea                                                                                                                 | 98  |
|           | Fully automatic coffee machines and coffee makers, milk frothers, coffee grinders, hot water dispensers and electric kettles |     |
| Chapter 5 | Juicers & blenders                                                                                                           | 126 |
|           | Stick and normal blenders, slow juicers and citrus presses                                                                   |     |
| Chapter 6 | Kitchen & household appliances                                                                                               | 144 |
|           | Food processors, choppers, toasters, egg<br>boilers, kitchen and bathroom weighing scales<br>and much more besides           |     |
| Chapter 7 | Cooling & dry aging                                                                                                          | 180 |
|           | Wine, BBQ and drink coolers, dry aged coolers, ice cream makers and ice cube makers                                          |     |













## Chapter 1

# Microwaves, ovens, air fryer & more



# Intelligent functions in compact devices

What is CASO Design? The best preparation methods, such as steam cooking, microwaves with inverter technology, true convection or grilling, and products ranges that provide state-of-the-art user convenience.

# CHOOSE THE BEST COOKING METHOD

High convection for cakes and pastries, steam cooking for vegetables that are rich in vitamins or a grill for crispy fried chicken?

CASO Design microwaves, ovens, steam cookers and air fryers have a range of different technical functions, allowing you to choose the right cooking method for your recipe.

## A variety of design and product lines with innovative technical functions.

Our Cooking & Baking series presents comprehensive, modern product lines with functions such as hot air, steam cooking and grilling.

Discover the various operating options, from analogue to digital, and let CASO Design expand your range of options.













#### **CASO Design Mini ovens**

Modern compact ovens with touch control function and a wide range of accessories.

- Five functions for the perfect cooking method
- Tasty baked goods from pizza and cake to roast chicken






#### **CASO Design Microwaves**

CASO Design multifunctional devices offer numerous cooking functions and intuitive operation.

- Modern microwave technology for even cooking
- Convection function for baking
- Grill function

#### Design oven with steam

#### SteamChef









Item 3066















functions



- + Crunchy on the outside and juicy on the inside thanks to 11 individually adjustable functions
- + Temperature adjustable in 10 ° C steps from 40 to 220 °C
- + Steam function in 5 °C steps from 80 to 115 °C adjustable
- + Additionally: 10 preset programs for the perfect preparation of e.g. fish, vegetables, cakes, chicken etc.
- + Simple and intuitive operation thanks to the LED display and the sensor touch control panel
- High quality 25 liter stainless steel cooking space\*  $(WxHxD = 350 \times 210 \times 300 mm)$
- + Removable water tank (capacity: 40.6 fl oz / 1,2 l)
- + Insulated glass front with high-quality design aluminum handle
- + Precise timer function: Adjustable in 1-minute increments from 1 min to 3 hours
- + Bright, switchable interior lighting
- + Easy cleaning of the interior due to integrated cleaning
- + Accessories: Two CASO easy clean baking trays, one oven glove







#### **Accessories:**



Baking tray for baking

\*According to the manufacturer

#### Design built-in oven with steam (45 niche)

#### SteamMaster E 56



Item 7420













+ High-quality, multifunctional steam oven with a powerful 3000 watts for gentle cooking, roasting, baking and

- + The right setting for any dish, thanks to the combination and diversity of heating and steaming functions
- + Additional functions for the best results:
- Steam assistant: Enables an additional supply of steam to the normal heating functions
- Practical keep-warm function
- Gentle **defrosting function** with the help of a steam
- COMBO function: Practical combination of 2 cooking programmes
- + Temperature settings:
- · Normal functions: 50 250 °C (in 5 °C increments)\*
- Steaming function: 50 100 °C (in 1 °C increments)
- Steaming PLUS: 101 250 °C (in 1 °C increments)
- + Precision timer up to 23 hours, 59 minutes
- + Easy and intuitive operation thanks to LED display and sensor-touch control panel
- + High-quality stainless steel oven interior with 45 litres of useable volume
- + Removable water tank with 1.2 litres capacity
- + Switchable interior lighting
- + A variety of accessories:
- · universal baking pan (can be used as a baking tray and grease drip collector)
- perforated metal sheet
- cooking grate
- oven glove







\* 250 °C: hot air and top heat + grill function. All other functions up to 220 °C

SIEGER PREIS/LEISTUNG sehr gut

#### Design oven

#### TO 20 TO 20 SilverStyle









TO 20, item 2970 TO 20 SilverStyle, item 2976



- + Compact, freestanding oven (20 I volume)
- + Exquisite design in black or silver
- + With 5 different functions: Top and bottom heat, bottom heat, top heat, convection, grill & rotisserie
- Stepless temperature adjustment from 70 230 °C
- + Extra heat-isolated housing\*
- + Versatile to use for delicious baking and grilling results - ideal for baking, roasting, crisping and grilling
- + With rotisserie perfect for preparing crispy chicken
- + Powerful stainless steel heating elements
- + High-quality CASO-Clean non-stick coating in the interior for easy cleaning
- + Perfect for pizza and baked rolls
- + Precise timer (0 120 minutes)
- + Enamelled baking sheet with non-stick coating
- + Switchable interior lighting
- + Removable crumb tray made of stainless steel
- + Including practical removal aids for grill rack and rotisserie

\*complies with the lates EK1 standard



#### TO 26 Classic TO 26 SilverStyle







TO 26 Classic, item 2974 TO 26 SilverStyle, item 2977



- + Compact, freestanding oven (26 I volume)
- + Exquisite design in black or silver
- + With 5 different functions: Top and bottom heat, bottom heat, top heat, convection, grill & rotisserie
- + Stepless temperature adjustment from 70 230 °C
- + 4 long-life heating elements made of stainless steel
- + For baking dishes up to 30 cm Ø
- + With a rotating revolving spit which is perfectly suitable for the preparation of crispy chickens
- + Timer with final signal tone up to 120 minutes or permanent operation
- + Switchable interior room lighting
- + Absolutely perfect insulation thanks to the doubleglazed oven door
- + Equipped with 3 shelf levels
- + High-quality CASO-Clean non-stick coating in the interior for easy cleaning
- + Removable crumb draw made of stainless steel
- + Including grill grate, revolving spit, non-stick coated baking tray and practical removal aids for the grill grate and the revolving spit
- + Including a robust pizza stone (30 cm Ø) to achieve crispy baking results









#### Design oven

#### TO 32 Classic TO 32 SilverStyle



TO 32 Classic, item 2975 TO 32 SilverStyle, item 2978



- + Compact, freestanding oven (32 I volume)
- + Exquisite design in black or silver
- + With 5 different functions: Top and bottom heat, bottom heat, top heat, convection, grill & rotisserie
- + Stepless temperature adjustment from 70 230 °C
- + 4 long-life heating elements made of stainless steel
- + For baking dishes up to 30 cm Ø
- + With a rotating revolving spit which is perfectly suitable for the preparation of crispy chickens
- + Timer with final signal tone up to 120 minutes or permanent operation
- + Switchable interior room lighting
- + Absolutely perfect insulation thanks to the doubleglazed oven door
- + Equipped with 4 shelf levels
- + High-quality CASO-Clean non-stick coating in the interior for easy cleaning
- + Removable crumb draw made of stainless steel
- + Including grill grate, revolving spit, non-stick coated baking tray and practical removal aids for the grill grate and the revolving spit
- + Including a robust pizza stone (30 cm Ø) to achieve crispy baking results



#### TO 26 Electronic











Item 2972 Item 2979

Special functions



**TESTURTEIL** 

sehr gut

s & Garten Tes







With rotisserie Multifunctional Incl. pizza stone

Whether crispy pizza, juicy roasts and casseroles or delicious cakes, designer ovens **TO 26 Electronic** and **Bake & Style 26 Touch** ensure that fantastic recipes turn out perfectly at the touch of a finger.

- + Compact, freestanding oven (26 I volume)
- + Versatile to use for delicious baking and grilling results - ideal for baking, roasting, crisping and grilling
- + Exquisite design in black or silver
- + High-resolution digital display with sensor-touch
- + Optimal results thanks to 9 automatic programmes and 6 individual operating functions
- + Power up to 1650 watt
- + Even temperature and short heating time thanks to 4 durable stainless steel heating elements
- + Temperature setting from 30 230 °C
- + Integrated timer up to 2,5 hours with end signal

- + High-quality CASO-Clean non-stick coating in the interior for easy cleaning
- + Switchable interior room lighting
- + With a rotating revolving spit which is perfectly suitable for the preparation of crispy chickens
- + Absolutely perfect insulation thanks to the doubleglazed oven door
- + Equipped with 3 shelf levels
- + For baking dishes up to 30 cm Ø
- + Removable crumb draw made of stainless steel
- + Including grill grate, revolving spit, non-stick coated baking tray and practical removal aids for the grill grate and the revolving spit
- + Including a robust pizza stone (30 cm Ø) to achieve crispy baking results





#### TO 32 Electronic





Item 2973









The extra large cooking chamber with 32 litre capacity means that preparation of large portions is no longer a problem. Or what about a crispy spit-roast chicken?

#### Description like TO 26 Electronic, additionally:

- + 32 liter volume
- + Power up to 1870 watt
- Equipped with 4 shelf levels





Special

functions

#### Air fryer & barbecue accesories

#### **AF 255 (Set)**








Item 3171

Special

functions

Baking & frying





- Perfect and fast baking results by virtue of the innovative CASO airflow technology - for improved and more efficient heat distribution
- + Temperature can be precisely controlled in 5 °C increments of 60 - 200 °C
- + Timer can be precisely set from 1 to 60 minutes in 1 minute increments
- + High-quality stainless steel interior
- + Large frying basket with 3 litre net capacity
- + Diverse application options: Heating, frying, roasting, toasting, grilling, backing and keeping the food hot
- + 4 selectable programmes: Preheating, warming up food, keeping food warm, thawing food
- + Simple and intuitive operation using a sensor-touch control panel
- + Safety lock for the removal of the frying basket

#### + Air fryer AF 250 and barbecue accesories in a practical combination set

Item 3179

Item 3169

Stainless steel interior

#### Air fryers - Mini all-rounders

Even though their name implies that they have something to do with frying, air fryers are actually more like small-format convection ovens and are true all-rounders.

French fries are just a tiny part of what these efficient kitchen aids can deliver. Meat, fried chicken, fish, vegetables, muffins, sausages, frozen bread rolls, crisps – the list is endless! In addition to this, air fryers are not only economical and environment-friendly, they also cook food in minutes.

Whatever your oven can do, an air fryer can do better!

#### Accesories for AF 250

#### **Barbecue** accesories

- + Accessories available individually
- + Perfect in combination with the AF 250 air fryer
- + For easy grilling, cooking and baking
- + Large frying tray for preparation of steak, kebabs, fish, burgers, etc.
- + Practical wire shelf and three large meat skewers



#### Design air frver


#### **AF 600 XL**







Item 3180



warming up required

nonslip feet

dehydrate programme)

dishwasher-proof accessories)



+ Modern XL AirFryer with extra-large basket with 6

fried chicken and up to 1.2 kg French fries

throughout the cooking chamber

on the inside, crispy on the outside

+ Even PowerConvection – even heat distribution

+ Rapid HeatControl - immediately ready for use, no

+ Temperature adjustable from 50 - 200 °C - in 5 °C

increments (40 - 70 °C for Dehydrate programme)

+ Direct selection from 12 automatic programmes for

+ Healthy, low fat preparation of all kinds of food – juicy

+ Safe removal of food thanks to cool touch handle and

+ Timer adjustable from 1 - 60 minutes with acoustic

+ Easy cleaning thanks to removable frying basket (and

signal when the time is up (1 - 480 minutes for

fish, vegetables, Pastry and much more besides

+ Black design with intuitive sensor touch operation

+ SHAKE Reminder – for even, extra crispy results

litre capacity - also for large portions such as whole









Ready to start straight away

Item 3181

NEW

### AF 660 Duplex

+ Frying basket including duplex divider for baking or

Description like AF 600 XL, additionally:









### Design air fryer

frying two different foods at the same time

#### Air fryer and steam oven all in one

#### AirFry & Steam 700

NEW









Item 3182












Even heat distribution



- Even PowerConvection even heat distribution throughout the cooking chamber
- Rapid HeatControl immediately ready for use, no warming up required
- Healthy, low-fat preparation of all food thanks to steam function – crispy on the outside, juicy on the inside
- + Large 1,5 I water tank
- + Intuitive sensor touch control panel for easy operation
- + Transparent viewing window with interior lighting which can be switched on as required enables monitoring of cooking progress at all times
- + 3 in 1 air fryer:
- Air fryer function (60 200 °C)
- Steam function (100 °C with steam)
- Air fryer & steam function (140 200 °C)
- + Timer adjustable from 1 60 minutes with acoustic signal when the time is up
- + 10 pre-set programmes in 2 categories (air fry and steam)
- Air fry programmes: Air frying, baking, frying, reheating, keeping warm
- Steam programmes: Steam cooking, steam baking, regeneration, steam cleaning
- + Easy cleaning thanks to dishwasher-proof basket, rack and removable drip tray





\*literated basket volume

#### Design air fryer

#### AirFry Chef 1700









Item 3000



CASO Design
AirFry Chef 1700

SEHR GUT 94,9 %

Vergleichstest
16 Heißluffithuuen
4 sehr gut, 12 × gut
4 sehr gut, 12 × gut
6 96/2023
















+ Modern design air fryer (22 I interior volume)

- + All-in-one Numerous functions, wide range of accessories, many applications
- + Crispy on the outside, tender on the inside thanks to reduced-fat preparation of your food
- Wide range of included accessories provides the right equipment for every programme
- + 12 selectable programmes, such as air fry, bake, grill, dry fruit and many others
- + Even PowerConvection Perfect, even hot air flow
- + Rapid HeatControl Immediately ready to start without heating up
- + Elegant "black design" with large viewing window
- + 3 slot levels for the rack and tray + rotating roasting spit and frying basket
- + Including removable crumb tray for easy cleaning
- + Adjustable timer from 1 to 120 min / Dryfruit 240 min (in 1-minute increments)
- + Temperature adjustable from 40 °C to 230 °C (in 5 °C increments)
- + Interior lighting can be switched on as required
- + 6 long-lasting stainless steel heating elements (4 at the top, 2 at the bottom)
- + Powerful 1700 watt performance
- Accessories: Extra large frying basket, frying drum, baking tray, grill rack, rotisserie, 2 removal assistances





#### Crêpe Maker

#### CM 1000





Item 2930

Special functions





- + Design Crêpes Maker with brushed stainless steel housing
- + Extra large cooking surface 33 cm in diameter
- + Modern cylinder design
- + Output: approx. 1300 Watt
- + High-quality ILAG non-stick coating
- + Even heat distribution through sub-soldered heating element
- + Colour-changing LED to display temperature reached
- + 8 heat stages with practical slide control
- + Batter spreader and wooden crêpes turner included







#### Design waffle maker

#### WaffleUp





- + Classic, sweet waffles
- + Potato waffles
- + Vegetable waffles
- + As a side dish, dessert or a full meal


Item 2932











- + An eye-catcher in any kitchen thanks to the modern, vertical design in polar silver and stainless steel
- + Batter can be poured in from the top for even distribution and optimum baking results
- No-mess preparation thanks to the drip container for excess batter – batter doesn't stick to the device and is collected for re-use
- + Control knob with 5 selectable settings for the optimum degree of browning from light and fluffy to golden brown and crispy Belgian waffles
- + Easy removal of waffles thanks to double non-stick coating
- + With practical baking light:
- Red light: Pour the batter into the device and bake
- Green light: The waffle is done
- + Acoustic signal when the baking time is over
- + Integrated cord winder
- + Incl. ladle for easy batter pouring







SCAN ME Recipes





#### Article overview

### Cooking & baking



|                             |                                                    | -                                                                                                         |                                             |                                             | -                                                        |                                                          |
|-----------------------------|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------|---------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| Product name                | SteamChef                                          | SteamMaster E 56                                                                                          | TO 20                                       | TO 20 SilverStyle                           | TO 26 Classic                                            | TO 26 SilverStyle                                        |
| Item                        | 3066                                               | 7420                                                                                                      | 2970                                        | 2976                                        | 2974                                                     | 2977                                                     |
| EAN                         | 40 38437 03066 2                                   | 40 38437 07420 8                                                                                          | 40 38437 02970 3                            | 40 38437 02976 5                            | 40 38437 02974 1                                         | 40 38437 02977 2                                         |
| Housing / colour            | Black                                              | Black                                                                                                     | Black                                       | Silver                                      | Black                                                    | Silver                                                   |
| Operation                   | Sensor touch                                       | Sensor touch                                                                                              | Manually                                    | Manually                                    | Manually                                                 | Manually                                                 |
| Interior                    | Stainless steel                                    | Stainless steel                                                                                           | CASO-clean                                  | CASO-clean                                  | CASO-clean                                               | CASO-clean                                               |
| Operational functions       | 11                                                 | 14                                                                                                        | 5                                           | 5                                           | 5                                                        | 5                                                        |
| Autom. cooking programmes   | 10                                                 |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Automatic shutdown          |                                                    |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Temperature                 | 40 - 220 °C                                        | Normal functions:<br>50 - 250 °C,<br>steaming function:<br>50 - 100 °C,<br>steaming PLUS:<br>101 - 250 °C | 70 - 230 °C                                 | 70 - 230 °C                                 | 70 - 230 °C                                              | 70 - 230 °C                                              |
| Thermally insulated housing |                                                    |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Timer                       | 1 - 180 min                                        | Up to 23 h 59 min                                                                                         | 1 - 120 min                                 | 1 - 120 min                                 | 1 - 120 min                                              | 1 - 120 min                                              |
| Rotisserie with motor       |                                                    |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Interior lighting           |                                                    |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Display                     | LED                                                |                                                                                                           |                                             |                                             |                                                          |                                                          |
| Accessories                 | Perforated baking tray,<br>baking tray, oven glove | Universal baking pan,<br>perforated metal sheet,<br>cooking grate, oven glove                             | Baking tray, grill grate,<br>revolving spit | Baking tray, grill grate,<br>revolving spit | Baking tray, grill grate,<br>pizza stone, revolving spit | Baking tray, grill grate,<br>pizza stone, revolving spit |
| Power                       | 2100 Watt                                          | 3000 Watt                                                                                                 | 1350-1650 Watt                              | 1350-1650 Watt                              | 1400-1650 Watt                                           | 1400-1650 Watt                                           |
| Voltage                     | 220-240 V~, 50/60 Hz                               | 220 V - 240 V; 50 Hz / 60 Hz                                                                              | 220-240 V~, 50/60 Hz                        | 220-240 V~, 50/60 Hz                        | 220-240 V~, 50/60 Hz                                     | 220-240 V~, 50/60 Hz                                     |
| Measures (WxHxD)            | 510 x 350 x 495 mm                                 | 595 x 455 x 550 mm                                                                                        | 450 x 270 x 410 mm                          | 450 x 270 x 395 mm                          | 480 x 300 x 400 mm                                       | 480 x 300 x 400 mm                                       |
| Cooking chamber (WxHxD)     | 350 x 210 x 300 mm                                 | 466 x 236 x 411 mm                                                                                        | 300 x 170 x 290 mm                          | 305 x 195 x 290 mm                          | 338 x 205 x 305 mm                                       | 350 x 200 x 300 mm                                       |
| Weight                      | 13,4 kg                                            | 28,3 kg                                                                                                   | 7,1 kg                                      | 6,85 kg                                     | 8,5 kg                                                   | 8,5 kg                                                   |
| Certification               | GS, CE                                             | GS, CE                                                                                                    | GS, CE                                      | GS, CE                                      | GS, CE                                                   | GS, CE                                                   |
| Packing unit                | 1                                                  | 1                                                                                                         | 1                                           | 1                                           | 1                                                        | 1                                                        |
|                             |                                                    |                                                                                                           |                                             |                                             |                                                          |                                                          |













|                             |                                                          | -                                                        | -                                                        |                                                          |                                                          |
|-----------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| Product name                | TO 32 Classic                                            | TO 32 SilverStyle                                        | TO 26 Electronic                                         | Bake & Style 26 Touch                                    | TO 32 Electronic                                         |
| Item                        | 2975                                                     | 2978                                                     | 2972                                                     | 2979                                                     | 2973                                                     |
| EAN                         | 40 38437 02975 8                                         | 40 38437 02978 9                                         | 40 38437 02972 7                                         | 40 38437 02979 6                                         | 40 38437 02973 4                                         |
| Housing / colour            | Black                                                    | Silver                                                   | Silver                                                   | Silver                                                   | Silver                                                   |
| Operation                   | Manually                                                 | Manually                                                 | Sensor touch                                             | Sensor touch                                             | Sensor touch                                             |
| Interior                    | CASO-clean                                               | CASO-clean                                               | CASO-clean                                               | CASO-clean                                               | CASO-clean                                               |
| Operational functions       | 5                                                        | 5                                                        | 6                                                        | 6                                                        | 6                                                        |
| Automatic shutdown          |                                                          |                                                          |                                                          |                                                          |                                                          |
| Temperature                 | 70 - 230 °C                                              | 70 - 230 °C                                              | 30 - 230 °C                                              | 30 - 230 °C                                              | 30 - 230 °C                                              |
| Thermally insulated housing |                                                          |                                                          |                                                          |                                                          |                                                          |
| Timer                       | 1 - 120 min                                              | 1 - 120 min                                              | 1 - 150 min                                              | 1 - 150 min                                              | 1 - 150 min                                              |
| Rotisserie with motor       |                                                          |                                                          |                                                          |                                                          |                                                          |
| Interior lighting           |                                                          |                                                          |                                                          |                                                          |                                                          |
| Display                     |                                                          |                                                          | LED                                                      | LED                                                      | LED                                                      |
| Accessories                 | Baking tray, grill grate,<br>pizza stone, revolving spit |
| Power                       | 1600-1850 Watt                                           | 1600-1850 Watt                                           | 1350-1650 Watt                                           | 1350-1650 Watt                                           | 1530-1870 Watt                                           |
| Voltage                     | 220-240 V~, 50/60 Hz                                     |
| Measures (WxHxD)            | 540 x 345 x 410 mm                                       | 540 x 345 x 410 mm                                       | 480 x 300 x 400 mm                                       | 480 x 300 x 400 mm                                       | 540 x 345 x 410 mm                                       |
| Cooking chamber (WxHxD)     | 365 x 235 x 310 mm                                       | 365 x 238 x 312 mm                                       | 350 x 200 x 300 mm                                       | 348 x 212 x 306 mm                                       | 360 x 240 x 310 mm                                       |
| Weight                      | 9,75 kg                                                  | 10,1 kg                                                  | 8,7 kg                                                   | 8,25 kg                                                  | 9,8 kg                                                   |
| Certification               | GS, CE                                                   |
| Packing unit                | 1                                                        | 1                                                        | 1                                                        | 1                                                        | 1                                                        |
|                             |                                                          |                                                          |                                                          |                                                          |                                                          |

### Cooking & baking

Weight

Certification

Packing unit

Air fryers



5 kg

GS, CE

1



0,38 kg

CE

4



5 kg / 0,38 kg

GS, CE

1



6,4 kg

GS, CE

1



7,5 kg

GS, CE

1




6,9 kg

GS, CE

1








| Product name             | AF 250               | Barbecue accesories                                  | AF 255                                         | AF 600 XL                                 | AirFry & Fry 700                              | AirFry Chef                                                                                              | Product name               | CM 1000                        | WaffleUp                |
|--------------------------|----------------------|------------------------------------------------------|------------------------------------------------|-------------------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------|----------------------------|--------------------------------|-------------------------|
| Item                     | 3171                 | 3169                                                 | 3179                                           | 3180                                      | 3182                                          | 3000                                                                                                     | Item                       | 2930                           | 2932                    |
| EAN                      | 40 38437 03171 3     | 40 38437 03169 0                                     | 40 38437 03179 9                               | 40 38437 03180 5                          | 40 38437 03182 9                              | 40 38437 03000 6                                                                                         | EAN                        | 40 38437 02930 7               | 40 38437 0293           |
| Housing / colour         | Black                | Pan: Aluminium,<br>Rack and skewers: Stainless steel | Black                                          | Black                                     | Black                                         | Black                                                                                                    | Housing I colour           | Stainless steel                | Polar silver with stair |
| Operation                | Sensor touch         |                                                      | Sensor touch                                   | Sensor touch                              | Sensor touch                                  | Manually                                                                                                 | Operation                  | Slider                         | Rotary contro           |
| Heat-insulating handles  |                      |                                                      |                                                |                                           |                                               |                                                                                                          | Non-stick coating          |                                |                         |
| Automatic shutdown       |                      |                                                      |                                                |                                           |                                               |                                                                                                          | Temperature levels         | 8                              | 5                       |
| Automatic programmes     |                      |                                                      |                                                | 12                                        |                                               | 12                                                                                                       | Visual signal when ready   |                                |                         |
| Safety lock              |                      |                                                      |                                                |                                           |                                               |                                                                                                          | Baking light               |                                |                         |
| Temperature              | 60 - 200 °C          |                                                      |                                                | 50 - 200 °C                               | Air fryer 60 - 200 °C<br>Steam cooking 100 °C | 40 - 230 °C                                                                                              | Acoustic signal when ready |                                |                         |
| remperature              |                      |                                                      |                                                |                                           | Air fryer + steam cooking 100 - 200 °C        |                                                                                                          | Cord winder                |                                |                         |
| Timer                    | 1 - 60 min           |                                                      | 1 - 60 min                                     | 1 - 60 min                                | 1 - 60 min                                    | 1 - 120 min                                                                                              | Accessories                | Wooden crêpes, batter spreader | Ladle, collecting co    |
| Preheat function         |                      |                                                      |                                                | Not necessary, ready to start immediately | Not necessary, ready to start immediately     | Not necessary, ready to start immediately                                                                | Power                      | 1300 Watt                      | 800 Watt                |
| Keep warm function       |                      |                                                      |                                                |                                           |                                               |                                                                                                          | Voltage                    | 220-240 V~, 50 Hz              | 220-240 V~, 50/6        |
| Low Fat                  |                      |                                                      |                                                |                                           | •                                             |                                                                                                          | Measures (WxHxD)           | 330 x 100 x 355 mm             | 320 x 300 x 165         |
| Basket / interior volume | 31                   |                                                      | 31                                             | 61                                        | 71                                            | 22                                                                                                       | Weight                     | 1,9 kg                         | 3,26 kg                 |
| Accessories              |                      |                                                      | Frying pan, grill grate,<br>three meat skewers |                                           | Frying basket, grill rack                     | Extra large frying basket, frying drum,<br>baking tray, grill rack, rotisserie, 2<br>removal assistances | Certification              | CE                             | GS, CE                  |
| Power                    | 1350-1650 Watt       |                                                      | 1350-1650 Watt                                 | 1400-1650 Watt                            | 1700 Watt (air fry)<br>800 Watt (steam)       | 1400-1650 Watt                                                                                           | Packing unit               | 1                              | 1                       |
| Voltage                  | 220-240 V~, 50/60 Hz |                                                      | 220-240 V~, 50/60 Hz                           | 220-240 V~, 50/60 Hz                      | 220-240V, 50-60Hz                             | 220-240 V~, 50/60 Hz                                                                                     |                            |                                |                         |
| Measures (WxHxD)         | 280 x 300 x 370 mm   | 200 x 140 x 300 mm                                   | 280 x 300 x 370 mm                             | 300 x 370 x 385 mm                        | 305 x 390 x 435 mm                            | 405 x 350 x 390 mm                                                                                       |                            |                                |                         |
|                          |                      |                                                      |                                                |                                           |                                               |                                                                                                          |                            |                                |                         |

| Product name               | CM 1000                        | WaffleUp                          |
|----------------------------|--------------------------------|-----------------------------------|
| Item                       | 2930                           | 2932                              |
| EAN                        | 40 38437 02930 7               | 40 38437 02932 1                  |
| Housing / colour           | Stainless steel                | Polar silver with stainless steel |
| Operation                  | Slider                         | Rotary control                    |
| Non-stick coating          |                                |                                   |
| Temperature levels         | 8                              | 5                                 |
| Visual signal when ready   |                                |                                   |
| Baking light               |                                |                                   |
| Acoustic signal when ready |                                | •                                 |
| Cord winder                |                                | •                                 |
| Accessories                | Wooden crêpes, batter spreader | Ladle, collecting container       |
| Power                      | 1300 Watt                      | 800 Watt                          |
| Voltage                    | 220-240 V~, 50 Hz              | 220-240 V~, 50/60 Hz              |
| Measures (WxHxD)           | 330 x 100 x 355 mm             | 320 x 300 x 165 mm                |
| Weight                     | 1,9 kg                         | 3,26 kg                           |
| Certification              | CE                             | GS, CE                            |
| Packing unit               | 1                              | 1                                 |
|                            |                                |                                   |

#### **CASO Design microwaves**

Whether analogue operation or touch control; classic turntables or innovative bases made from robust borosilicate glass; whether small, medium or large cooking chambers; a silver, black or playful design; whether a straightforward microwave or with a grill function and true convection, we have the microwave for every personal preference.

The following is an overview and description of all the microwave functions that we offer.



Standard technology


100% \_

#### Microwaves with an innovative □□□□□≡K' borosilicate glass base

The borosilicate glass base with microwave reflector ensures even distribution of microwaves so that food is perfectly cooked from all sides. The flat base is very easy to clean and enables you to use large rectangular casserole dishes and plates.

The advantages:


- High high-quality, heat-resistant borosilicate glass
- Optimum heating thanks to even distribution of
- No turntable significantly more usable space, e.g. for large rectangular casserole dishes
- Smooth surface for easy cleaning



#### Inverters

#### Inverter = "Real power control"

Inverter technology enables continuous control of microwave power; in other words, it is linear. Until now microwave power was primarily controlled using time periods. A low power level is achieved by interrupting the non-adjustable maximum power.



Inverter technology makes it possible to defrost food more gently and to heat it more evenly. This preserves its flavour.



Power control using time periods and standard microwave

technology. Example: 50 % performance (approx. 450 watts)







#### **Grill function**

Some CASO Design microwaves have a grill function, but not all grills are the same. Some of our microwaves are fitted with a high-quality quartz grill that delivers fantastic results.



#### High convection / True convection

CASO Design stands for innovative kitchen technology. This vision resulted in this high-performance convection technology. Up until now, ovens and microwaves have been used separately.

"High convection" technology makes it possible to achieve cooking temperatures up to 240 °C. The true convection function included in this combined appliance allows you to prepare perfect moist cakes or crispy pizza bases. True to the CASO principle 'A genuine alternative to an oven, just smaller and mobile.'



#### CASO clean protective coating

The special non-stick coating makes the surface very easy to clean and any residues can be quickly removed.

CASO Clean protective coating is available for a range of models (see description).

#### Microwave analogue










Item 3309




- + Microwave 700 Watt
- + 5 power levels

Special

functions

- + Interior with high-quality CASO-clean protective coating for easy cleaning
- + Easy, manual operation, only two control knobs
- + Approx. 20 liter capacity\*
- + 25,5 cm Ø glass turntable
- + 35 min. timer and defost function
- + Cooking chamber lighting



- + Microwave 700 Watt
- + 5 power levels
- + Interior with high-quality CASO-clean protective coating for easy cleaning
- + Easy, manual operation, only two control knobs
- + Approx. 20 liter capacity\*
- + 25,5 cm Ø glass turntable
- + 35 min. timer and defost function

#### CASO Design analogue microwaves

CASO Design microwaves with analogue operation deliver maximum user convenience. All their functions can be selected simply and directly using large turning knobs with easy-to-read lettering.

The large handle makes it easy to open and shut the door.

\*according to manufaturer

Item 3307

#### Microwave analogue


#### M 20 Gourmet

#### Microwave semi-digital

#### M 20 Ceramic Gourmet








- + High-quality, elegant designer microwave (capacity: approx. 20 litres\*) in polar silver
- + Gentle defrosting, even warming and ideal for cooking food
- + 800 watt microwave and 5 power levels deliver optimum results
- + 35 minute timer with acoustic signal when the time is
- + Simple and intuitive, manual control using two control
- + Cooking chamber with CASO-clean protective coating
- + White interior LED lighting for optimum illumination of the cooking chamber
- + Large 25,5 cm Ø glass turntable





- + High-quality, elegant designer microwave (capacity: approx. 20 litres\*) in polar silver
- Gentle defrosting, even warming and ideal for cooking food
- + Innovative CASOTEK® base with microwave reflector
- · Made from high-quality, heat-resistant borosilicate glass
- · Optimum heating thanks to even distribution of microwaves
- · No turntable significantly more usable space e.g. for large square casserole dishes
- · Smooth surface for easy cleaning
- With diamond-shaped back wall for even more efficient heat distribution



Borosilicate glass base

- + 700 watt microwave and 5 power levels deliver optimum results
- Precise 95 minute timer with acoustic signal when the
- Incl. 8 automatic cooking programmes and a defrosting
- Multi-stage cooking: individual combination of two cooking settings
- Simple, intuitive control using control knob, but tons
- and white LED display with clock + White interior LED lighting for optimum illumination of
- the cooking chamber Cooking chamber with CASO-clean protective coating
- + Key sound On/Off and child safety lock

#### M 20 Ecostyle Pro

#### Microwave analogue + grill function

#### MG 20 Ecostyle Ceramic










Item 3316





- + Approx. 20 liter capacity\*
- + Glass turntable with 24,5 cm Ø
- + 6 power levels
- + Intuitive control using rotary knobs
- + Elegant look with silver housing
- + Interior with high-quality CASO-clean protection coating for an easy cleaning
- + Precise 30 minute timer with final signal

- + 700 watt microwave output
- + Approx. 20 liter capacity\*
- + 5 microwave levels and grill function

Analogue operation

+ Quarz grill 1000 watt

Special

functions

Item 3311

+ Innovative CASOTEK® base with microwave reflector

CASO-clean interiour

- Made from high-quality, heat-resistant borosilicate glass
- Optimum heating thanks to even distribution of microwaves.
- No turntable significantly more usable space e.g. for large square casserole dishes
- · Smooth surface for easy cleaning
- + Interior with high-quality CASO-clean protection coating for an easy cleaning
- + Cooking on up to 2 levels by sliding rack
- + Precise 30 minute timer with final signal
- + Elegant look with silver housing





#### Microwave analogue + grill function


#### MG 25 Ecostyle Ceramic







Item 3329









- + 900 watt microwave output
- + Approx. 25 liter capacity\*
- + Incl. Quartz grill with powerful 1000 watts for even tanning without preheating
- Innovative CASOTEK® base with microwave reflector
   Made from high-quality, heat-resistant borosilicate
- Optimum heating thanks to even distribution of microwaves
- No turntable significantly more usable space e.g. for large square casserole dishes
- · Smooth surface for easy cleaning
- + Intuitive control using rotary knobs
- + Elegant look with silver housing
- + Cooking on up to 2 levels by sliding rack
- + Precise 30 minute timer with final signal
- + 5 microwave levels
- + 3 combination programs (microwave + grill)
- + 1 grill program
- + Interior with high-quality CASO-clean protection coating for an easy cleaning







3

#### Black glass mirror front

#### M 20 Electronic

#### Black glass mirror front

#### MG 20 menu








Item 3315 Item 3320



- + Ca. 20 I cooking chamber\*
- + Microwave power 800 watt
- + Easy and intuitive, manual operation
- + 5 power levels
- + Electronic digital display / digital clock
- + 8 cooking programmes
- + Sound on/off individually adjustable
- + Glass turntable and mirrored front
- + 60 minutes timer with end signal
- + Stainless steel housing inside & outside
- + Cooking chamber lighting



- + 20 litres internal capacity\*
- + Microwave power 800 watt
- + 1000 watts quartz grill
- + Electronic digital display / digital clock + timer
- + Sound on/off individually adjustable
- + 5 power levels
- + 13 automatic cooking programmes
- + 1 combination programme microwave 55% & grill 45%
- + 1 combination programme microwave 30% & grill 70%
- + Glass turntable and mirrored front
- + 60 minutes timer with end signal
- + Stainless steel housing inside & outside
- + Cooking on up to 2 levels by sliding rack
- + Cooking chamber lighting



#### Black glass mirror front

#### MCG 25 Chef



## Black glass mirror front

#### MCG 30 Chef



gleichmäßig gebräunter Toas

Item 3370





Item 3350



- + Generous interior space (approx. 25 liters\*) with the smallest external dimensions (measures inside 315 x 190 x 345 mm)
- + Perfect for defrosting, cooking, grilling, heating and baking
- + Silver housing
- + Microwave power 900 watt
- + 1950 watt combination grill (quartz grill + heating rod)
- + 1950 watt convection
- + Sound on/off individually adjustable
- + New convection technology for a perfect baking result
- + With preheat function for even more accurate microwave cooking and baking
- + 10 microwave power levels
- + 10 convection temperatures 110 200 °C
- + 9 automatic cooking programmes for an easy microwave cooking
- + 2 combination programmes microwave & grill
- + 4 combination programmes microwave & convection
- + Glass turntable and mirrored front
- + 60 minutes timer with end signal
- + Cooking on up to 2 levels by sliding rack
- + Electronic digital display / digital clock



- + Generous interior space (approx. 30 liters\*)
- + Perfect for defrosting, cooking, grilling, heating and baking
- + Silver housing
- + Microwave power 900 watt
- + 1250 watt combination grill (quartz grill + heating rod)
- + 2200 watt convection
- + Sound on/off individually adjustable
- + New convection technology for a perfect baking result
- + With preheat function for even more accurate microwave cooking and baking
- + 5 microwave power levels
- + 10 convection temperatures 110 200 °C
- + 9 automatic cooking programmes for an easy microwave cooking
- + 2 combination programmes microwave & grill
- + 4 combination programmes microwave & convection
- + Glass turntable and mirrored front
- + 60 minutes timer with end signal
- + Cooking on up to 2 levels by sliding rack
- + Electronic digital display / digital clock

#### Black glass mirror front

#### MG 20 Ceramic Menu



Item 3323

#### Black glass mirror front

#### MG 25 Ceramic Menu







- and cooking chamber lighting
- + Even borosilicate glass with microwave reflector: Easy to clean and ideal e.g. for large square casserole
- + Rack for simultaneous thawing and cooking on two levels
- + Microwave power 800 watt
- + 1000 watt quarz grill
- + Electronic digital display / digital clock
- + 60 minutes timer

Special

functions

- + Sound on/off individually adjustable
- + 5 microwave power levels
- + 14 automatic cooking programs (incl. defrost function)
- + 1 combination programme microwave 55 % & grill 45 %
- + 1 combination programme microwave 30 % & grill 70 %

 Stainless steel interior with approx. 25 litres capacity\* and cooking chamber lighting

Borosilicate glass base

Mirrored front

- + Even borosilicate glass with microwave reflector: Easy to clean and ideal e.g. for large square casserole dishes
- + Rack for simultaneous thawing and cooking on two levels
- + Microwave power 900 watt
- + 1000 watt quarz grill
- + Electronic digital display / digital clock
- + 95 minutes timer

functions

- + Sound on/off individually adjustable
- + 10 microwave power levels
- + 10 automatic cooking programs
- + 1 combination programme microwave 55 % & grill 45 %
- + 1 combination programme microwave 30 % & grill 70 %



Microwave with a borosilicate glass base have up to 60% more usable space than conventional models with a turntable and similar size cooking chamber.

#### Black glass mirror front

#### MCG 25 Ceramic Chef



Funktionalität

#### Black glass mirror front

#### MCG 30 Ceramic Chef









- + Stainless steel interior with approx. 25 litres capacity\* and cooking chamber lighting
- + Even borosilicate glass with microwave reflector: Easy to clean and ideal e.g. for large square casserole dishes
- + Rack for simultaneous thawing and cooking on two
- + Rear mounted convection for a perfect baking result
- + Microwave 900 watt, grill 1200 watt, convection 2050 watt real oven hot air
- + Pre-heat function for even more accurate microwave cooking and baking
- + 10 microwave power levels

Special

- + 10 convection temperatures 110 200 °C
- + 9 automatic cooking programs for an easy microwave
- + 4 combination programs microwave & convection
- + 2 combination programs microwave & grill:
- 1 combination program 30% microwave & 70% grill
- 1 combination program 45% microwave & 55% grill
- + 95 minute timer with end signal
- + Sound on/off individually adjustable





- Stainless steel interior with approx. 30 litres capacity\* and cooking chamber lighting
- + Rack for simultaneous thawing and cooking on two levels and with baking tray
- **Even borosilicate glass with microwave reflector:** Easy to clean and ideal e.g. for large square casserole dishes
- Rear mounted convection for a perfect baking result
- + Microwave 900 watt, grill 1100 watt, real oven convection 2100 watt
- + Pre-heating function for even more accurate microwave cooking and baking
- + 5 microwave power levels
- + 10 convection temperatures 110 200 °C
- + 9 automatic cooking programs for an easy microwave
- + 4 combination programmes microwave and convection
- + 2 combination programmes microwave and grill
- 1 combination programme 30% microwave & 70% grill
- 1 combination programme 45% micorwave & 55% grill
- + 95 minute timer with end signal
- + Sound on/off individually adjustable





#### Microwave + grill function

#### **SMG 20**

#### **High Convection**

#### **HCMG 25**






Item 3354





Item 3324

4



+ Perfect for defrosting, heating and gratinating

- + Approx. 20 litres cooking chamber\*
- + Microwave 800 watt
- + Grill 1000 watt

Special

functions

- + High quality stainless steel interior
- + Noble front with brushed stainless steel and mirror glass
- + Glass turntable with 25,5 cm Ø
- + Cooking on 2 levels thanks to the standing grill rack
- + Intuitive operation thanks to easy-to-understand pictograms
- + 5 microwave levels
- + 8 automatic cooking programmes
- + 2 defrost programmes
- + 2 combination programmes
- + 95 minutes timer with end signal



- + Perfect for defrosting and reheating, cooking and baking, roasting and grilling
- + Approx. 25 litres cooking chamber\*
- + Microwave 900 watt
- + Grill 1100 watt
- + High Convection / hot air 2500 Watt Real oven hot air from 150 240 °C for crispy pizzas, bread rolls etc.
- + 10 convection levels
- + With practical preheating function
- + High quality stainless steel interior
- + Noble front with brushed stainless steel and mirror glass
- + Glass turntable with 31,5 cm Ø
- + Cooking on 2 levels thanks to the standing grill rack
- + Intuitive operation through easy pictograms
- + 5 microwave levels
- + 10 automatic cooking programmes
- + 4 combination programmes
- + Sound on/off individually adjustable
- + 95 minutes timer with end signal



#### Inverter microwave

#### MI 30 Ceramic





Item 3336





INVERTER

- + Approx. 30 litres cooking chamber\*
- + Inverter technology for particularly gentle and even cooking
- + Even borosilicate glass with microwave reflector: Easy to clean and ideal e.g. for large square casserole dishes
- + Intuitive semi-digital control
- + Extra-large lettering with icons
- + High quality stainless steel interior
- + Stylish housing made of brush-finished stainless steel
- + Extremely powerful 1000 watt microwave output
- + 5 microwave levels
- + 8 automatic programs (incl. defrost function)
- + 95 minutes timer with end signal











COSO

Microwave semi-digital + grill function + convection

#### HCMG 25 Ceramic Chef





240 °C real oven hot air



COSOTEK" Nothing revolves here – so the entire area can be used.

Item 3355











+ Compact microwave for defrosting and heating, cooking and baking, grilling and gratinating

- + Approx. 25 litre cooking chamber\* with base made of robust and heat-resistant borosilicate glass (approx. 26 x 26 cm) – ideal for example for square casseroles
- + 900 watt microwave (output) / 1000 watt (input) grill / 2100 watt (input) hot air
- + 5 microwave power levels
- + 10 hot air temperatures from 150 240 °C
- + 10 automatic cooking programmes (for vegetables, meat etc.)
- + 4 combination programmes, for example microwave &
- + Defrost function via weight or time setting
- + 95 minutes timer with end signal
- + Clear LED display with clock display
- + Stainless steel interior with LED lighting
- + With 2 anti-slip feet
- + Incl. grill rack with 2 height options and pizza pan

Keen cooks everywhere are delighted that microwaves are offering an increasing number of functions and technologies. The new **HCMG 25 Ceramic Chef** impresses with its triple cooking functions – microwave, grill and **true convection up to 240 °C.** This covers virtually every base. And that's not all. If you want to defrost an item and then grill it without having to select multiple settings, then the designer microwave's combined programmes are just what you need.

Thanks to its large heat-resistant borosilicate glass base, the 25-litre cooking chamber is ideal for even rectangular plates and casserole dishes. And you can even make your own pizza using the pizza tray (included) and the convection setting.



\*according to manufaturer



#### **CUBE** Design series

#### M 20 Cube Ceramic

#### **CUBE** Design series

#### MG 20 Cube Ceramic







- + Intuitive control through innovative, design exclusive **CUBE** controller
- + High-quality stainless steel interior with a volume of
- + Even borosilicate glass with microwave reflector: Easy to clean and ideal e.g. for large square casserole
- + 800 watt microwave and 10 power levels deliver optimum results
- + Integrated designer LED light bar (can be turned on and
- + Incl. 8 automatic cooking programmes and a defrosting
- + LED display with standby clock
- + Precise 95 minutes timer with end signal
- + Quite mode: Key tones that can be switched on/off
- + Particularly safe thanks to the switchable child lock







#### Description like M 20 Cube Ceramic, additionally:


Borosilicate glass base

- + Incl. quarz grill with powerful 1000 watt for even browning without preheating
- + Wire shelf (included) allows dual-level grilling
- + Incl. 13 automatic programmes and 2 combiprogrammes with microwave + grill (30% MW + 70% grill or 55% MW + 45% grill)
- + With practical defrost function



#### Article overview

#### Microwaves











| Product name                   | M 20 Easy                     | M 20 Ecostyle                 | M 20 Gourmet                  | M 20 Ceramic Gourmet                                             |
|--------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------------------------------------------|
| Item                           | 3309                          | 3307                          | 3313                          | 3321                                                             |
| EAN                            | 40 38437 03309 0              | 40 38437 03307 6              | 40 38437 03313 7              | 40 38437 03321 2                                                 |
| Housing / colour               | Anthracite                    | Anthracite                    | Polar silver                  | Polar silver                                                     |
| Interior                       | CASO-clean protection coating | CASO-clean protection coating | CASO-clean protection coating | CASO-clean protection coating<br>+ with diamond-shaped back wall |
| Front                          | Viewing window                | Viewing window                | Viewing window                | Viewing window                                                   |
| Microwave                      | 700 watt                      | 700 watt                      | 800 watt                      | 700 watt                                                         |
| Power levels                   | 5                             | 6                             | 5                             | 5                                                                |
| Cooking / automatic programmes |                               |                               |                               | 8+1                                                              |
| Diamond-shaped back wall       |                               |                               |                               |                                                                  |
| Operation                      | Analogue                      | Analogue                      | Analogue                      | Semi-digital                                                     |
| Turntable ø                    | 25,5 cm                       | 25,5 cm                       | 25,5 cm                       |                                                                  |
| Borosilicate glass base        |                               |                               |                               |                                                                  |
| Combi programmes               |                               |                               |                               | Can be combined individually                                     |
| Sound on/off                   |                               |                               |                               |                                                                  |
| Timer                          | 35 min                        | 30 min                        | 35 min                        | 95 min                                                           |
| Voltage                        | 230 V; 50 Hz                                                     |
| Measures (WxHxD)               | 445 x 260 x 365 mm            | 455 x 265 x 365 mm            | 435 x 255 x 360 mm            | 455 x 280 x 285 mm                                               |
| Cooking chamber (WxHxD)        | 255 x 175 x 260 mm            | 270 x 180 x 250 mm            | 265 x 175 x 260 mm            | 294 x 183 x 280 mm                                               |
| Cooking chamber volume         | 20 I                          | 20 I                          | 20 I                          | 20 I                                                             |
| Weight                         | 9 kg                          | 10 kg                         | 10,95 kg                      | 11 kg                                                            |
| Certification                  | GS, CE                        | GS, CE                        | GS, CE                        | GS, CE                                                           |
| Packing unit                   | 1                             | 1                             | 1                             | 1                                                                |
| ·                              |                               |                               |                               | <u> </u>                                                         |







| Product name            | M 20 Ecostyle Pro             | MG 20 Ecostyle Ceramic        | MG 25 Ecostyle Ceramic        |  |  |
|-------------------------|-------------------------------|-------------------------------|-------------------------------|--|--|
| Item                    | 3311                          | 3316                          | 3329                          |  |  |
| EAN                     | 40 38437 03311 3              | 40 38437 03316 8              | 40 38437 03329 8              |  |  |
| Housing / colour        | Polar silver                  | Polar silver                  | Polar silver                  |  |  |
| Interior                | CASO-clean protection coating | CASO-clean protection coating | CASO-clean protection coating |  |  |
| Front                   | Viewing window                | Viewing window                | Viewing window                |  |  |
| Microwave               | 800 watt                      | 700 watt                      | 900 watt                      |  |  |
| Power levels            | 8                             | 5                             | 5                             |  |  |
| Grill                   |                               | 1000 watt                     | 1000 watt                     |  |  |
| Operation               | Analogue                      | Analogue                      | Analogue                      |  |  |
| Turntable ø             | 24,5 cm                       |                               |                               |  |  |
| Borosilicate glass base |                               |                               |                               |  |  |
| Combi programmes        |                               |                               | 3                             |  |  |
| Timer                   | 35 min                        | 30 min                        | 30 min                        |  |  |
| Accessories             |                               | Grill grate                   | Grill grate                   |  |  |
| Voltage                 | 230 V; 50 Hz                  | 230 V; 50 Hz                  | 230 V; 50 Hz                  |  |  |
| Measures (WxHxD)        | 460 x 265 x 365 mm            | 465 x 275 x 400 mm            | 500 x 290 x 420 mm            |  |  |
| Cooking chamber (WxHxD) | 296 x 180 x 280 mm            | 286 x 188 x 292 mm            | 305 x 195 x 320 mm            |  |  |
| Cooking chamber volume  | 20 I                          | 20 I                          | 25 I                          |  |  |
| Weight                  | 10 kg                         | 12 kg                         | 13 kg                         |  |  |
| Certification           | GS, CE                        | GS, CE                        | GS, CE                        |  |  |
| Packing unit            | 1                             | 1                             | 1                             |  |  |
|                         |                               |                               |                               |  |  |

#### Article overview

#### Microwaves



| Product name                   | M 20 Electronic                  | MG 20 menu                       | MCG 25 Chef          | MCG 30 Chef          | MG 20 Ceramic<br>Menu            | MG 25 Ceramic<br>Menu | MCG 25 Ceramic<br>Chef | MCG 30 Ceramic<br>Chef |
|--------------------------------|----------------------------------|----------------------------------|----------------------|----------------------|----------------------------------|-----------------------|------------------------|------------------------|
| Item                           | 3315                             | 3320                             | 3350                 | 3370                 | 3323                             | 3331                  | 3351                   | 3371                   |
| EAN                            | 40 38437 03315 1                 | 40 38437 03320 5                 | 40 38437 03350 2     | 40 38437 03370 0     | 40 38437 03323 6                 | 40 38437 03331 1      | 40 38437 03351 9       | 40 38437 03371 7       |
| Housing / colour               | Stainless steel +<br>black glass | Stainless steel +<br>black glass | Silver + black glass | Silver + black glass | Stainless steel +<br>black glass | Silver + black glass  | Silver + black glass   | Silver + black glass   |
| Interior                       | Stainless steel                  | Stainless steel                  | Stainless steel      | Stainless steel      | Stainless steel                  | Stainless steel       | Stainless steel        | Stainless steel        |
| Front                          | Mirrored                         | Mirrored                         | Mirrored             | Mirrored             | Mirrored                         | Mirrored              | Mirrored               | Mirrored               |
| Microwave                      | 800 watt                         | 800 watt                         | 900 watt             | 900 watt             | 800 watt                         | 900 watt              | 900 watt               | 900 watt               |
| Power levels                   | 5                                | 5                                | 10                   | 5                    | 5                                | 10                    | 10                     | 5                      |
| Cooking / automatic programmes | 8                                | 13                               | 9                    | 9                    | 14                               | 10                    | 9                      | 9                      |
| Grill                          |                                  | 1000 watt                        | 1950 watt            | 1250 watt            | 1000 watt                        | 1000 watt             | 1200 watt              | 1100 watt              |
| Convection                     |                                  |                                  | 1950 watt            | 2200 watt            |                                  |                       | 2050 watt              | 2100 watt              |
| Temperatures                   |                                  |                                  | 110 - 200 °C         | 110 - 200 °C         |                                  |                       | 110 - 200 °C           | 110 - 200 °C           |
| Convection levels              |                                  |                                  | 10                   | 10                   |                                  |                       | 10                     | 10                     |
| Operation                      | Semi-digital                     | Semi-digital                     | Semi-digital         | Semi-digital         | Semi-digital                     | Semi-digital          | Semi-digital           | Semi-digital           |
| Turntable ø                    | 24,5 cm                          | 24,5 cm                          | 27 cm                | 31,5 cm              |                                  |                       |                        |                        |
| Borosilicate glass base        |                                  |                                  |                      |                      |                                  |                       |                        |                        |
| Combi programmes               |                                  | 2                                | 2 + 4                | 2 + 4                | 2                                | 2                     | 4 + 2                  | 4 + 2                  |
| Preheat function               |                                  |                                  |                      |                      |                                  |                       |                        |                        |
| Sound on/off                   |                                  |                                  |                      |                      |                                  |                       |                        |                        |
| Display                        | LED                              | LED                              | LED                  | LED                  | LED                              | LED                   | LED                    | LED                    |
| Timer                          | 60 min                           | 60 min                           | 60 min               | 60 min               | 60 min                           | 95 min                | 95 min                 | 95 min                 |
| Accessories                    |                                  | Standing rack                    | Standing rack        | Standing rack        | Slide-in rack                    | Slide-in rack         | Slide-in rack          | Slide-in rack          |
| Voltage                        | 230 V; 50 Hz                     | 230 V; 50 Hz                     | 230 V; 50 Hz         | 230 V; 50 Hz         | 230 V; 50 Hz                     | 230 V; 50 Hz          | 230 V; 50 Hz           | 230 V; 50 Hz           |
| Measures (WxHxD)               | 455 x 255 x 400 mm               | 460 x 260 x 400 mm               | 485 x 280 x 415 mm   | 540 x 300 x 420 mm   | 460 x 270 x 400 mm               | 500 x 290 x 375 mm    | 490 x 285 x 480 mm     | 540 x 310 x 500 mm     |
| Cooking chamber (WxHxD)        | 290 x 180 x 290 mm               | 295 x 180 x 290 mm               | 315 x 190 x 345 mm   | 350 x 195 x 360 mm   | 270 x 180 x 290 mm               | 320 x 190 x 290 mm    | 310 x 190 x 315 mm     | 350 x 190 x 330 mm     |
| Cooking chamber volume         | 20 I                             | 20 I                             | 25                   | 30 I                 | 20 I                             | 25                    | 25                     | 30 I                   |
| Weight                         | 10,7 kg                          | 11,6 kg                          | 14 kg                | 16,2 kg              | 12,3 kg                          | 13,5 kg               | 16,65 kg               | 18,8 kg                |
| Certification                  | GS, CE                           | GS, CE                           | GS, CE               | GS, CE               | GS, CE                           | GS, CE                | GS, CE                 | GS, CE                 |
| Packing unit                   | 1                                | 1                                | 1                    | 1                    | 1                                | 1                     | 1                      | 1                      |



| Product name                   | SMG 20                           | HCMG 25                          | MI 30 Ceramic          | HCMG 25 Ceramic Chef   | M 20 Cube Ceramic  | MG 20 Cube Ceramio |  |  |
|--------------------------------|----------------------------------|----------------------------------|------------------------|------------------------|--------------------|--------------------|--|--|
| Item                           | 3324                             | 3354                             | 3336                   | 3355                   | 3314               | 3325               |  |  |
| EAN                            | 40 38437 03324 3                 | 40 38437 03354 0                 | 40 38437 03336 6       | 40 38437 03355 7       | 40 38437 03314 4   | 40 38437 03325 0   |  |  |
| Housing / colour               | Stainless steel<br>+ black glass | Stainless steel<br>+ black glass | Stainless steel, black | Polar silver           | Polar silver       | Polar silver       |  |  |
| Interior                       | Stainless steel                  | Stainless steel                  | Stainless steel        | Stainless steel        | Stainless steel    | Stainless steel    |  |  |
| Front                          | Mirrored                         | Mirrored                         | Viewing window         | Viewing window         | Viewing window     | Viewing window     |  |  |
| Microwave                      | 800 watt                         | 900 watt                         | 1000 watt, inverter    | 900 watt               | 800 watt           | 800 watt           |  |  |
| Power levels                   | 5                                | 5                                | 5                      | 5                      | 10                 | 10                 |  |  |
| Cooking / automatic programmes | 8 + 2                            | 10                               | 8                      | 10                     | 9                  | 13                 |  |  |
| Grill                          | 1000 watt                        | 1100 watt                        |                        | 1000 watt              |                    | 1000 watt          |  |  |
| Convection                     |                                  | 2500 watt                        |                        | 2100 watt              |                    |                    |  |  |
| Temperatures                   |                                  | 150 - 240 °C                     |                        | 150 - 240 °C           |                    |                    |  |  |
| Convection levels              |                                  | 10                               |                        | 10                     |                    |                    |  |  |
| Operation                      | Semi-digital                     | Semi-digital                     | Semi-digital           | Semi-digital           | Semi-digital       | Semi-digital       |  |  |
| Turntable ø                    | 25,5 cm                          | 31,5 cm                          |                        |                        |                    |                    |  |  |
| Borosilicate glass base        |                                  |                                  |                        |                        |                    |                    |  |  |
| Combi programmes               | 2                                | 4                                |                        | 4                      |                    | 2                  |  |  |
| Preheat function               |                                  |                                  |                        |                        |                    |                    |  |  |
| Sound on/off                   |                                  |                                  |                        | •                      |                    |                    |  |  |
| Display                        | LED                              | LED                              | LED                    | LED                    | LED                | LED                |  |  |
| Timer                          | 95 min                           | 95 min                           | 95 min                 | 95 min                 | 95 min             | 95 min             |  |  |
| Accessories                    | Standing rack                    | Standing rack                    |                        | Grill rack, pizza tray |                    | Slide-in rack      |  |  |
| Voltage                        | 230 V; 50 Hz                     | 230 V; 50 Hz                     | 230 V; 50 Hz           | 230 V; 50 Hz           | 230 V; 50 Hz       | 230 V; 50 Hz       |  |  |
| Measures (WxHxD)               | 460 x 290 x 345 mm               | 515 x 307 x 467 mm               | 545 x 310 x 450 mm     | 500 x 300 x 440 mm     | 470 x 275 x 385 mm | 470 x 275 x 400 mm |  |  |
| Cooking chamber (WxHxD)        | 280 x 180 x 275 mm               | 325 x 200 x 335 mm               | 330 x 215 x 335 mm     | 310 x 200 x 305 mm     | 287 x 180 x 295 mm | 286 x 170 x 295 mr |  |  |
| Cooking chamber volume         | 20 I                             | 25                               | 30 I                   | 25                     | 20 I               | 20 I               |  |  |
| Weight                         | 11,9 kg                          | 18,7 kg                          | 11,7 kg                | 15,9 kg                | 11,9 kg            | 12,25 kg           |  |  |
| Certification                  | GS, CE                           | GS, CE                           | GS, CE                 | GS, CE                 | GS, CE             | GS, CE             |  |  |
| Packing unit                   | 1                                | 1                                | 1                      | 1                      | 1                  | 1                  |  |  |



## Chapter 2




# Smart induction for perfect results

Perfect control is the basis for optimum cooking results. Induction is fast, safe and energy-saving. The new thermometer allows you to precisely control the hob's temperature for a guaranteed perfect result.

# HEAT IS ONLY GENERATED IN THE PAN – WHERE IT SHOULD BE

CASO Design mobile hobs are all equipped with state-of-the-art induction technology. This makes using them feel like cooking with gas. Quick & responsive!



In addition to this, all CASO Design induction hobs have optimum heat distribution thanks to innovative induction coils.

Induction hobs are suitable as fullfunction hobs and food warming plates at home, on holiday and at cooking events.

CASO Design mobile induction hobs can be used flexibly. A standard plug socket is all that is required for full power.

All models have intuitive sensor touch controls, making cooking child's play. Simmering, boiling, searing and keeping food warm can be easily controlled with the touch of a finger. All functions are under glass, so using these hobs is also a clean affair.


This is induction technology, the quick, responsive way to cook.

Modern induction technology generates heat inside the pan, resulting in quicker, more responsive and energy-saving cooking. The cooking surface does not heat up, but instead only absorbs the heat emitted by the pan. This ensures that the contents of the pan cannot burn, for pleasant and safe cooking.











## CASO Design induction hob with precision thermometer

In combination with the precision thermometer the induction technology delivers completely new ways of controlling heat.

The precision thermometer is ideal for cooking, pan frying, keeping food warm, fondues, sous vide and core-temperature cooking.



## CASO Design built-in induction hobs

Versatile uses, e.g. In small and outdoor kitchens, in camper vans and holiday homes, for breakfast buffets, etc.

#### Single induction hob

#### **Touch 2000**

#### Double induction hob

#### **Touch 3500**





Item 2008 Item 2018



- + Mobile induction hob with 2000 watt
- + Glass ceramic surface
- + Sensor-touch operation
- + For induction cookware from 12 24 cm  $\emptyset$
- + Timer, power levels and temperature individually adjustable
- + Safe thanks to automatic pot detection
- + Fast and energy-saving
- + Precise, easy operation
- + 10 temperature levels
- + 10 power levels
- + Timer function 1 180 minutes
- + Temperature preselection ca. 60 240 °C
- + Safety switch to protect against overheating
- + Extra large digital display
- + Very easy cleaning



#### Description like Touch 2000, additionally:

- + Mobile double induction hob with 3500 watt
- + 6 power levels





#### Single induction hob

#### Comfort C 2000



#### Single induction hob

#### ProMenu 2100



Item 2224






Item 2006





- + Mobile single induction hob with 2000 watt
- Sensor-touch display (operation under glass) and big digital display
- + For induction cookware from 12 22 cm  $\emptyset$
- + 10 power levels
- 10 temperature levels, approx. from 60 200 °C adjustable
- + Booster function for full performance
- + Keep Warm keeps your food warm at ca. 60 °C
- + Child lock
- + Timer function up to 180 minutes
- + Glass ceramic all-glass surface
- + Safe thanks to automatic pot detection and overheating protection
- + Very easy cleaning



- + Glass ceramic all-glass surface
- Precision cooking with SmartControl with 12 different power and temperature levels
- Sensor-touch display (operation under glass) and big digital display
- + Timer function from 1 180 min
- + Adjustable temperature range from 60 240 °C
- + Automatic pot detection
- + For induction cookware from 12 24 cm  $\emptyset$
- + Safe thanks to overheating protection
- + Very easy cleaning





#### Single induction hob

#### **S-Line 2100**





Item 2225

**TESTSIEGER** 

#### Double induction hob

#### **S-Line 3500**




Item 2227







- + Mobile design induction hob
- + Up to 2100 watt
- + Modern design with all-round edge made of brushed stainless steel – a piece of jewellery in every kitchen
- + Precision cooking with SmartControl with 12 different power and temperature levels
- + Sensor-touch display and big digital display
- + Adjustable temperature range from 60 240 °C
- + High quality all-glass surface
- + Automatic pot detection
- + For induction cookware from 12 24 cm Ø
- + Selectable timer function from 1 180 minutes
- + Safe thanks to overheating protection
- + Very easy cleaning



- + Mobile double induction hob with 3500 watt
- + PowerSharing Technologie\* (see below)
- + Optimum efficiency via the PowerSharing technology
- + Modern design piece of jewellery in every kitchen with brushed stainless steel frame
- + Precision cooking with SmartControl: 12 power and temperature levels
- + Sensor-touch display and big digital display
- + Temperature pre-selection approx. 60 240 °C
- + Hight quality glass ceramic surface
- + Safe thanks to automatic pot detection
- + For induction cookware from 12 24 cm Ø
- + Timer function from 1- 180 minutes
- + Safe due to overheating protection
- + Very easy cleaning

#### Single induction hob

#### Maître 2400



### Maître 3500

Double induction hob







Item 2230







Item 2231

+ Particularly fast and powerful - ca. 2400 watt

- + Modern design with easy to read, beveled control panel
- + For induction cookware from 12 26 cm Ø
- + Precise cooking with Smart Control on 12 temperature and power levels
- + Sensor-touch control
- + Large digital display


Special

functions

- + Temperature precisely adjustable from 60 240 °C
- + Timer function 1-180 minutes with 1 minute interval
- + Safe thanks to overheating protection
- + Very easy cleaning

- + Very fast and powerful max. 3500 watts in total, max. 2400 watts for one-sided use
- + PowerSharing Technologie\* (see below)
- + Extra large hob
- + For induction cookware from 12 26 cm Ø
- + Modern design with easy to read, beveled control panel
- + Precision cooking with Smart Control on 12 temperature and power levels
- + Sensor-touch control
- + Large digital display
- + Temperature precisely adjustable from 60 240 °C
- + Timer function 1 180 minutes with 1-minute interval
- + Very easy cleaning






#### \*PowerSharing Technology: Total power 3500 watt

Optimum efficiency: The two hobs share 3500 watts via the PowerSharing. By using only the left or right cooking plate, it is a max. of 2100 watts. Turn on the second plate, 3500 power of watt will be distributed to both cooktops.





#### \*PowerSharing Technologie: **Gesamtleistung 3500 Watt**

Optimum efficiency: The two hobs share 3500 watts via the PowerSharing. By using only the left or right cooking plate, it is a max. of 2400 watts. Turn on the second plate, 3500 power of watt will be distributed to both cooktops.

#### Single induction hob

#### ProChef 3500

Also for the catering industry







Induction hob with 3 cooking zones

Master P3 Plus

Item 2364





Stainless steel

#### + Powerful 3500 watts

Special

functions

- + High-quality glass ceramic surface with a robust and extra flat stainless steel housing
- + Precision cooking with Smart Control at 12 different power levels
- + Intuitive sensor touch operation
- + Timer function up to 23 hours 59 minutes
- + Precise temperature setting from 60 240 °C (in 10 °C increments)
- + Automatic pan detection
- + For induction cookware from 12 26 cm  $\emptyset$
- + With practical "keep warm" function (70 °C)
- + Overheating protection
- + Secure positioning due to non-slip feet
- + Very easy cleaning





Item 2151

#### + Mobile induction hob with 3 cooking zones

- + Total power 3500 watts:
- •1 x max. 2100 watt with **PowerSharing\*** (front left)
- 1 x max. 1000 watt (back left)
- 1 x max. 1400 watt (right)
- + For induction cookware from 12 22 cm Ø
- + High quality all-glass surface
- + Brushed stainless steel frame
- + Sensor-touch operation
- + Easy to read and large digital display
- + Timer, power levels and temperature individually adjustable
- + 10 power stages for each hob (backmost hob 5)
- + Temperature pre-selection approx. 60 240 °C
- + Timer function from 1 180 minutes
- + Safe thanks to automatic pot detection and overheating protection
- + Lock function (setting protection / child safety lock)
- + Very easy cleaning

#### \*PowerSharing Technology:

#### Total power 2100 watt

Optimum efficiency: The two hobs on the left share 2100 watts via the PowerSharing. If you only use the front left plate, it has a maximum of 2100 watts. If you switch on the second rear plate, the power is distributed across both hobs.

#### Single induction hob with precision thermometer




Item 2235









- · Perfectly suited to, for example, sous vide, keeping food hot, accurately roasting meet and fish by means of a core temperature sensor
- · Adjustable temperature range from 40 160 °C, accurate to 1 °C thanks to FineTemp
- Including holder for the thermometer

#### + Induction plate can also be used without ThermoControl thermometer

- Adjustable temperature range from 60 240 °C
- + Powerful 2400 watts

Special

functions

- + Automatic pot detection
- + For induction cookware from 12 26 cm Ø
- + Intuitive sensor-touch operation
- + Precision cooking with SmartControl with 12 different power levels
- + Selectable timer function up to 180 minutes
- + Safe thanks to overheating protection
- + Very easy cleaning







#### 1000 and 1 ideas: Variable cooking techniques using one device

The combination of an induction hob with CASO Design ThermoControl technology is so inspiring that cooks won't want to put down their "digital wooden spoon". Endless recipes, whether vegetables, fish or meat, can be perfectly prepared thanks to the precise measuring of temperatures in 1 °C steps. When the ThermoControl thermometer measures the temperature it is automatically compared with the induction cooking zone's heat control system, ensuring that an extremely precise temperature can be achieved.

#### Single induction hob for built-in or freestanding use

#### ProAdvanced E1



Item 3043



#### Single induction hob – can be used as a built-in or freestanding mobile solution

- + Versatile uses, e.g. in small and outdoor kitchens, in tiny houses, in camper vans and holiday homes, for breakfast buffets, on balconies and patios, etc.
- + Also ideal as an additional food warming plate
- Particularly sustainable thanks to fast, energy- and money-saving cooking\*
- + Elegant, timeless black design
- + For induction cookware with a base diameter of 12 24 cm  $\emptyset$
- + Quickly ready for use thanks to automatic pot recognition and powerful 2100 watt performance
- + 12 power levels for precise results
- + 12 Temperature levels
- + Temperature adjustable from 60 240 °C
- 60 100 °C in 10 °C intervals
- 100 240 °C in 20 °C intervals
- + Practical, optional timer function from 1 180 mins
- + Black all-glass surface with touch operating panel for easy cleaning
- + Digital screen with red LED display
- + Incl. sealing strip for built-in installation and a magnet to recognise suitable cookware
- + Safe thanks to overheating protection




#### Double induction hob for built-in use

#### Master E2





Item 3041







Sensor-touc

h Built-in devi

- + Induction hon for built-in use with 2 zones with 3500 watt total (1500 watt & 2000 watt)
- + All-glass Schott Ceran® surface from environmentally friendly Ceran Suprema®
- + Sensor-touch operation
- + Easy to read and big digital display
- + Timer, power levels and temperature individually adjustable
- + 9 power levels per cooking field
- + Timer function 1 99 minutes in 1-minute-intervalls
- + Lock-function (setting protection / child safety lock)
- + Safe thanks to automatic pot detection and overheating protection
- + For induction cookware from 12 20 cm Ø
- + Automatic switch-off when not in use
- + Very easy cleaning





#### Article overview

#### **Induction hobs**

Mobile induction with 1 or 2 cooking zones











| Product name            | Touch 2000            | Touch 3500            | Comfort C 2000        | ProMenu 2100          | S-Line 2100                                  | S-Line 3500                                  |
|-------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------------------------------|----------------------------------------------|
| Item                    | 2008                  | 2018                  | 2006                  | 2224                  | 2225                                         | 2227                                         |
| EAN                     | 40 38437 02008 3      | 40 38437 02018 2      | 40 38437 02006 9      | 40 38437 02224 7      | 40 38437 02225 4                             | 40 38437 02227 8                             |
| Housing / colour        | Black / glass ceramic | Stainless steel frame, black / glass ceramic | Stainless steel frame, black / glass ceramic |
| Operation               | Sensor-touch          | Sensor-touch          | Sensor-touch          | Sensor-touch          | Sensor-touch                                 | Sensor-touch                                 |
| Cooking zones           | 1                     | 2                     | 1                     | 1                     | 1                                            | 2                                            |
| Pot diameter Ø          | 12 - 24 cm            | 12 - 24 cm            | 12 - 22 cm            | 12 - 24 cm            | 12 - 24 cm                                   | 12 - 24 cm                                   |
| Power                   | 2000 watt             | 3500 watt             | 2000 watt             | 2100 watt             | 2100 watt                                    | 3500 watt                                    |
| Booster function        |                       |                       |                       |                       |                                              |                                              |
| Power levels            | 10                    | 6                     | 10                    | 12                    | 12                                           | 12                                           |
| Temperature levels      | 10                    | 10                    | 10                    | 12                    | 12                                           | 12                                           |
| Temperature             | 60 - 240 °C           | 60 - 240 °C           | 60 - 200 °C           | 60 - 240 °C           | 60 - 240 °C                                  | 60 - 240 °C                                  |
| Direct functions        |                       |                       |                       |                       |                                              |                                              |
| Automatic pot detection |                       |                       |                       |                       |                                              |                                              |
| Timer function          | 1 - 180 min                                  | 1 - 180 min                                  |
| Keep warm function      |                       |                       |                       |                       |                                              |                                              |
| Power Sharing           |                       |                       |                       |                       |                                              |                                              |
| Smart Control           |                       |                       |                       |                       |                                              |                                              |
| Overheating protection  |                       |                       |                       |                       |                                              |                                              |
| Accessories             |                       |                       |                       | Magnet                | Magnet                                       | Magnet                                       |
| Display                 | Digital               | Digital               | Digital               | Digital               | Digital                                      | Digital                                      |
| Measures (WxHxD)        | 290 x 60 x 360 mm     | 605 x 65 x 360 mm     | 280 x 65 x 370 mm     | 279 x 60 x 368 mm     | 277 x 58 x 357 mm                            | 542 x 59 x 357 mm                            |
| Weight                  | 2,4 kg                | 4,8 kg                | 2,5 kg                | 2,5 kg                | 2,6 kg                                       | 5 kg                                         |
| Voltage                 | 220-240V, 50Hz        | 220-240V, 50Hz        | 220-240V ~50/60 Hz    | 230 V; 50 Hz          | 230 V; 50 Hz                                 | 230 V; 50 Hz                                 |
| Certification           | GS, CE                                       | GS, CE                                       |
| Packing unit            | 2                     | 1                     | 2                     | 2                     | 2                                            | 1                                            |
|                         |                       |                       |                       |                       |                                              |                                              |



|                         |                       |                       |                                                   |                                                 |                                                  | 1,233,41                        |                                 |
|-------------------------|-----------------------|-----------------------|---------------------------------------------------|-------------------------------------------------|--------------------------------------------------|---------------------------------|---------------------------------|
| Product name            | Maître 2400           | Maître 3500           | ProChef 3500                                      | Master P3 Plus                                  | TC 2400<br>ThermoControl                         | ProAdvanced E1                  | Master E2                       |
| Item                    | 2230                  | 2231                  | 2364                                              | 2151                                            | 2235                                             | 3043                            | 3041                            |
| EAN                     | 40 38437 02230 8      | 40 38437 02231 5      | 40 38437 02364 0                                  | 40 38437 02151 6                                | 40 38437 02235 3                                 | 40 38437 03043 3                | 40 38437 03041 9                |
| Housing / colour        | Black / glass ceramic | Black / glass ceramic | Stainless steel housing,<br>black / glass ceramic | Stainless steel frame,<br>black / glass ceramic | Black / glass ceramic                            | Black / glass ceramic           | Black <i>I</i><br>Schott Ceran® |
| Operation               | Sensor-touch          | Sensor-touch          | Sensor-touch                                      | Sensor-touch                                    | Sensor-touch                                     | Sensor-touch                    | Sensor-touch                    |
| Cooking zones           | 1                     | 2                     | 1                                                 | 3                                               | 1                                                | 1                               | 2                               |
| Pot diameter Ø          | 12 - 26 cm            | 12 - 26 cm            | 12 - 28 cm                                        | 12 - 22 cm                                      | 12 - 26 cm                                       | 12 - 24 cm                      | 12 - 24 cm                      |
| Power                   | 2400 watt             | 3500 watt             | 3500 watt                                         | 3500 watt                                       | 2400 watt                                        | 2100 watt                       | 3500 watt                       |
| Power levels            | 12                    | 12                    | 12                                                | 10 each, 5 at the back                          | 12                                               | 12                              | 9 each                          |
| Temperature levels      | 12                    | 12                    | 12                                                | 10                                              | 12                                               | 12                              |                                 |
| Temperature             | 60 - 240 °C           | 60 - 240 °C           | 60 - 240 °C                                       | 60 - 240 °C                                     | 60 - 240 °C,<br>thermometer<br>40 - 160 °C       | 60 - 240 °C                     |                                 |
| Can be built-in         |                       |                       |                                                   |                                                 |                                                  | or freestanding                 |                                 |
| Automatic pot detection |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |
| Timer function          | 1 - 180 min           | 1 - 180 min           | 1 min - 23 h 59 min                               | 1 - 180 min                                     | 1 - 180 min                                      | 1 - 180 min                     | 1 - 99 min                      |
| Keep warm function      |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |
| Power Sharing           |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |
| Smart Control           |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |
| Overheating protection  |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |
| Accessories             | Magnet                | Magnet                | Magnet                                            | Magnet                                          | ThermoControl<br>thermometer, bracket,<br>magnet | Magnet                          |                                 |
| Display                 | Digital               | Digital               | Digital                                           | Digital                                         | Digital                                          | Digital                         | Digital                         |
| Measures (WxHxD)        | 300 x 60 x 370 mm     | 600 x 60 x 370 mm     | 320 x 90 x 420 mm                                 | 537 x 67 x 529 mm                               | 300 x 60 x 370 mm                                | 290 x 65 x 360 mm               | 290 x 60 x 520 mm               |
| Weight                  | 3 kg                  | 5,7 kg                | 4,4 kg                                            | 7,7 kg                                          | 3 kg                                             | 3,47 kg                         | 5,2 kg                          |
| Voltage                 | 220V-240V;50Hz/60Hz   | 220-240V 50-60Hz      | 220V-240V , 50Hz/60Hz                             | 220 V - 240 V;<br>50 Hz / 60 Hz                 | 220V-240V; 50Hz/60Hz                             | 220 V — 240 V;<br>50 Hz / 60 Hz | 220 - 240 V;<br>50 Hz or 60 Hz  |
| Certification           | GS, CE                | GS, CE                | GS, CE                                            | GS, CE                                          | GS, CE                                           | GS, CE                          | GS, CE                          |
| Packing unit            | 2                     | 1                     | 1                                                 | 1                                               | 2                                                | 1                               | 1                               |
|                         |                       |                       |                                                   |                                                 |                                                  |                                 |                                 |





## Chapter 3

## Vacuum & SousVide



## Enjoy food more

As a premium brand CASO Design stands for sustainable, respectful and also creative handling of food. We are continuously striving to delivery products that enable you to keep food fresh for longer; to store it better and to enjoy it more intensively.


# PREMIUM VACUUM SEALERS FROM CASO DESIGN



CASO Design vacuum sealing technology enables you to enjoy food that is always fresh and the very best quality.

Discover the advantages of innovative systems and a variety of models that offer a wide range of options to redefine enjoyment and freshness.

Boilable, tear-resistant bags and rolls with either a ribbed structure or a smooth surface ensure a perfect vacuum. They are available in a range of sizes; microwave-proof and suitable for sous vide cooking. CASO Design vacuum sealers create one or two welded seams, ensuring an airtight seal for food items. Some models also have a special function that allows you to adjust the welding time.



#### The CASO food manager app

The CASO food manager app provides a perfect overview of what food items and dishes you have on hand. Simply scan the special CASO Food Manager write-on stickers, each with their own QR code, to save information on the food items you are storing in the app. You will always have an overview of the items in your fridge or freezer and can see which ones are available; need to be replaced or need to be used. Find out more about the free app and its practical features to start using your items more sustainably today.

https://myfoodmanager.de/?lang=en

More informations on page 75









robust design including stainless steel casing





#### Hand-held vacuum sealer

#### Vacu OneTouch



#### Hand-held vacuum sealer

#### Vacu OneTouch Eco-Set



Item 1169





Special

- + Long-lasting freshness simple, fast and everywhere
- + Keep food fresh longer in the blink of an eye
- + Pump capacity: 3 liters / minute at -0.4 bar pressure
- + Cordless one-hand operation
- + Long-life lithium-ion battery for up to 150 minutes runtime - vacuum even while charging
- + Convenient LED display white when battery is full and red when battery is empty battery
- + Auto stop when vacuum is reached
- + Safety stop after 2 minutes if the device is switched on unintentionally
- + Easy cleaning thanks to removable vacuum seal
- + Compact design for space-saving storage
- + Incl. 10 ZIP bags (5 pieces 20x23 cm, 3 pieces 26x23 cm, 2 pieces 26x35 cm), 2 ZIP Lockers, USB-C charging cable and CASO food manager stickers

#### Description like VacuOne Touch, additionally:

- + Stackable glass vacuum container set with plastic lids for space-saving storage
- 1 container with 1500 ml capacity
- 2 containers with 500 ml capacity each
- + Containers particularly suitable for items which are pressuresensitive and for liquids
- + Date display (day and month) integrated into the lid
- + Versatile use thanks to microwavable, heat-resistant (up to 350 °C) glass bodies
- + Glass bodies and lids can be used in the freezer (up to -18 °C) and are dishwasher-proof




#### Professional hand-held vacuum sealer Accessories Vacu OneTouch

#### Vacu OneTouch Pro







- + Keep food fresh up to 8-times longer in no time at all
- + Fully automatic vacuum sealing

Special


functions

- + Powerful pump capacity at 12 litres/minute
- + Also perfect for the catering trade
- + Extensive range of accessories available separately
- VacuBoxx series and VacuBoxx Eco series available in many sizes and perfectly suited for liquid and pressure-sensitive foods
- Reusable Vacu ZIP Bags in different sizes also suitable for Sous-vide cooking
- Vacuum aroma closure, e.g. for wine and oil bottles
- + Long-life lithium-ion battery for up to 85 min runtime
- + Incl. charging station (USB-C connection) always a full battery, always at hand



#### WineLock – Vacuum aroma seal







- + The perfect accessory for the CASO Design hand vacuum sealer Vacu OneTouch and Vacu OneTouch Pro
- + For long-lasting enjoyment & protection of the aromas of your favorite wine
- + Easy, airtight sealing of the opened wine
- + Versatile uses such as wine, oil, vinegar, juices (noncarbonated liquids)
- + Fits all bottle necks with a diameter of 16-19 mm
- + Dishwasher safe
- + Can be used with suitable hand-held vacuum sealers (e.g. CASO Vacu OneTouch / Pro, Art.No. 1301 and 1169) or with vacuum sealers with hose connection and suitable adapter (e.g. CASO Vacu ZIP Adapter set, Art. 1258)



#### Vacuum sealer

**VC 15** 

#### Vacuum sealer

**VC 150** 









Item 1371


sehr gut

(1,4)

Item 1382

36 months

Sous Vide



+ Fully automatic vacuuming and sealing

+ Weld seam up to max. 30 cm width

+ Practical, separate welding function

+ Electronic temperature monitoring

+ Compact design, light weight

for vacuum containers\*

meat, vegetables and fruit

+ Housing with high quality stainless steel front

+ Ideal for storing and maintaining freshness of fish,

+ Variable vacuum strength through vacuum-stop-


**button:** Particularly suitable for pressure-sensitive

+ Incl. 10 professional bags (20 x 30 cm) + 1 vacuum hose










Special

2x30cm



- + Housing with high quality stainless steel front
- + Double weld seam up to max. 30 cm width
- + Ideal for storing and maintaining freshness of fish, meat, vegetables and fruit
- + Variable vacuum strength through vacuum-stop**button:** Particularly suitable for pressure-sensitive
- + Practical, separate welding function
- + Setting the welding time (wet and dry)
- + Electronic temperature monitoring
- + Removable drip tray for any accumulated liquid
- + Compact design, light weight
- + Incl. 10 professional bags (20 x 30 cm) + 1 vacuum hose for vacuum containers\*

## Vacuum sealer

#### **VC 10 PlusEdition**

- + Like VC 15, with plastic housing in dark silver and lots of free accessories worth approx. 20 €
- 25 professional bags 16 x 23 cm
- 25 professional bags 20 x 30 cm
- 4 sheets of Food Manager stickers
- 1 vacuum hose

Lots of extra accessories



#### Vacuum sealer

#### VR 190 advanced





Item 1394















- + Fully automatic vacuuming and sealing
- + Housing with high quality stainless steel front
- + Double weld seam up to max. 30 cm width
- + Ideal for storing and maintaining freshness of fish, meat, vegetables and fruit
- + Vacuum stop button: interrupt the vacuum process at
- + Adjustable vacuum strength: ideal for soft or sensitive
- + Practical, separate welding function
- + Setting the welding time (wet and dry)
- + Electronic temperature monitoring
- + Removable drip tray for any accumulated liquid
- + With a practical film box: Simply insert the roll and unroll it like a kitchen roll for direct processing
- + Fold-out cutter for cutting the film rolls
- + Compact design, low weight
- + Incl. 2 professional vacuum rolls (20 x 300 cm and 30 x 300 cm) + 1 vakuum hose for vacuum containers\*





#### Premium vacuum sealer

#### GourmetVAC 180



#### Premium vacuum sealer

#### GourmetVAC 280







Item 1384



Special

functions



- + Secure vacuuming with double weld seam
- + Functional, flat design for very quiet working
- + Weld seam of max. 30 cm for any length, ideal for fish and meat
- + Easy to clean thanks to removable drip tray
- + Vacuum regulation: use the stop button to regulate the vacuum strength
- + Piston pump (9 I / min) and powerful motor
- + Practical wing lock for simple closing
- + Electronic temperature monitoring
- + Varied functions: manual welding, automated vacuuming and welding
- + Incl. 10 proffessionel bags 20 x 30 cm, 1 vacuum hose for vacuum containers\* and CASO Food Manager app

Special







Item 1385

- + Secure vacuuming with double weld seam
- + Functional, flat design for very quiet working
- + Weld seam of max. 30 cm for any length, ideal for fish and meat
- + Easy to clean thanks to removable drip tray
- + Adjustable, infinitely variable vacuum strength SVS: ideal for sensitive foods
- + Piston pump (15 I / min) and powerful motor
- + Practical wing lock for simple closing
- + Adjustable welding time: Ideal for moist or marinated foods
- + Integrated cutter for practical cutting of the foils
- + Varied functions: manual sealing, automatic vacuuming
- + Incl. container function for use with CASO vacuum
- + Incl. 10 bags 20 x 30 cm, 1 vakuum hose for vacuum containers\* and CASO Food Manager app

#### Premium vacuum sealer

#### GourmetVAC 380



### GourmetVAC 480

Premium vacuum sealer





Item 1387


 $(\mathsf{O})$ 

**TESTURTEIL** 





Item 1386



- + Secure vacuuming with double weld seam
- + Functional, flat design for very quiet working
- + Weld seam of max. 30 cm for any length, ideal for fish and meat
- + Easy to clean thanks to removable drip tray
- + Adjustable, infinitely variable vacuum strength SVS: Ideal for sensitive foods
- + Piston pump (15 I/min) and powerful motor
- + Practical wing lock for simple closing
- + Internal roll container with cutter
- + Varied functions: Manual sealing, automatic vacuuming and sealing
- + Practical progress indicator
- + Adjustable sealing time: Ideal for moist or marinated foods
- + Container and marinating function for use with CASO vacuum containers\*
- + Incl. 1 professional vacuum roll 20 x 300 cm, 1 professional vacuum roll 30 x 300 cm, 10 professional vacuum bags 20 x 30 cm, vacuum hose for containers\* and CASO Food Manager app

functions Double weld Soft vacuum system Roll container



2x30cm

- + Functional, flat design for very quiet working
- + Weld seam of max. 30 cm for any length, ideal for fish and meat

**SVS** 

+ Removable vacuum chamber

Special

- + Adjustable, infinitely variable vacuum strength SVS: Ideal for sensitive foods
- + Internal roll container with cutter
- + "Automatic Lock" sealing system: Device closes automatically during the vacuuming action
- + Double piston pump (20 I/min) and powerful motor
- + Practical progress indicator
- + Varied functions: manual sealing, automatic vacuuming and sealing
- + Adjustable sealing time: Ideal for moist or marinated foods
- + Container and marinating function for use with CASO vacuum containers
- + Innovative memory function for the repetition of the last vacuum strength
- + Incl. 2 professional vacuum rolls (1x 20x300 cm and 1x 30x300 cm), 10 professionell bags 20x30 cm, 1 vacuum hose for vacuum containers\* and CASO Food Manager app

\*Vacuum containers not included

#### Vacuum sealer


#### VRH 490 advanced
















**TESTSIEGER** 

gut

ıs & Garten Tes Endnote 1.5







36 months of guarantee

Item 1525

+ Powerful and durable vacuum pump with up to 9 litres / min and a max. vacuum of -0.75 bar

- + Airtight sealing for foils up to 30 cm wide and with extra thick weld seam (2.5 mm)
- + Versatile features:
- Customised setting for dry and moist foods
- Manual Pulse function for gentle vacuuming of soft
- Vacuum container function
- + Practical, removable vacuum chamber for simple and rapid cleaning
- + Simple tracking of progress with the aid of the LED process display
- + Simple and intuitive operation
- + Practical closure handle for convenient one-hand operation
- + Includes 10 professional bags 20 x 30 cm and vacuuming hose for vacuum containers\*

+ Different functions:

Special

functions

- Automatic vacuuming and sealing
- Manual sealing
- Manually adjustable, infinitely variable vacuum strength: ideal for sensitive foods
- Vacuum container function\*
- Adjustable sealing time for dry and moist foods
- + For a particularly stable, 2.5 mm thick weld seam up to 30 cm width
- + Multi cycle: Up to 100 cycles non-stop possible
- + Practical locking handle for convenient one-hand
- + Durable vacuum pump with up to 12 liters / min and a maximum negative pressure of -0.8 bar
- + High quality stainless steel design front
- + Removable drip tray for any accumulated liquid
- + Electronic temperature monitoring
- + Incl. 10 free professional vacuum bags (20 x 30 cm), 1 vacuum hose for vacuum containers, CASO Food Manager sticker and CASO Food Manager app

#### Multi-cycles

#### Vacuum sealer

#### VRH 590 advanced



#### Vacuum sealer

#### VRH 690 advanced







Item 1526



Anti fingerprint

functions

Special





Item 1527

+ High quality design stainless steel front with Anti-Fingerprint coating

Sous Vide

36 months

- + Multi cycle: Up to 125 welding processes non-stop (without overheating)
- + Different functions:

Special

functions

Automatic vacuuming and sealing

Up to 125 cycles non-stop

- Manual welding
- Adjustable welding time for dry and moist foods
- Pulse function: Manually adjustable, infinitely variable vacuum strength, ideal for sensitive foods
- Marinating function
- Vacuum container function\*
- + Integrated foil box with practical cutter for cutting the vacuum rolls
- + 2,5 mm thick, stable weld seam for bags up to a maximum width of 30 cm and any length
- + Convenient one-hand operation by foldable locking handle
- + Durable vacuum pump with up to 12 I/min and a maximum negative pressure of -0.8 bar
- + Removable drip tray for any accumulated liquid
- + Electronic temperature monitoring
- + Incl. 1 professional roll 28 x 300 cm, 10 professional bags 20 x 30 cm. 1 vacuum hose for vacuuming vacuum containers\*, CASO Food Manager sticker and CASO Food Manager app

Different functions:

- Automatic vacuuming and sealing
- 3 adjustable welding times for dry and moist foods
- Adjustable vacuum strength for hard and soft foods
- Manual welding
- Vacuum container\* and marinating function
- · Manually adjustable, infinitely variable vacuum strength: ideal for sensitive foods
- Durable double piston pump with up to 20 liters / min and a maximum negative pressure of -0.9 bar
- + For a particularly stable, 2.5 mm thick double weld seam up to 30 cm width
- + Multi cycle: Up to 150 cycles non-stop possible
- + Integrated foil box with practical cutter
- + Convenient one-hand operation by foldable locking handle
- + Practical progress display
- + Removable drip tray for any accumulated liquid
- + Electronic temperature monitoring
- + Incl. 1 vacuum roll 20 x 300 cm, 1 roll 28 x 300 cm, 1 vacuum hose for vacuum containers\*, CASO Food Manager sticker and CASO Food Manager app



#### Vacuum sealer with □□□□□T≡K Liquid Function

#### VRH 790 advanced Pro





Item 1528

Special functions











fingerprint

- + Professional vacuum sealer for ambitious amateur chefs, hunters and fishermen, etc.
- + Store food items with 100% aroma barrier and keep them fresh up to 8x longer
- With innovative patented CASOTEK® liquid function
- ideal for vacuuming liquids such as soups, sauces, stocks, etc.
- "Liquid Stop" vacuuming process ends before liquids can be sucked in
- Incl. practical stand-up vacuum bags
- + Powerful double piston pump (20 I/min) for a vacuum of up to -0.90 bar
- + Multi-cycle: seal up to 200 bags non-stop without
- + Secure sealing thanks to double weld seam up to 30 cm (each one 2.5 mm thick)
- + With integrated foil roll box (roll width max. 30 cm) and
- + Sensor touch panel with white LED display and progress
- + High-quality stainless steel housing with anti fingerprint coating and stainless steel handle
- + Removable drip tray for any accumulated liquid





- + Versatile functions:
- Adjustable sealing time (incl. liquid function)
- Vacuum intensity for hard and soft food items
- "Vac & Seal / Cancel" automatic vacuuming and sealing
- · Manual sealing
- Vacuum container for vacuuming of suitable
- · Marinating quick marinating thanks to pulsating vacuum which alternately opens and closes meat
- Pulse function manually selectable vacuum intensity
- + Incl. wide range of accessories:
- 2 vacuum foil rolls (20x300 cm, 30x300 cm)
- 10 different practical stand-up vacuum bags with wide bottoms (5x 20x30 cm, 3x 25x35 cm, 2x 30x40 cm)
- 1 vacuum hose to vacuum suitable containers\*
- CASO Food Manager sticker + CASO Food Manager app





The app that organises your food – waste less, save more money.

sehr gut (1,4)

#### Use the stickers and app to keep track of your food items

CASO Food Management delivers sustainability and structure. We have supplemented our vacuum bags and rolls with write-on stickers and a link to the CASO Food Manager app. A QR code provides a link to the app.

The CASO Food Manager app helps you get a better overview of your food items. This ensures that you always have an overview of the items in your fridge and can see which ones are available or need to be used.

#### https://myfoodmanager.de/?lang=en



**SCAN ME** DOWNLOAD



Overview of all food items Vacuum seale



Enter food item details to have a clear overview of your store cupboard items and use-by dates



Filter and search functions based on a variety of criteria

74 | 75

#### Professional chamber vacuum sealer

#### VacuChef 40



page 81








Item 1417

Special functions









- + Chamber size [WxHxD]: 265 x 60 x 265 mm (approx. 3 liters)
- + Strong professionell vacuum pump: 70 l/min
- + Almost 100% vacuum
- + Double weld seam for bags up to a width of 25 cm
- + With integrated clamping bracket for a firm hold of the vacuum bags
- + Versatile functions:
- Combined vacuuming and sealing with individual settings for hard and soft, as well as dry and moist foods
- Manual sealing
- Automatic marinating in the bag
- Also suitable for the vacuuming of vacuum containers (necessary vacuum hose included)
- + Practical progress display
- High-quality vacuum sealer: housing made of stainless steel and glass lid made of tempered glass
- + Vacuuming outside of the device also possible with structured bags
- + Simple and intuitive operation via touch control panel
- + Incl. 20 vacuum bags 25 x 28 cm and 1 vacuum hose for vacuum containers\*



Chamber vacuum sealers, as the name suggests, have a closed chamber in which the vacuum is created. Even liquids and pressure-sensitive foods can be vacuum-packed without any problems and without crushing anything. Containers are also no problem for the professional devices. Both even sealed edge bags and structured bags can be used for vacuum sealing.

#### Professional chamber vacuum sealer

#### VacuChef 50





Item 1416

Special functions





ole weld Sensor

- Compact chamber vacuum sealer ideal for hard, soft, dry and liquid food
- + Chamber size: 310 x 90 x 220 mm, volume ca. 4 l
- + Powerful, fast 4-piston vacuum pump with 70 l / min (achievable vacuum pressure: 0.95 bar)
- + Double weld seam, each 2 mm thick, for bags up to 30 cm wide
- + High-quality manometer for displaying the current vacuum in the vacuum chamber
- + Intuitive touch control panel
- + High-quality stainless steel housing and lid of very robust tempered glass with soft close
- + With integrated clamping bracket for secure positioning of the bag in the vacuum chamber
- + Removable sealing bar, e.g. for easy cleaning of the chamber
- + Versatile functions:
- Individually adjustable vacuum and welding function
- Vacuum time: 5 60 sec. (in 5-sec steps)
- Welding time: 3 9 sec. (in 1-sec steps)
- Welding time manually adjustableMarinating function
- + Vacuum sealing also possible outside the appliance with structured bags, e.g. for particularly large foodstuffs
- + Hose connection also for vacuum sealing vacuum containers and Vacu ZIP bags (adapter required)
- + Incl. 30 sealed-rim bags 28 x 25 cm, spare seal and vacuum hose for vacuum containers\*





Larger chamber vacuum sealers in the CASO Professional catalogue.

#### Vacuum sealer



| Product name       | Vacu OneTouch                                                                     | Vacu OneTouch Eco-Set                                                                                                                      | Vacu OneTouch Pro           |
|--------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| Item               | 1301                                                                              | 1169                                                                                                                                       | 1333                        |
| EAN                | 40 38437 01301 6                                                                  | 40 38437 01169 2                                                                                                                           | 40 38437 01333 7            |
| Housing / colour   | Black                                                                             | Black                                                                                                                                      | Black                       |
| Operation          | Button                                                                            | Button                                                                                                                                     | Button                      |
| Vacuum pump        | 31/ min                                                                           | 31 <i>I</i> min                                                                                                                            | 12 I / min                  |
| Vacuum stop        |                                                                                   |                                                                                                                                            |                             |
| Container function |                                                                                   |                                                                                                                                            |                             |
| Battery life       | Up to 150 min                                                                     | Up to 150 min                                                                                                                              | Up to 85 min                |
| Accessories        | 10 ZIP bags, 2 ZIP locker, USB-C<br>charging cable,<br>CASO food manager stickers | 10 ZIP bags, 2 glass containers 500 ml,<br>1 glass container 1500 ml, 2 ZIP locker,<br>USB-C charging cable, CASO food<br>manager stickers | Charging station with cable |
| Power              | 1500 mAh                                                                          | 1500 mAh                                                                                                                                   | 3200 mAh                    |
| Voltage            | 5 V                                                                               | 5 V                                                                                                                                        | 5 V                         |
| Measures (WxHxD)   | 45 x 195 x 45 mm                                                                  | 45 x 195 x 45 mm                                                                                                                           | 82 x 182 x 62 mm            |
| Weight             | 0,24 kg                                                                           | 0,24 kg                                                                                                                                    | 0,64 kg                     |
| Certification      | CE                                                                                | CE                                                                                                                                         | CE                          |
| Packing unit       | 6                                                                                 | 2                                                                                                                                          | 2                           |
| <u> </u>           |                                                                                   |                                                                                                                                            |                             |



|                     | -                                   |
|---------------------|-------------------------------------|
| Product name        | WineLock — vacuum aroma seal        |
| Item                | 1257                                |
| EAN                 | 40 38437 01257 6                    |
| Content             | 3 pcs                               |
| Material            | Stainless steel coating             |
| Measures<br>(WxHxD) | 30 x 40 x 30 mm (each wine stopper) |
| Weight              | 0,02 kg (each aroma seal)           |
| Packing unit        | 6                                   |
|                     |                                     |

Bar vacuum sealers



| Produktname                                    | VC 15                                          | VC 10 Plus Edition                             | VC 150                                         | VC 250                                                     | GourmetVAC 180                                 | GourmetVAC 280                                 | GourmetVAC 380     | GourmetVAC 480                                                                               |
|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------------------|------------------------------------------------|------------------------------------------------|--------------------|----------------------------------------------------------------------------------------------|
| Art.Nr.                                        | 1371                                           | 1374                                           | 1382                                           | 1394                                                       | 1384                                           | 1385                                           | 1386               | 1387                                                                                         |
| EAN                                            | 40 38437 01371 9                               | 40 38437 01374 0                               | 40 38437 01382 5                               | 40 38437 01394 8                                           | 40 38437 01384 9                               | 40 38437 01385 6                               | 40 38437 01386 3   | 40 38437 01387 0                                                                             |
| Gehäuse / Farbe                                | Stainless<br>steel / black                     | Dark silver                                    | Stainless<br>steel / black                     | Stainless<br>steel / black                                 | Silver                                         | Silver                                         | Silver             | Silver                                                                                       |
| Bedienung                                      | Soft-touch panel                               | Soft-touch panel                               | Soft-touch panel                               | Soft-touch panel                                           | Soft-touch panel                               | Soft-touch panel                               | Soft-touch panel   | Soft-touch panel                                                                             |
| Schweißnaht                                    | 30 cm                                          | 30 cm                                          | 30 cm, double                                  | 30 cm, double                                              | 30 cm, double                                  | 30 cm, double                                  | 30 cm, double      | 30 cm, double                                                                                |
| Vakuumpumpe                                    | 9 I / min                                      | 9 I / min                                      | 12 I / min                                     | 12 I / min                                                 | 91 <i>I</i> min                                | 15 I / min                                     | 15 I / min         | 20 I / min                                                                                   |
| Kolbenpumpe                                    |                                                |                                                |                                                |                                                            | Single                                         | Single                                         | Single             | Double                                                                                       |
| Entnehmbare Auffangschale<br>für Flüssigkeiten |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| TempÜberwachung                                | •                                              |                                                |                                                | •                                                          |                                                | •                                              | •                  | •                                                                                            |
| Schweißzeitregulierung                         |                                                |                                                |                                                |                                                            |                                                |                                                | •                  |                                                                                              |
| Manuelles Verschweißen                         |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Vakuumbehälter-Funktion                        |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Integriertes Rollenfach                        |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Integrierter Cutter                            |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Regulierbare Vakuumstärke                      | Via stop button                                | Via stop button                                |                                                |                                                            | ■<br>Via stop button                           | •<br>SVS                                       | •<br>SVS           | •<br>SVS                                                                                     |
| Fortschrittsanzeige                            | ·                                              | ·                                              |                                                |                                                            | ·                                              |                                                |                    |                                                                                              |
| Flügelverschluss                               |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Auto-Lock                                      |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Marinierfunktion                               |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Memory-Funktion                                |                                                |                                                |                                                |                                                            |                                                |                                                |                    |                                                                                              |
| Zubehör                                        | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose | 1 roll 20 x 300 cm,<br>1 roll 30x 300 cm, 1<br>vacuum hose | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose |                    | 1 roll 20 x 300 cm,<br>1 roll 30 x 300 cm,<br>10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose |
| Leistung                                       | 110 Watt                                       | 110 Watt                                       | 120 Watt                                       | 120 Watt                                                   | 130 Watt                                       | 130 Watt                                       | 160 Watt           | 160 Watt                                                                                     |
| Spannung                                       | 220 V - 240 V; 50 Hz                           | 2 220 V - 240 V; 50 Hz                         | 220 V - 240 V,<br>50 Hz                        | 220 V - 240 V,<br>50 Hz                                    | 220 - 240 V; 50 Hz                             | 220 - 240 V; 50 Hz                             | 220 - 240 V; 50 Hz | 220 - 240 V; 50 Hz                                                                           |
| Maße (BxHxT)                                   | 360 x 90 x 150 mm                              | 360 x 90 x 150 mm                              | 390 x 90 x 173 mm                              | 390 x 90 x 173 mm                                          | 400 x 90 x 180 mm                              | 400 x 90 x 170 mm                              | 430 x 105 x 200 mm | 410 x 105 x 200 mm                                                                           |
| Gewicht                                        | 1,5 kg                                         | 1,4 kg                                         | 1,9 kg                                         | 2 kg                                                       | 1,8 kg                                         | 2 kg                                           | 2,4 kg             | 2,91 kg                                                                                      |
| Prüfzeichen                                    | CE, GS                                         | CE, GS                                         | CE, GS                                         | CE, GS                                                     | CE, GS                                         | CE, GS                                         | CE, GS             | CE, GS                                                                                       |
| VPE                                            | 2                                              | 2                                              | 2                                              | 2                                                          | 2                                              | 2                                              | 2                  | 2                                                                                            |

#### Vacuum sealer



| Product name                    | HC 170                                         | VRH 490 advanced                                                                 | VRH 590 advanced                                                                                        | VRH 690 advanced                                                                              | VRH 790 advanced Pro                                                                                               | VacuChef 40                                     | VacuChef 50                                                                            |
|---------------------------------|------------------------------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------|
| Item                            | 1358                                           | 1525                                                                             | 1526                                                                                                    | 1527                                                                                          | 1528                                                                                                               | 1417                                            | 1416                                                                                   |
| EAN                             | 40 38437 01358 0                               | 40 38437 01525 6                                                                 | 40 38437 01526 3                                                                                        | 40 38437 01527 0                                                                              | 40 38437 01528 7                                                                                                   | 40 38437 01417 4                                | 40 38437 01416 7                                                                       |
| Housing / colour                | Black                                          | Stainless<br>steel / black                                                       | Stainless<br>steel / black                                                                              | Stainless<br>steel / black                                                                    | Stainless<br>steel / black                                                                                         | Stainless steel,<br>tempered glass              | Stainless steel,<br>tempered glass                                                     |
| Anti-fingerprint surface        |                                                |                                                                                  |                                                                                                         |                                                                                               | •                                                                                                                  |                                                 |                                                                                        |
| Operation                       | Soft-touch panel                               | Soft-touch panel                                                                 | Soft-touch panel                                                                                        | Soft-touch panel                                                                              | Soft-touch panel                                                                                                   | Touch                                           | Touch                                                                                  |
| Weld seam                       | 30 cm,<br>2,5 mm thick                         | 30 cm,<br>2,5 mm thick                                                           | 30 cm,<br>2,5 mm thick                                                                                  | 30 cm, double,<br>2,5 mm thick each                                                           | 30 cm, double,<br>2,5 mm thick each                                                                                | 25 cm, double                                   | 30 cm, double,<br>20 mm thick each                                                     |
| Multi cycle                     |                                                | ■<br>100 cycles<br>non-stop                                                      | ■<br>125 cycles<br>non-stop                                                                             | 150 cycles<br>non-stop                                                                        | 200 cycles<br>non-stop                                                                                             |                                                 |                                                                                        |
| Vacuum pump                     | 9 I / min                                      | 12 I / min                                                                       | 12 I / min                                                                                              | 20 I / min                                                                                    | 20 I / min                                                                                                         | 70 I / min                                      | 70 I / min                                                                             |
| Piston pump                     |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| 4-piston pump                   |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Liquid function                 |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Removable drip tray for liquids |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Temperature monitoring          |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Welding time regulation         |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Manual welding                  |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Vacuum container function       |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Roll container with cutter      |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Adjustable vacuum strength      |                                                |                                                                                  |                                                                                                         |                                                                                               | Via stop button                                                                                                    |                                                 | Via stop button                                                                        |
| Progress indicator              | •                                              |                                                                                  |                                                                                                         | •                                                                                             | •                                                                                                                  | •                                               |                                                                                        |
| Manometer                       |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Locking handle                  |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Marinating function             |                                                |                                                                                  |                                                                                                         |                                                                                               |                                                                                                                    |                                                 |                                                                                        |
| Accessories                     | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose | 10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose,<br>CASO food manager<br>stickers | 1 roll 28 x 300 cm,<br>10 vacuum bags<br>20 x 30 cm,<br>1 vacuum hose,<br>CASO food manager<br>stickers | 1 roll 20 x 300 cm,<br>1 roll 28 x 300 cm,<br>1 vacuum hose,<br>CASO food manager<br>stickers | 1 roll 20 x 300 cm,<br>1 roll 30 x 300 cm,<br>10 stand-up bags,<br>1 vacuum hose,<br>CASO food manager<br>stickers | 20 Vakuumbeutel<br>25 x 28 cm,<br>1 vacuum hose | Manometer,<br>30 sealed edge bags<br>28 x 25 cm,<br>replacement seal,<br>1 vacuum hose |
| Power                           | 110 Watt                                       | 110 Watt                                                                         | 110 Watt                                                                                                | 130 Watt                                                                                      | 130 Watt                                                                                                           | 280 Watt                                        | 300 Watt                                                                               |
| Voltage                         | 220 - 240 V;<br>50 Hz                          | 220 - 240 V;<br>50 Hz                                                            | 220 - 240 V;<br>50 Hz                                                                                   | 220 - 240 V;<br>50 Hz                                                                         | 220 - 240 V;<br>50 Hz                                                                                              | 220 - 240 V; 50 Hz                              | 220 - 240 V; 50 Hz                                                                     |
| Measures (WxHxD)                | 400 x 100 x 180 mm                             | 400 x 100 x 175 mm                                                               | 400 x 105 x 180 mm                                                                                      | 400 x 120 x 195 mm                                                                            | 400 x 120 x 195 mm                                                                                                 | 325 x 175 x 355 mm                              | 360 x 210 x 290 mm                                                                     |
| Weight                          | 1,8 kg                                         | 2 kg                                                                             | 2,33 kg                                                                                                 | 2,8 kg                                                                                        | 2,7 kg                                                                                                             | 8,4 kg                                          | 8,5 kg                                                                                 |
| Certification                   | CE, GS                                         | CE, GS                                                                           | CE, GS                                                                                                  | CE, GS                                                                                        | CE, GS                                                                                                             | CE, GS                                          | CE, GS                                                                                 |
| Packing unit                    | 2                                              | 2                                                                                | 2                                                                                                       | 1                                                                                             | 1                                                                                                                  | 1                                               | 1                                                                                      |

#### Accessories for vacuum sealing

#### Sealed edge bags



#### + Strong and tear-resistant, even surface (thickness: 70 µm)

Strength: 70 µm

Quality foil made in Germany

+ Stable weld seam

Special functions

- + Protects against freezer burn
- + Extra and exclusively for chamber vacuum sealers
- + With free CASO Food Manager app
- + Available in different sizes:
- 15 x 20 cm, 100 pcs, item 1270
- 20 x 30 cm, 100 pcs, item 1271
- 25 x 35 cm, 100 pcs, item 1272

#### Quality foil made in Germany Strength: 90 µm

+ Strong and tear-resistant, even surface (thickness: 90 µm)

Accessories for vacuum sealing

+ Stable weld seam

Special functions

- + Protects against freezer burn
- + Extra and exclusively for chamber vacuum sealers
- + With free CASO Food Manager app
- + Available in different sizes:
- 15 x 20 cm, 100 pcs, item 1283
- 20 x 30 cm, 100 pcs, item 1285
- 25 x 35 cm, 100 pcs, item 1286
- 28 x 25 cm, 100 pcs, item 1282
- 30 x 40 cm, 100 pcs, item 1287



#### Accessories for vacuum sealing

#### **Structured bags**







#### Structured rolls



















Rib structure

Strength: 105 µm

- + Strong and tear-resistant surface (thickness: 105 μm) - one side structured, one side even
- + Stable weld seam
- + Protects against freezer burn
- + With free CASO Food Manager app
- + Structured bags available in different sizes:
- 20 x 30 cm, 50 pcs, item 1290
- 25 x 35 cm, 50 pcs, item 1289
- 30 x 40 cm, 50 pcs, item 1291

- + Strong and tear-resistant surface (thickness: 105 μm) - one side structured, one side even
- + Stable weld seam
- + Protects against freezer burn
- + With free CASO Food Manager app
- + Structured rolls available in different sizes:
- 20 x 600 cm, 2 rolls, item 1295
- 30 x 600 cm, 2 rolls, item 1296



#### Accessories for vacuum sealing

#### Professional stand-up bag set



Item 1264















+ Extremely strong and tear-resistant surface (thickness: 150 µm) with structured foil on both sides

- + Innovative stand-up vacuum bags ideal for vacuuming liquids and bulky food items
- + Wide stand-up bottom for stability when filled and vertical, space-saving storage (depending on contents)
- + Particularly suitable for CASO design vacuum sealer VRH 790 advanced Pro
- + Material thickness 150 μm: Particularly strong and tear-resistant – also for sharp items such as animal or fish bones
- + Sturdy ribbed structure for 100 % leak-proofing
- + Protection against freezer burn
- + Keep food fresher for longer up to 8x longer
- + Microwaveable (up to 70 °C)\*\*
- + Dishwasher-proof and reusable
- + Suitable for sous vide cooking: Can be boiled at up to 100 °C for max. 8 hours
- + Set with various sizes, all 14 cm deep\*:
- 12 bags 20 x 30 cm
- 8 bags 25 x 35 cm
- 5 bags 30 x 40 cm
- + With free CASO Food Manager stickers and CASO Food Manager app to organise and store food
- + Suitable for bar and chamber vacuum sealers



#### Accessories for vacuum sealing

#### **Professional foil bags (structured)**





#### Accessories for vacuum sealing

#### Professional foil rolls (structured)


























Heat and cold resistant



- Structured foil on both sides
- + Stable rib structure for 100% tightness
- + Protection against freezer burn
- + Longer shelf life of foods: Up to 8x longer fresh
- + Microwaveable (up to 70 °C or 8 min at 950 watts\*)
- + Dishwasher safe and reusable
- + SousVide-suitable: Cook-proof up to 100 °C for max. 8
- + With free stickers to organize and store your food and free CASO Food Manager app
- + Professional structured bags available in different sizes:
- 16 x 23 cm, 50 pcs, item 1201
- 20 x 30 cm, 50 pcs, item 1219
- 25 x 35 cm, 50 pcs, item 1229
- 30 x 40 cm, 50 pcs, item 1220
- 40 x 60 cm, 25 pcs, item 1218

- + Material thickness 150 µm: Particularly strong and tear-resistant - even with pointed objects, such as bones or fish bones
- + Structured foil on both sides
- + Individually cutable rolls
- + Stable rib structure for 100% tightness
- + Protection against freezer burn
- + Longer shelf life of foods: Up to 8x longer fresh
- + Microwaveable (up to 70 °C or 8 min at 950 watts\*)
- + Dishwasher safe and reusable
- + SousVide-suitable: Cook-proof up to 100 °C for max. 8
- + With free stickers to organize and store your food and free CASO Food Manager app
- + Professional structured rolls available in different
- 20 x 600 cm, 2 rolls, item 1221
- 25 x 600 cm, 2 rolls, item 1225
- 28 x 600 cm, 2 rolls, item 1223
- 30 x 600 cm, 2 rolls, item 1222
- 40 x 1000 cm (XXL), 1 roll, item 1224

# Free With all professional

#### Accessories for Vacu OneTouch

#### Vacu ZIP-Bags





- + Stable **rib structure** for 100% tightness
- + Protection against freezer burn
- + Longer shelf life of foods: Up to 8 times longer fresh
- + Microwaveable (up to 12 min at 650 watts\*)
- + Dishwasher safe und reusable
- + **Sous Vide-suitable:** Cook-proof up to 100 °C for max. 8 hours
- + With **free food manager stickers** to organize and store your food and 2 ZIP lockers
- + Available in the following sizes:
- Vacu ZIP-Bags 20 x 23 cm, 20 pcs
- Vacu ZIP-Bags 26 x 23 cm, 20 pcs
- Vacu ZIP-Bags 26 x 40 cm, 20 pcs
- Vacu ZIP-Bag Set: 20 x 23 cm, 10 pcs 26 x 35 cm, 6 pcs



#### Adapter for vacuum sealers

#### **ZIP-Adapter Set**









ZIP-Bags

- + 10 bags per pack: 5 pcs 20 x 23 cm, 3 pcs 26 x 35 cm, 2 pcs 26 x 40 cm
- + Material thickness 150 μm: Particularly strong and tear-resistant – even with pointed objects, such as bones or fish bones
- + Stable **rib structure** for 100% tightness
- + Protection against freezer burn
- + **Longer shelf life** of foods: Up to 8 times longer fresh
- + Microwaveable (up to 12 min at 650 watts\*)
- + Dishwasher safe und **reusable**
- + **Sous Vide-suitable:** Cook-proof up to 100 °C for max. 8 h
- + With **free food manager stickers** to organize and store your food and 2 ZIP lockers

#### ZIP adapter and vacuum hose

- + For vacuuming with reusable ZIP bags without handheld vacuum sealer
- + For vacuum sealer with a suitable hose connection



#### Vacuum container for Vacu OneTouch

#### VacuBoxx Eco-Serie



VacuBoxx Eco-Duo S, item 1175




VacuBoxx Eco M, item 1166



VacuBoxx Eco L, item 1176



VacuBoxx Eco-Set, item 1177



- + Stackable glass vacuum containers with plastic lids for space-saving storage
- + Remove air from the containers to **keep your food** fresh for longer
- + Particularly suitable for items which are pressuresensitive and for liquids
- + Date display (day and month) integrated into the lid
- + Perfect for storing, transporting and serving food
- + Versatile use thanks to microwavable, heat-resistant (up to 350 °C) glass bodies
- + Glass bodies and lids can be used in the freezer (up to -18 °C) and are dishwasher-proof
- + BPA-free particularly suitable for baby food
- + Available in the following sizes:
- VacuBoxx Eco-Duo S, item 1175
- 2 containers with 500 ml capacity each
- VacuBoxx Eco M, item 1166
- 1 container with 800 ml capacity
- VacuBoxx Eco L, item 1176
- 1 container with 1500 ml capacity
- VacuBoxx Eco-Set, item 1177, consisting of
- 1 container with 1500 ml capacity
- 2 containers with 500 ml capacity each
- 1 vacuum hose with adapter

#### Vacuum container for Vacu OneTouch

#### VacuBoxx Inox XL

NEW



Item 1167



- + Vacuum container made of borosilicate glass and plastic lid with a capacity of 2700 ml
- + For a longer shelf life of your food with the help of your vacuum sealer: Flavours and nutrients are safely preserved, food waste is reduced
- + Particularly suitable for pressure-sensitive and liquid foods
- + Perfect for storing, transporting and serving food
- + Versatile use thanks to microwave-safe and heatresistant borosilicate glass (up to 350 °C for 1 hour)
- + Glass container and lid dishwasher and freezer safe (down to -18 °C) - Safe freezing of food and finished dishes (vacuum reduces freezer burn)
- + Stackable, space-saving storage with other containers of the "VacuBoxx Eco" series (not included)

#### 

#### VacuBoxx R









Microwave safe (without lid)



VacuBoxx E









Dishwasher

#### + High quality, round glass vacuum container with Tritan lid

- + Ideal e.g. for raw and cooked vegetables, meat, pastries, fruit, cold meats, cheeses, soups etc.
- + Perfect for storing, transporting and serving food even for sensitive foods
- + Wide range of applications thanks to freeze and microwave compatibility glass container
- + BPA-free: also suitable for baby food
- + Exact date setting (day and month)
- + With extra strong seal for a secure closure
- + Dishwasher safe

Special functions

- + Available in sets of 4 (including adapter + hand pump) or individually:
- VacuBoxx RS, 370 ml, item 1180
- VacuBoxx RM, 620 ml, item 1181
- VacuBoxx RL, 940 ml, item 1182
- · VacuBoxx RXL, 1700 ml, item 1183
- VacuBoxx R-Set (4 pcs), contains each box 1x + hand pump and adapter, item 1187
- + Can be vacuumed with a bar vacuum sealer with a hose connection (adapter required, item 1178) or with all Vacu OneTouch hand vacuum sealers (see pages 66 -67)

#### Like VacuBoxx R series, only square and in the following

Suitable for

- + Available in sets of 4 (including adapter + hand pump) or individually:
- VacuBoxx ES, 370 ml, item 1190

Oven safe

(without lid)

- VacuBoxx EM, 600 ml, item 1191
- VacuBoxx EL, 1000 ml, item 1192
- VacuBoxx EXL, 1500 ml, item 1193
- VacuBoxx E-Set (4 pcs), contains each box 1x + hand pump and adapter, item 1197

#### Accessories / hand pump + adapter

#### Accessory set for the VacuBoxx series

+ Long-lasting freshness due to airtight sealing with

• CASO vacuum hand pump or

 All CASO vacuum sealers with container function and vacuum hose (supplied adapter required)









Item 1178

#### Accessories for vacuum sealers

Sealed edge bags (2 even sides)







| Product name       | Sealed edge bags | Sealed edge bags | Sealed edge bags |
|--------------------|------------------|------------------|------------------|
| Item               | 1270             | 1271             | 1272             |
| EAN                | 40 38437 01270 5 | 40 38437 01271 2 | 40 38437 01272 9 |
| Contend            | 100 pcs          | 100 pcs          | 100 pcs          |
| Size               | 15 x 20 cm       | 20 x 30 cm       | 25 x 35 cm       |
| Material thickness | 70 μm            | 70 µm            | 70 μm            |
| Packing unit       | 10               | 10               | 10               |

Sealed edge bags (2 even sides)











| Product name       | Sealed edge bags |
|--------------------|------------------|------------------|------------------|------------------|------------------|
| Item               | 1283             | 1285             | 1286             | 1282             | 1287             |
| EAN                | 40 38437 01283 5 | 40 38437 01285 9 | 40 38437 01286 6 | 40 38437 01282 8 | 40 38437 01287 3 |
| Contend            | 100 pcs          |
| Size               | 15 x 20 cm       | 20 x 30 cm       | 25 x 35 cm       | 28 x 25 cm       | 30 x 40 cm       |
| Material thickness | 90 μm            | 90 µm            | 90 µm            | 90 μm            | 90 µm            |
| Packing unit       | 10               | 10               | 10               | 10               | 10               |

Structured bags and -rolls (1 even and 1 structured side)











| Product name       | Structured bags  | Structured bags  | Structured bags  | Structured rolls | Structured rolls |
|--------------------|------------------|------------------|------------------|------------------|------------------|
| Item               | 1290             | 1289             | 1291             | 1295             | 1296             |
| EAN                | 40 38437 01290 3 | 40 38437 01289 7 | 40 38437 01291 0 | 40 38437 01295 8 | 40 38437 01296 5 |
| Contend            | 50 pcs           | 50 pcs           | 50 pcs           | 2 rolls          | 2 rolls          |
| Size               | 20 x 30 cm       | 25 x 35 cm       | 30 x 40 cm       | 20 x 600 cm      | 30 x 600 cm      |
| Material thickness | 105 μm           | 105 μm           | 105 μm           | 105 μm           | 105 µm           |
| Packing unit       | 20               | 20               | 20               | 18               | 12               |

#### Professional vacuum bags (2 structured sides)













| Product name       | Professional stand-up<br>bag set                         | Professional vacuum<br>bags   |
|--------------------|----------------------------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Item               | 1264                                                     | 1201                          | 1219                          | 1229                          | 1220                          | 1218                          |
| EAN                | 40 38437 01264 4                                         | 40 38437 01201 9              | 40 38437 01219 4              | 40 38437 01229 3              | 40 38437 01220 0              | 40 38437 01218 7              |
| Contend            | 25 pcs                                                   | 50 pcs                        | 50 pcs                        | 50 pcs                        | 50 pcs                        | 25 pcs                        |
| Size(s)            | 20 x 30 cm (12x),<br>25 x 35 cm (8x),<br>30 x 40 cm (5x) | 16 x 23 cm                    | 20 x 30 cm                    | 25 x 35 cm                    | 30 x 40 cm                    | 40 x 60 cm                    |
| Material thickness | 150 μm                                                   | 150 μm                        | 150 µm                        | 150 µm                        | 150 µm                        | 150 µm                        |
| Accessories        | CASO Food<br>Manager stickers                            | CASO Food<br>Manager stickers | CASO Food<br>Manager stickers | CASO Food<br>Manager stickers | CASO Food<br>Manager stickers | CASO Food<br>Manager stickers |
| Packing unit       | 6                                                        | 6                             | 6                             | 6                             | 6                             | 6                             |

#### Professional vacuum rolls (2 structured sides)











|                    | I                             |                               |                               |                               |                               |
|--------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Product name       | Professional vacuum rolls     | Professional vacuum rolls     | Professional vacuum rolls     | Professional vacuum rolls     | XXL professional vacuum roll  |
| Item               | 1221                          | 1225                          | 1223                          | 1222                          | 1224                          |
| EAN                | 40 38437 01221 7              | 40 38437 01225 5              | 40 38437 01223 1              | 40 38437 01222 4              | 40 38437 01224 8              |
| Contend            | 2 rolls                       | 2 rolls                       | 2 rolls                       | 2 rolls                       | 1 rolls                       |
| Size               | 20 x 600 cm                   | 25 x 600 cm                   | 28 x 600 cm                   | 30 x 600 cm                   | 40 x 1000 cm                  |
| Material thickness | 150 µm                        | 150 µm                        | 150 µm                        | 150 μm                        | 150 μm                        |
| Accessories        | CASO Food<br>Manager stickers |
| Packing unit       | 6                             | 6                             | 6                             | 6                             | 6                             |

#### Accessories for vacuum sealers

#### Accessories – Vacu ZIP-Bags











| Product name       | Vacu ZIP-Bags                               | Vacu ZIP-Bags                               | Vacu ZIP-Bags                               | Vacu ZIP-Bag Set                                                | ZIP-Adapter Set                                                       |
|--------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|-----------------------------------------------------------------|-----------------------------------------------------------------------|
| Item               | 1292                                        | 1293                                        | 1294                                        | 1243                                                            | 1258                                                                  |
| EAN                | 40 38437 01292 7                            | 40 38437 01293 4                            | 40 38437 01294 1                            | 40 38437 01243 9                                                | 40 38437 01258 3                                                      |
| Material thickness | 150 μm, BPA-free                            | 150 μm, BPA-free                            | 150 μm, BPA-free                            | 150 μm, BPA-free                                                | 150 μm, BPA-free                                                      |
| Surface            | Rib structure                               | Rib structure                               | Rib structure                               | Rib structure                                                   | Rib structure                                                         |
| Pieces / pack      | 20 bags                                     | 20 bags                                     | 20 bags                                     | 20 bags                                                         | 10 bags                                                               |
| Size               | 20 x 23 cm                                  | 26 x 23 cm                                  | 26 x 40 cm                                  | 20 x 23 cm (10 pcs)<br>26 x 23 cm (6 pcs)<br>26 x 35 cm (4 pcs) | 20 x 23 cm (5 pcs)<br>26 x 23 cm (3 pcs)<br>26 x 35 cm (2 pcs)        |
| Accessories        | 2 ZIP locker,<br>CASO food manager stickers                     | ZIP adapter with hose,<br>2 ZIP locker,<br>CASO food manager stickers |
| Packing unit       | 6                                           | 6                                           | 6                                           | 6                                                               | 6                                                                     |

#### Accessories – vacuum containers











|                  |                                                              |                                                             |                                                             |                                                              | 112-2-1                                                  |
|------------------|--------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|--------------------------------------------------------------|----------------------------------------------------------|
| Product name     | VacuBoxx Eco-Duo S                                           | VacuBoxx Eco M                                              | VacuBoxx Eco L                                              | VacuBoxx Eco-Set                                             | VacuBoxx Inox XL                                         |
| Item             | 1175                                                         | 1166                                                        | 1176                                                        | 1177                                                         | 1167                                                     |
| EAN              | 40 38437 01175 3                                             | 40 38437 01166 1                                            | 40 38437 01176 0                                            | 40 38437 01177 7                                             | 40 38437 01167 8                                         |
| Content          | 2 vacuum glass containers                                    | 1 vacuum glass container                                    | 1 vacuum glass container                                    | 3 vacuum glass containers                                    | 1 vacuum glass container                                 |
| Capacity         | 2x 500 ml                                                    | 1x 800 ml                                                   | 1x 1500 ml                                                  | 1x 1500 ml,<br>2x 500 ml                                     | 1x 2700 ml                                               |
| Material         | Containers made off glass,<br>lid made of plastic (BPA-free) | Container made off glass,<br>lid made of plastic (BPA-free) | Container made off glass,<br>lid made of plastic (BPA-free) | Containers made off glass,<br>lid made of plastic (BPA-free) | Container made off glass,<br>lid made of stainless steel |
| Measures (WxHxD) | 100 x 75 x 145 mm (each box)                                 | 175 x 80 x 125 mm                                           | 145 x 95 x 200 mm                                           | Small box: 100 x 75 x 145 mm<br>Big box: 145 x 95 x 200 mm   | 250 x 120 x 185 mm                                       |
| Weight           | 0,4 kg (each box)                                            | 0,64 kg                                                     | 0,9 kg 1,7 kg together                                      |                                                              | 1,66 kg                                                  |
| Packing unit     | 4 4                                                          |                                                             | 4                                                           | 4 2                                                          |                                                          |
|                  |                                                              |                                                             |                                                             |                                                              |                                                          |

NOTE: Bar and chamber vacuum sealers with a hose connection can also be used to seal glass vacuum containers and the WineLock as long as you also use the ZIP adapter set (Art. No. 1258, Page 85).



#### VacuBoxx R series













| Product name | VacuBoxx RS                                 | VacuBoxx RM                                 | VacuBoxx RL                                 | VacuBoxx RXL                                | VacuBoxx R-Set                                 | Accessory set                |
|--------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|------------------------------------------------|------------------------------|
| Item         | 1180                                        | 1181                                        | 1182                                        | 1183                                        | 1187                                           | 1178                         |
| EAN          | 40 38437 01180 7                            | 40 38437 01181 4                            | 40 38437 01182 1                            | 40 38437 01183 8                            | 40 38437 01187 6                               | 40 38437 01178 4             |
| Content      | 1 box                                       | 1 box                                       | 1 box                                       | 1 box                                       | 4 boxes                                        | Vacuum hand pump,<br>adapter |
| Capacity     | 370 ml                                      | 620 ml                                      | 940 ml                                      | 1700 ml                                     | 370 ml, 620 ml,<br>940 ml, 1700 ml             |                              |
| Date setting |                                             |                                             |                                             |                                             |                                                |                              |
| Material     | Box made off glass,<br>lid made off plastic | Boxes made off glass,<br>lids made off plastic | Plastic                      |
| Accessories  |                                             |                                             |                                             |                                             | Hand pump, adapter                             |                              |
| Packing unit | 4                                           | 4                                           | 4                                           | 4                                           | 1                                              | 6                            |

#### VacuBoxx E Serie











| Product name | VacuBoxx ES                                 | VacuBoxx EM                                 | VacuBoxx EL                                 | VacuBoxx EXL                                | VacuBoxx E-Set                                 |
|--------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|---------------------------------------------|------------------------------------------------|
| Item         | 1190                                        | 1191                                        | 1192                                        | 11925                                       | 1197                                           |
| EAN          | 40 38437 01190 6                            | 40 38437 01191 3                            | 40 38437 01192 0                            | 40 38437 01193 7                            | 40 38437 01197 5                               |
| Content      | 1 box                                       | 1 box                                       | 1 box                                       | 1 box                                       | 4 boxes                                        |
| Capacity     | 370 ml                                      | 600 ml                                      | 1000 ml                                     | 1500 ml                                     | 370 ml, 600 ml,<br>1000 ml, 1500 ml            |
| Date setting |                                             |                                             |                                             |                                             |                                                |
| Material     | Box made off glass,<br>lid made off plastic | Boxes made off glass,<br>lids made off plastic |
| Accessories  |                                             |                                             |                                             |                                             | Hand pump, adapter                             |
| Packing unit | 4                                           | 4                                           | 4                                           | 4                                           | 1                                              |
|              |                                             |                                             |                                             |                                             |                                                |

## SOUS VIDE - STAR KITCHEN IN 3 STEPS

#### Sous vide - The future of cooking melts in your mouth

Sous vide, cooking "under a vacuum", is becoming increasingly popular, also with amateur chefs. The advantages are obvious. Food that is cooked in a vacuum retains its natural flavour; meat and fish become tender and juicy; nutrients, vitamins and trace elements are preserved and vegetables stay crunchy and colourful.

Sous vide cookers are also genuine allrounders – perfect for preparing yoghurt; warming up baby food in jars; tempering chocolate in a water bath and much more besides.

#### So simple and so perfect

Cooking a sous vide recipe couldn't be any easier. No prior knowledge is required to achieve perfect results. The components of the dish can be combined when you fill the bag. When doing so, all the basic ingredients, such as oil, seasoning and vegetables, are sealed in a vacuum bag and then heated in water at a low temperature until they are fully cooked.

Marinating and seasoning the dish before it is vacuum sealed ensures even better results. To bring "sous vide" to your kitchen, you will require a vacuum sealer and a sous vide cooker that maintains a consistent temperature during the cooking process.










Step 1 Vacuum food







Cooking time Leisure time



Step 3 If necessary, fry the meat briefly and spicy again, arrange it on the plate and enjoy – so simple and perfect







#### Sous vide stick

#### **SV 400**





#### Sous vide stick

#### **SV 1200 Smart**



TEST SIEGE

ETESTMAGAZIN-URTEI

CASO Design SV 1200 Smart

SEHR GUT

95,0 %


In Ret. 10 Saar Web-Olde

Instruction Se setting at Set get

war with-bellengagin in die

Item 1328

Item 1310



- Perfect for SousVide cooking, preparing yoghurt, heating baby food in the glass, tempering couverture in the water bath and much more
- + Strong 1000 watts of power in a compact design
- + Space-saving storage

Special

functions

- + Waterproof by IPX7-standard\*
- + Suitable for all heat-resistant vessels with a height of at least 16 cm and a volume of 6 to 20 liters
- Temperature setting: 25 90 °C (in 0,1 °C steps)
- + White LED display with sensor touch control panel
- + Timer function: From 1 minute to 99 hours (up to 2 hours in 1 minute increments, from 2 hours in 5 minute increments)
- + With a practical srew cap srew cap width: 2 cm (without rubber stopper 3 cm)





- + SousVide cooker with simple clamp mounting for flexible SousVide cooking of Michelin star quality
- + Perfect for meat, fish and vegetables
- Also suitable for heating baby food in the glass, for tempering of couverture in a water bath, the preparation of yoghurt and for the gentle thawing of frozen products
- + Rapid of heating of water due to powerful 1200 watt
- Applicance is completely water-resistant according to IPX7 standard\*
- + Precise temperature control up to 90 °C increments in 0.5 °C increments (32 194 °F)
- + Timer function: can be precisely set in 1 minute increments up to 99 hours 59 minutes
- + Heats up to 20 litres water to precisely within 0.5 °C
- + Smart Control: SousVide Stick can be controlled and read with the CASO Control App
- + Simple operation of the LED display using a sensortouch control panel
- + 3D circulation: Constant temperature due to water circulation
- + Compact SousVide cooker: Space-saving storage & easy to clean
- + Suitable for virtually all heat-resistant vessels\*\*

#### Sous vide stick

#### SV 1200 Pro Smart







#### Professional Sous vide stick







, 60 I

Container

Item 1327



#### Professional SousVide cooker with practical suspension device for flexible SousVide cooking of star quality

- + Perfect for meat, fish and vegetables
- Also suitable for heating baby food in the glass, for tempering of couverture in a water bath, the preparation of yoghurt and for the gentle thawing of frozen products
- Rapid of heating of water due to powerful 1200 watt system
- + Applicance is completely water-resistant according to IPX7 standard\*
- + Precise temperature control up to 90 °C increments in 0.5 °C increments (32 194 °F)
- + Timer function: can be precisely set in 1 minute increments up to 99 hours 59 minutes
- Smart Control: SousVide Stick can be controlled and read with the CASO Control App
- + Heats up to 30 litres water to precisely within 0.5 °C
- + Simple operation of the LED display using a sensortouch control panel
- + 3D circulation: Constant temperature due to water circulation (ca. 10 litre/min)
- + Compact SousVide cooker: Space-saving storage & easy to clean
- + Suitable for virtually all heat-resistant vessels\*\* (minimum height 19 cm)

 Professional sous vide stick with practical screw cap for flexible, Michelin-star quality sous vide cooking

Waterproof

+ High-quality, easy-care stainless steel housing


Stainless steel

- + Prepare meat, fish and vegetables simply, aromatically, gently and using less fat
- + Water- and dust-resistant according to IPX7 standard\*
- + Heats up to 60 litres of water thanks to powerful 2000 watt system
- Precise temperature control up to 90 °C (194 °F) in 0.5 °C increments
- + Intuitive LED touch control panel with digital temperature and time display
- + Two timer functions:

Special

functions

- For operating time can be set in 1-minute increments up to 99 hours 59 minutes
- To set when cooking begins 1-minute increments up to 99 hours 59 minutes in advance
- + Smart Control: The sous vide stick can be controlled and read using the CASO control app
- + With 4-phase progress display for the overall process
- Boil-dry protection: Acoustic signal, red warning indicator and "Lo" notification on the control panel if water level gets too low
- + 5 adjustable, saveable programmes ("individual", meat, poultry, fish and vegetables)
- + Adjustable water circulation at 3 levels (based on water quantity): 12 / 15 / 18 litres per minute
- + With practical recessed grip for optimum handling



Smart Control: Your app-enabled sous vide stick can be easily controlled, monitored and read using the CASO Control app.

#### Sous vide cooking with an app – Tender and smart

CASO Design offers sous vide sticks that can not only be controlled manually, but also via a smartphone for maximum convenience. Cooking using this method can sometimes take several hours, so using the app means that you don't have to be near the sous vide cooker all the time. Instead, you can treat yourself to some me time while using the app to take an occasional look at how cooking is progressing and, if required, making adjustments.

Simply download the free CASO Control app from the app store of your choice; connect everything via Wi-Fi and then prepare your gourmet dishes more easily than ever before.

https://www.casocontrol.de/?lang=en



SCAN ME DOWNLOAD







#### Sous vide sticks









|                         | GEO.                    | April                   | des                     |                                     |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------------------|
| Product name            | SV 400                  | SV 1200 Smart           | SV 1200 Pro Smart       | SV 2000 Pro Smart                   |
| Item                    | 1310                    | 1328                    | 1327                    | 1332                                |
| EAN                     | 40 38437 01310 8        | 40 38437 01328 3        | 40 38437 01327 6        | 40 38437 01332 0                    |
| Housing / colour        | Black / stainless steel | Black / stainless steel | Black / stainless steel | Stainless steel                     |
| Operation               | Touch                   | Touch                   | Touch                   | Touch                               |
| Mounting                | Screw cap               | Clamp holder            | Screw cap               | Screw cap                           |
| IPX7                    |                         |                         |                         |                                     |
| App-enabled 🤶           |                         |                         |                         |                                     |
| Container volume        | Up to 20 I              | Up to 20 I              | Up to 30 I              | Up to 60 I                          |
| Timer                   | 1 min - 99 h            | 1 min - 99 h 59 min     | 1 min - 99 h 59 min     | 1 min - 99 h 59 min                 |
| Adjustable start time   |                         |                         |                         |                                     |
| Programmes              |                         |                         |                         | 5                                   |
| Progress bar            |                         |                         |                         |                                     |
| Temperature             | Up to 90 °C / 194 °F                |
| Temperature monitoring  |                         |                         |                         |                                     |
| Circulation technology  |                         |                         |                         | 3 levels selectable                 |
| Dry protection (advice) |                         |                         |                         |                                     |
| Display                 | LED                     | LED                     | LED                     | LED                                 |
| Measures (WxHxD)        | 70 x 310 x 130 mm       | 60 x 330 x 85 mm        | 75 x 390 x 180 mm       | 100 x 380 x 130 (220 with screw) mm |
| Weight                  | 0,9 kg                  | 1 kg                    | 1,5 kg                  | 2,41 kg                             |
| Power                   | 1000 watt               | 1200 watt               | 1200 watt               | 2000 watt                           |
| Voltage                 | 220-240V, 50/60Hz       | 220-240V, 50-60Hz       | 220-240V, 50-60Hz       | 220 V - 240 V~; 50 Hz - 60 Hz       |
| Certification           | CE, GS                  | CE, GS                  | CE, GS                  | CE, GS                              |
| Packing unit            | 2                       | 2                       | 2                       | 1                                   |
|                         |                         |                         |                         |                                     |





## Chapter 4 Coffee & tea



### Aroma for the senses

CASO Design coffee makers, hot water dispenses, electric kettles and milk frothers are the expression of sensuality and enjoyment. Take in the aroma of the coffee beans; create fluffy frothed milk; prepare wonderful teas and then simply savour the moment. Coffee grinders ensure that your favourite coffee is gently ground to perfection.

### AROMA, PLEASURE AND PERFECTION

#### Coffee and tea are passion

Whether a mild coffee for your breakfast; a strong espresso for true connoisseurs; a cream latte macchiato for gentle souls or hot, aromatic tea after a long autumn walk, CASO Design will warm your heart.

Germany's favourite hot drinks have long since become more than just a way to warm up – they are pure, personal passion!


Fine grinders; functions that can be controlled down to the smallest detail; high-quality designer surfaces and optimum temperatures for the best enjoyment reflect our idea that preparing a hot drink should be something you enjoy.


Experience the fascination of coffee and tea with CASO Design products.











Gentle grinding process for the best flavors





#### Tips for incredibly

#### aromatic coffee

For an optimum aroma we recommend that you keep your ground coffee in an airtight container in your refrigerator.

In contrast, coffee beans are best stored in a freezer as this protects their flavour.

Fresh water is perfect for brewing coffee. If your tap water is too hard, then you can use bottled still mineral

Sprinkle a pinch of salt in your ground coffee to neutralise any bitter substances it may contain.

Vacuum flasks will do their best job of keeping coffee warm if you rinse them out and prewarm them with hot water before pouring in the coffee. You can also do this with cups.




#### Compact coffee maker

#### CoffeeCompact electronic



Item 1848



- Space-saving compact coffee maker with integrated grinder
- + Powerful 600 Watt
- + Powerful impact grinder
- + For up to 4 cups of freshly ground coffee
- + Including Automatic 30 minute warming function
- + Also processes pre-ground coffee powder if desired
- + LCD display with clock and practical timer function
- + No paper filter necessary, thanks to the permanent
- + Including a handy glass jug
- + Practical, integrated permanent filter
- + Integrated water container with easy-to-read scale
- + Automatic switch-off after 30 minutes
- + Easy cleaning as a result of a completely removable brewing unit and grinder
- + Incl. coffee scoop





#### Coffee maker

#### Selection C 12



Item 1858



- + Modern coffee machine design with stainless steel
- + 1,5 litre water tank with practical water level display
- + With large glass pot for up to 12 cups of coffee (1,5 l)
- + Optimum brewing temperature of 92 96 °C
- + Easy handling due to touch control panel and rotary
- + Large LED clock display
- + 17-hole brewing head for optimal and uniform wetting of the coffee powder
- + Time-delayed brewing thanks to the integrated timer function
- + Aroma-PLUS function
- + Ca. 40 % smaller footprint\*
- + Drip-stop prevents subsequent dripping
- + Long-lasting coffee enjoyment thanks to the heating plate (35 min)
- + Removable filter basket for easy cleaning
- + Including permanent filter for environmentally-friendly, flavour-preserving brewing and a coffee scoop to measure the right amount of coffee

#### Coffee maker

#### Selection C 10 Thermo





- + Modern coffee machine design with stainless steel
- + 1,2 Litre water tank with practical water level display
- + With insulated jugt for up to 10 cups of coffee (1,2 l)
- + Optimum brewing temperature of 92 96 °C
- + Easy handling due to touch control panel and rotary knob
- + Large LED clock display
- + 17-hole brewing head for optimal and uniform wetting of the coffee powder
- + Time-delayed brewing thanks to the integrated timer function
- + Aroma-PLUS function
- + Ca. 40 % smaller footprint\*
- + Drip-stop prevents subsequent dripping
- + Removable filter basket for easy cleaning
- + Including permanent filter for environmentally-friendly, flavour-preserving brewing and a coffee scoop to measure the right amount of coffee



#### Coffee maker

#### **Coffee Taste & Style**

## Coffee Taste & Style Thermo

Coffee maker



Item 1846 Item 1847



- + Modern design coffee machine in stainless steel look
- + 1,5 liter water tank with practical water level display
- + With big glass carafe for up to 12 cups of coffee
- + Easy handling due to touch control panel
- + Large LED clock display
- + 17-hole brewing head for optimum moistening of the coffee powder
- + Time-delayed brewing thanks to integrated timer
- + Aroma function: For a brew strength from mild to strong
- + Optimum brewing temperature of 92 96 °C
- + Approximately 40% less stand space\*
- + Drip-stop: Prevents dripping
- + Long-lasting coffee enjoyment through built-in warming plate (35 min)
- + Removable filter basket for easy cleaning
- + Incl. permanent filter for aroma-friendly brewing and coffee spoon for portioning



10 Special functions For up to 10 cups Filter size 1x4

- + Modern design coffee machine in stainless steel applications
- + 1,2 liter water tank with practical water level display
- + Long-lasting coffee enjoyment through insulated jug for up to 10 cups
- + Easy handling due to touch control panel
- + Large LED clock display
- + 17-hole brewing head for optimum moistening of the
- + Time-delayed brewing thanks to integrated timer function
- + Aroma function: For a brew strength from mild to strong
- + Optimum brewing temperature of 92 96 °C
- + Approximately 40 % less stand space\*
- + Drip-stop: Prevents dripping
- + Removable filter basket for easy cleaning
- + Incl. permanent filter for aroma-friendly brewing and coffee spoon for portioning

#### Coffee maker

#### Coffee Taste & Style Thermo Duo

NEW

Like Coffee Taste & Style Thermo, but with a second insulating jug





functions


+ Stylish design with intuitive touch control panel + Every cup a pleasure – perfectly wetted coffee powder thanks to 9-hole brewing arm – aromatic as if brewed by hand

For up to 10 cups

Filter size

- + Ideal brewing temperature of 92 96 °C thanks to innovative pump system
- + Large water tank (1.25 I) for up to 10 cups of coffee
- + Full aroma development thanks to aroma spout allows the coffee to circulate in the pot and ensures even coffee enjoyment
- + Filter holder with aroma regulator stepless adjustment of the dripping speed for a perfect extraction of the aromas
- + Manual drip stop for early dispensing of the coffee or for pre-brewing
- + Practical timer function for time-delayed brewing
- + Single cup: For a cup of coffee directly into the (heatresistant) coffee/to-go mug
- + Long-lasting coffee enjoyment with keep-warm function (40 min)
- + With descaling function and reminder after 50 brewing
- + Incl. permanent filter made of titanium-coated stainless steel (reusable, long-lasting and taste-
- + Incl. measuring scoop for the right amount of ground coffee

#### Design coffee maker



Keep warm



Aroma regulator





**ECBC** – European Coffee Brewing Centre

The **AromaSense** designer coffee maker has been awarded the ECBC seal of approval (European Coffee Brewing Centre) – an independent testing authority that tests coffee brewing equipment to the Gold Cup Standard.

This seal of approval is given only to coffee makers that meet the highest preparation quality standards.

Item 1882

#### Espresso maker

#### **EspressoGourmet**

#### NEW







High-quality, heavy stainless steel portafilter for perfect crema, temperature and aroma. With 19 bar Ulka pump and complete barista accessories.

Item 1820











With cup warming tray

- + Stainless steel housing with non-slip feet
- + Powerful 19 bar Ulka pump
- + High-quality stainless steel portafilter with black handle
- + Practical manometer shows brewing pressure
- + 4 user-friendly soft touch buttons with white lights
- + Automatic pre-brew function for even infusion
- + Stainless steel steam wand for preparation of creamy frothed milk and pre-warming of cups
- + Integrated cup warming tray for pre-warming of cups
- + Removable transparent water tank (1.5 l)
- + Removable stainless steel drip tray with integrated float – for easy cleaning
- + Wide range of accessories:
- 3 stainless steel filter inserts for 1 or 2 cups and for ESE / coffee pads
- · Tamper with removable black wooden handle
- Stainless steel measuring spoon
- Stainless steel milk pitcher (with scale up to 330 ml / 11 oz)






#### Fully automatic coffee machine

#### Café Crema One

## **ETM** TESTMAGAZ PREIS-/LEISTUNGSSIEGER CASO Design TESTMAGAZIN - URTEIL Filter quality

Item 1881



#### + Saves space thanks to its particularly sleek design

- + Pre-brewing function for a perfect coffee aroma
- + Display with intuitive sensor touch operation
- + Pump pressure: max. 19 bar
- + Innovative heating system: ready to start in a jiffy
- + Fast: First coffee in 60 seconds
- + Practical hot water function to make tea for instance
- + Steam nozzle for the heating and the production of
- + Extremely quiet stainless steel conical grinder
- + Height adjustable coffee spout up to 160 mm cup
- + Integrated cup lighting
- + Easy to clean due to the removable brewing unit
- + Bean container 160 g, water tank 1,2 I capacity
- + Energy-saving automatic power-off function
- + High quality stainless steel draining surface
- + Coffee grounds container can be removed from the front
- + Incl. accessories:
- Descaler
- Cleaning brush
- · Push needle for brewing unit
- · Microfiber cloth





+ Saves space thanks to its particularly sleek design

Fully automatic coffee machine

Café Crema Touch

+ Unique pleasure: Classic coffee specialties and mixed drinks with creamy milk foam simply by touch

For all coffee

specialties

Sensor touch

- + LED touch display with direct selection buttons
- + Pre-brewing function for a perfect coffee aroma
- + Diverse beverage selection at the push of a button:
- Hot water
- · Milk foam (with the hose from the milk tank or directly from the milk carton)
- · Cappuccino Small & Grande
- · Latte Macchiato Small & Grande
- · Espresso
- · Café Crema
- + Bean container 160 g, water tank 1,2 I capacity
- + Extremely quiet stainless steel conical grinder, infinitely variable
- + Height adjustable coffee and milk spout (up to 160 mm)
- + Integrated cup lighting
- + Ideal pump pressure: max. 19 bar
- + Energy-saving automatic power-off function
- + Easy to clean due to integrated cleaning function, removable brewing unit, drip tray and easy to remove coffee grounds container
- + Incl. accessories:
- Milk tank
- Descaler
- · Cleaning brush
- · Push needle for brewing unit
- · Microfiber cloth





#### Milk frother

#### Fomini // Fomini Inox

#### \_\_\_\_\_

Milk frother

#### FominiCrema // FominiCrema Inox



Item 1610 // item 1611

Item 1656 // item 1662





#### Fomini

- + Milk frother with stainless steel spring
- + High rotational speed for fast frothing of milk and milkshakes
- + Rubberised handle for firm grip
- + Easy cleaning
- + With stand
- + Approx. 12.000 revolutions/min



#### Fomini Inox

- + Milk frother with stainless steel spring and extra large whisk
- + High rotational speed for fast frothing of milk and milkshakes
- + Ideal for mixing dressing
- + High quality inox surface
- + High quality stainless steel housing
- + Rubberised handle for firm grip
- + Easy cleaning
- + With stainless steel base
- + Approx. 12.000 revolutions/min



#### FominiCrema

- + Design milk frother for creamy froth (cold & hot)
- + Ideal for Latte Macchiato, hot chocolate, Cappuccino or Franné
- + Milk froth within a very short time
- + Capacity:
- · Frothing milk: up to 100 ml
- Heating milk: up to 200 ml
- + Also perfect for small amounts of milk froth
- + No burning due to non-stick coating Lowering the temperature before frothing is complete
- + Easy to clean and no burning thanks to the double non-stick coating
- + High quality housing with heat isolated grip surface
- + Transparent lid and 360° base station
- + Automatic switch-of
- + Transparent lid and 360° base station

#### FominiCrema Inox

+ Like FominiCrema, but with a high-quality **stainless steel housing** with a heat-insulating grip surface

#### Milk frother

#### Crema & Choco Black



#### Milk frother


#### Crema & Choco Inox







Item 1665 Item 1666



Cold & hot milk foam



- + Design milk frother for hot and cold milk drinks
- + Versatile milk enjoyment thanks to four functions:
- · Hot milk foam for extra foamy cappuccino
- · Hot milk foam for latte macchiato
- · Cold milk foam for e.g. iced coffee, frappé
- · Hot milk for e.g. latte, cocoa, hot chocolate
- + Thanks to precise temperature control, also suitable for foaming and heating plant-based drinks
- + LED function display and intuitive one-touch operation
- + Includes function to make hot chocolate from small pieces of chocolate or cocoa powder
- + With two removable, magnetic attachments for frothing and warming
- + High-quality stainless steel housing with heatinsulating handle
- + Transparent lid and 360° base station in smart black
- + Automatic switch-off or manual stop
- + Easy to clean thanks to dishwasher safe attachments, stainless steel housing and lid
- + Second attachment can be stored on the underside of the base
- + Capacity for

Special

functions

- Milk foam up to 250 ml
- Hot milk up to 350 ml

#### Crema & Choco Inox

+ Like Crema & Choco Black, only with 360° base station made of high-quality **stainless steel** 





Anti-static

#### Coffee grinder

#### CoffeeFlavour



#### BaristaCrema

Coffee grinder



Item 1830

8 With impact grinder Up to 8 cups of coffeee powder

+ Electric coffee grinder

Special

functions

- + Suitable to grind and chop coffee, nuts, spices etc.
- + Pulse switch with transparent lid
- + Case, blade and housing made of duranle stainless
- + Capacity for up to 90 g coffee beans (capacity for approx. 4 - 8 cups)
- + Individual grinding degree from coarse to fine (due to the duration of grinding)
- + Powerful 200 watt motor
- + Safety function: can only be used with the lid on
- + Cable winding facility

12 Special functions Up to 12 cups of coffeee powder With disc

- + Grinder settings from fine to coarse for the perfect enjoyment of espressos and coffee
- + Slow, aroma-friendly grinding through a professional disc grinder
- + Removable collection container for up to 140 g of coffee powder (up to 12 cups of coffee)
- + Removable bean container with a maximum filling capacity of up to 190 g
- + Powerful 150 watt motor
- + Fast and simple cleaning due to the removable individual parts
- + High quality stainless steel front
- + Small and compact
- + Secure positioning due to non-slip rubber feet
- + Incl. cleaning brush

#### Coffee grinder

#### BaristaFlavour



Special

functions

+ Slow, aroma protecting grinding by conical grinder made of robust stainless steel

With conical grinder

+ Removable bean container with approx. 300g maximum filling capacity

10

Up to 10 cups of coffeee powder

- + Grinding degree adjustable in 15 steps for perfect espresso and coffee
- + For up to 10 servings of coffee
- + Grinder easily accessible for easy cleaning (removable)
- + High quality stainless steel housing
- + Stone protection

Special

functions

- + Digital quantity control with LED display
- + Powerful 150 watt motor
- + Aroma-proof container for coffee powder (max 150 g)

- + Slim and compact coffee grinder with stainless steel housing and "anti-fingerprint" surface
- + With modular portafilter holder e.g. for espresso and portafilter machines

**12** 

With conical Up to 12 cups of Porterfilter grinder coffeee powder holder

Coffee grinder with Portafilter holder

- + High-quality and durable stainless steel cone grinder
- + Flavour-preserving grinding speed of 450 rpm for an even grinding pattern and reduced heat development
- 48 precise grinder settings for every preparation method and coffee speciality from extra-fine espresso powder to coarser French Press powder
- + Removable bean container with 250 g capacity
- + Individual dosing via cup quantities (up to 12 cups) or timer (up to 40 sec) and manual for portafilter
- + Flavour-sealedcollection container for 100 g ground coffee with innovative anti-static technology without the coffee powder sticking to the surfaces
- + Powerful 150 watt DC motor
- + Grinder, bean container and drip tray are easy to remove for easy cleaning





Item 1833





#### Coffee makers

#### Coffee makers













|                       |                                         |                                       | 1000                                  |                                      |                                      |                                      |
|-----------------------|-----------------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Product name          | CoffeeCompact electronic                | Selection C 12                        | Selection C 19 Thermo                 | Coffee Taste & Style                 | Coffee Taste & Style<br>Thermo       | Coffee Taste & Style<br>Thermo Duo   |
| Item                  | 1848                                    | 1858                                  | 1874                                  | 1846                                 | 1847                                 | 1845                                 |
| EAN                   | 40 38437 01848 6                        | 40 38437 01858 5                      | 40 38437 01874 5                      | 40 38437 01846 2                     | 40 38437 01847 9                     | 40 38437 01845 5                     |
| Housing / colour      | Black <i>l</i><br>stainless steel front | Stainless steel front                 | Stainless steel                       | Black / stainless steel applications | Black / stainless steel applications | Black / stainless steel applications |
| Capacity / Water tank | 4 cups                                  | 1,5 I / 12 cups                       | 1,2   / 10 cups                       | 1,5 I / 12 cups                      | 1,2 I / 10 cups                      | 1,2 I / 10 cups                      |
| Operation / control   | Buttons                                 | Touch control panel and rotary switch | Touch control panel and rotary switch | Sensor-touch                         | Sensor-touch                         | Sensor-touch                         |
| Grinder               | Impact grinder                          |                                       |                                       |                                      |                                      |                                      |
| Grinding degrees      | 2                                       |                                       |                                       |                                      |                                      |                                      |
| Aroma strength        |                                         |                                       |                                       |                                      |                                      |                                      |
| Bean container        | 100 g                                   |                                       |                                       |                                      |                                      |                                      |
| Timer                 |                                         |                                       |                                       |                                      |                                      |                                      |
| Keep warm function    | 30 min                                  | 35 min                                |                                       | 35 min                               |                                      |                                      |
| Accessories           | Coffee spoon                            | Permanent filter,<br>coffee spoon     | Permanent filter,<br>coffee spoon     | Permanent filter,<br>coffee spoon    | Permanent filter,<br>coffee spoon    | Permanent filter,<br>coffee spoon    |
| Power                 | 600 Watt                                | 900 Watt                              | 800 Watt                              | 900 Watt                             | 800 Watt                             | 800 Watt                             |
| Voltage               | 220-240V~, 50Hz                         | 220-240 V~, 50/60 Hz                  | 220-240 V~, 50/60 Hz                  | 220-240 V~, 50/60 Hz                 | 220-240 V~, 50/60 Hz                 | 220-240 V~, 50/60 Hz                 |
| Measures (WxHxD)      | 175 x 275 x 260 mm                      | 170 x 325 x 245 mm                    | 170 x 325 x 245 mm                    | 170 x 325 x 245 mm                   | 170 x 325 x 245 mm                   | 170 x 325 x 245 mm                   |
| Weight                | 2,2 kg                                  | 2,1 kg                                | 2,34 kg                               | 2,41 kg                              | 2,31 kg                              | 2,37 kg                              |
| Certification         | CE, GS                                  | CE, GS                                | CE, GS                                | CE, GS                               | CE, GS                               | CE, GS                               |
| Packing unit          | 2                                       | 1                                     | 1                                     | 1                                    | 1                                    | 1                                    |
| Tacking unit          |                                         | 1                                     | 1                                     | 1                                    | 1                                    | 1                                    |

#### Coffee makers / fully automatic coffee machines









| Product name          | AromaSense                        | Café Crema One                                                                 | Café Crema Touch                                                                          |
|-----------------------|-----------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| Item                  | 1851                              | 1881                                                                           | 1882                                                                                      |
| EAN                   | 40 38437 01851 6                  | 40 38437 01881 3                                                               | 40 38437 01882 0                                                                          |
| Housing / colour      | Black                             | Black / silver                                                                 | Black / silver                                                                            |
| Capacity / Water tank | 1,25 I / 10 cups                  | 1,2                                                                            | 1,2                                                                                       |
| Operation / control   | Sensor-touch                      | Sensor-touch                                                                   | Sensor-touch                                                                              |
| Grinder               |                                   | Stainless steel conical grinder                                                | Stainless steel conical grinder                                                           |
| Grinding degrees      |                                   | 5                                                                              | 5                                                                                         |
| Aroma strength        | •                                 |                                                                                |                                                                                           |
| Bean container        |                                   | 160 g                                                                          | 160 g                                                                                     |
| Timer                 |                                   |                                                                                |                                                                                           |
| Aroma spout           |                                   |                                                                                |                                                                                           |
| Brewing one cup       |                                   |                                                                                |                                                                                           |
| Keep warm function    | 40 min                            |                                                                                |                                                                                           |
| Accessories           | Permanent filter,<br>coffee spoon | Descaler, cleaning brush,<br>push needle for brewing unit,<br>microfiber cloth | Milk tank, descaler, cleaning<br>brush, push needle for brewing<br>unit, microfiber cloth |
| Power                 | 1550 Watt                         | 1350 Watt                                                                      | 1350 Watt                                                                                 |
| Voltage               | 220-240V~ 50-60Hz                 | 230V~, 50-60Hz                                                                 | 230V, 50-60Hz                                                                             |
| Measures (WxHxD)      | 350 x 350 x 170 mm                | 180 x 335 x 425 mm                                                             | 180 x 335 x 425 mm                                                                        |
| Weight                | 3,06 kg                           | 7,7 kg                                                                         | 8,25 kg                                                                                   |
| Certification         | CE, GS                            | CE, GS                                                                         | CE, GS                                                                                    |
| Packing unit          | 1                                 | 1                                                                              | 1                                                                                         |
|                       |                                   |                                                                                |                                                                                           |

| Product name          | EspressoGourmet                                                            |
|-----------------------|----------------------------------------------------------------------------|
| Item                  | 1820                                                                       |
| EAN                   | 40 38437 01820 2                                                           |
| Housing / colour      | Stainless steel                                                            |
| Capacity / Water tank | 1,5                                                                        |
| Operation / control   | 4 soft touch buttons                                                       |
| Portafilter           |                                                                            |
| Pre-brewing function  |                                                                            |
| Steamroller           |                                                                            |
| Cup warming tray      |                                                                            |
| Manometer             |                                                                            |
| Accessories           | 3 stainless steel filter inserts,<br>tamper, portioning spoon,<br>milk jug |
| Power                 | 1100 Watt                                                                  |
| Voltage               | 220-240 V~, 50-60 Hz                                                       |
| Measures (WxHxD)      | 195 x 350 x 225 mm                                                         |
| Weight                | 4,47 kg                                                                    |
| Certification         | CE, GS                                                                     |
| Packing unit          | 1                                                                          |

#### Milk frothers / coffee grinders



| Product name        | Fomini           | Fomini Inox      | FominiCrema                             | FominiCrema Inox                        | Crema & Choco Black                                 | Crema & Choco Inox                           |
|---------------------|------------------|------------------|-----------------------------------------|-----------------------------------------|-----------------------------------------------------|----------------------------------------------|
| Item                | 1610             | 1611             | 1656                                    | 1662                                    | 1665                                                | 1666                                         |
| EAN                 | 40 38437 01610 9 | 40 38437 01611 6 | 40 38437 01656 7                        | 40 38437 01662 8                        | 40 38437 01665 9                                    | 40 38437 01666 6                             |
| Housing / colour    | Black            | Stainless steel  | Black                                   | Stainless steel                         | Black                                               | Stainless steel                              |
| Capacity            |                  |                  | Heat up to 100 ml,<br>foam up to 200 ml | Heat up to 100 ml,<br>foam up to 200 ml | Heat up 100-350 ml,<br>foam up 100-250 ml           | Heat up 100-350 ml,<br>foam up 100-250 ml    |
| Operation / control | Manually         | Manually         | Soft-touch                              | Soft-touch                              | One-touch                                           | One-touch                                    |
| Engine              |                  |                  | In the bottom of the vessel             | In the bottom of the vessel             | In the bottom<br>of the vessel <i>I</i><br>magnetic | In the bottom<br>of the vessel I<br>magnetic |
| Interior            |                  |                  | Non-stick coating                       | Non-stick coating                       | Stainless steel                                     | Stainless steel                              |
| For hot & cold milk | •                | •                | •                                       | •                                       |                                                     |                                              |
| Vessel diameter     |                  |                  | 85 mm Ø                                 | 85 mm Ø                                 | 100 mm Ø                                            | 100 mm Ø                                     |
| Accessories         | Base             | Base             |                                         |                                         | Insert for foaming, insert for heating              | Insert for foaming, insert for heating       |
| Power               |                  |                  | 400 Watt                                | 400 Watt                                | 500 Watt                                            | 500 Watt                                     |
| Voltage             | 2x AA-Batterien  | 2x AA-Batterien  | 220-240V~, 50/60Hz                      | 220-240V~, 50/60Hz                      | 220-240V~ 50/60Hz                                   | 220-240V~ 50/60Hz                            |
| Measures (WxHxD)    | 40 x 235 x 30 mm | 40 x 245 x 40 mm | 95 x 180 x 95 mm                        | 100 x 200 x 100 mm                      | 160 x 210 x 125 mm                                  | 160 x 210 x 125 mm                           |
| Weight              | 0,1 kg           | 0,1 kg           | 0,5 kg                                  | 0,9 kg                                  | 0,9 kg                                              | 1 kg                                         |
| Certification       | CE               | CE               | CE, GS                                  | CE, GS                                  | CE, GS                                              | CE, GS                                       |
| Packing unit        | 10               | 10               | 4                                       | 4                                       | 4                                                   | 4                                            |
|                     | 1                |                  |                                         |                                         |                                                     |                                              |

#### Coffee grinders









|                                        | _                                  |                                | $\sim$                         |                              |
|----------------------------------------|------------------------------------|--------------------------------|--------------------------------|------------------------------|
| Product name                           | CoffeeFlavour                      | BaristaCrema                   | BaristaFlavour                 | BaristaChef Inox             |
| Item                                   | 1830                               | 1833                           | 1832                           | 1834                         |
| EAN                                    | 40 38437 01830 1                   | 40 38437 01833 2               | 40 38437 01832 5               | 40 38437 01834 9             |
| Housing / colour                       | Stainless steel                    | Black / stainless steel front  | Black / stainless steel        | Stainless steel              |
| Anti-finger print                      |                                    |                                |                                |                              |
| Capacity                               | 8 cups                             | 12 cups                        | 10 cups                        | 12 cups                      |
| Operation / control                    | Pulse switch,<br>max. 28.000 rpm   | 2 rotary switches and 1 button | 2 rotary switches and 1 button | Senor touch                  |
| Grinder                                | Impact grinder                     | Disc grinder                   | Cone grinder                   | Cone grinder                 |
| Grinding degrees                       | Individually by grinding time      | 18                             | 15                             | 48                           |
| Aroma strength                         |                                    |                                |                                |                              |
| Bean container                         | 90 g                               | 190 g                          | 300 g                          | 250 g                        |
| Collection container for coffee powder | = bean container / 90 g, removable | Removable, up to 140 g         | Removable, up to 150 g         | Removable, up to 100 g       |
| Anti-static technology                 |                                    |                                |                                |                              |
| Accessories                            |                                    | Cleaning brush                 |                                | Porta holder, cleaning brush |
| Power                                  | 200 Watt                           | 150 Watt                       | 150 Watt                       | 150 Watt                     |
| Voltage                                | 220-240 V, 50/60 Hz                | 220-240 V, 50/60 Hz            | 220-240 V, 50-60 Hz            | 230 V – 240 V; 50/60 Hz      |
| Measures (WxHxD)                       | 100 x 205 x 100 mm                 | 130 x 250 x 180 mm             | 155 x 355 x 235 mm             | 115 x 355 x 180 mm           |
| Weight                                 | 1 kg                               | 1,2 kg                         | 2 kg                           | 2,1 kg                       |
| Certification                          | CE, GS                             | CE, GS                         | CE, GS                         | CE, GS                       |
| Packing unit                           | 4                                  | 3                              | 1                              | 2                            |



#### Turbo hot water dispenser

#### Boiling water thought ahead

CASO Design turbo hot water dispensers only heat the amount of water required by the user — in just a few seconds and to the desired temperature. This saves valuable water and up to 50 % energy in comparison to conventional electric kettles, making the dispensers extra environment friendly.

Water temperatures from 40 to 100 °C can be selected – perfect for the preparation of all types of tea, instant coffee, baby food, hot lemon and much more besides. The continuously adjustable water flow makes filling a hot water bottle on a cold day child's play.

A water filter ensures that water is extra soft and protects the device, ensuring that you can it enjoy it for many years to come.

CASO Design also has the perfect model for professional kitchens, hotel buffets, office kitchens or mobile catering - the PerfectCup 1000 Pro with a large 4-litre removable water tank and buttons that can programmed according to your needs.





#### Turbo hot water dispenser

#### **HW 550**

#### Turbo hot water dispenser

#### **HW 600**



Item 1880


Special

functions

Special functions 40 - 100 °C

- + Hot water in just a few seconds using touch control
- + For the preparation of tea, instant coffee, instant noodles and baby food
- Energy and water-saving only the required amount of water is heated to the desired temperature
- + Large, removable 2.9 litre water tank
- + 7 selectable temperature settings from 40 100 °C in 10 °C intervals
- + Can also be used as a water dispenser without heating the water
- + 7 dispensing quantities: 100 / 150 / 200 / 250 / 300 / 350 / 400 ml
- + FlowFunction for individual water amount e.g. cooking water, thermos flasks, hot water bottles, etc.
- + Timeless elegant black design
- + Removable drip tray for large mugs up to 17 cm in height
- + Auto-lock function provides added safety

40 - 100 °C



- + Perfect for the preparation of tea, instant coffee, instant noodles and baby food
- + Energy-saving: 50% less than conventional electric kettles
- + Big 2.7 liter water tank removable, easy to fill and easy to clean
- + 7 different temperature settings: 40 100 °C in 10 °C
- intervals + Direct selection button for optimum preparation of
- baby food (40 °C)
- + 8 pre-set quantities as required: 100 / 150 / 200 / 250 / 300 / 350 / 400 ml and continuous
- + Touch display positioned at the top easy and intuitive to use
- + Integrated descaling reminder
- + Incl. water filter for perfect water quality

#### Turbo hot water dispenser

#### **HW 660**





#### Replacement water filter

#### Set of 3 // set of 6



**Set of 3.** item 1861 **Set of 6,** item 1841





- + Compact, elegant design in high-quality stainless steel
- + Perfect for the preparation of tea, instant coffee, instant noodles and baby food
- + Energy-saving: 50% less than conventional electric kettles
- + Big 2.7 liter water tank removable, easy to fill and easy to clean
- + 7 different temperature settings: 40 100 °C in 10 °C intervals
- + Direct selection button for optimum preparation of baby food (40 °C)
- + 7 pre-set quantities as required: 100 / 150 / 200 / 250 / 300 / 350 / 400 ml and continuous
- + Front-positioned touch display easy and intuitive to use
- + Integrated descaling reminder
- + Incl. water filter for perfect water quality





4-6

4 - 6 months 160 litres

0000

5 layers

#### + Improves water quality and increases the life of the device

- + Perfect seal thanks to silicone ring
- + 5-layer filtration principle
- Coarse particle filter

Special

functions

Item 1879

- First fine particle filter
- Ion exchange resin
- Removes heavy metals, reduces limescale and preserves important minerals
- Activated carbon filter
- Reduces chlorine and pollutants, removes odours and improves taste, prevents bacterial growth
- Final fine particle filter





#### Professional turbo hot water dispenser Turbo hot water dispenser

#### PerfectCup 1000 Pro

#### HW 1660

Also for the catering industry







- Ideal for mobile catering, B&Bs, conference rooms, breakfast buffets, office kitchens etc.
- + Saves time: hot water within just a few seconds
- + Practical sensor touch control
- + Selectable temperatures from 70 100 °C (in 10 °C steps) – perfect for all types of tea, instant coffee and food, etc.
- + Simple operation thanks to direct selection buttons for small and large cups
- Individual key assignment: Two different dispensing quantities can be set depending on the cup size
- + Water supply quantity selectable up to infinity
- + With a removable, large 4 liter water tank flexible and mobile use without water connection
- + Incl. water filter

Special

functions

- For perfect water quality
- Protecting your device from limescale
- Filter capacity up to 150 l
- + Elegant and compact design
- + Powerful 2600 watt
- + Removable water collecting tray for easy and quick cleaning

Item 1878

Special

functions









Item 1884

- + Time-saving: hot water in just a few seconds thanks to powerful 2600 watt performance
- + Energy and water-saving only the required amount of water is heated to the desired temperature
- + Perfect for the preparation of tea, instant coffee, instant noodles and baby food
- + Large, removable 4 litre water tank removable, easy to fill and easy to clean
- + 7 different temperature settings: 40 100 °C (in 10 °C intervals)
- + Can also be used as a water dispenser without heating the water
- + 7 pre-set quantities as required: 100 / 150 / 200 / 250 /
- 300 / 350 / 400 ml + FlowFunction for individual water amount - e.g.
- cooking water, thermos flasks, hot water bottles, etc. + Elegant design in high-quality stainless steel with intuitive touch control panel
- + Front-positioned touch display easy and intuitive to
- + Direct selection button for optimum preparation of baby food (37 °C)
- + Integrated descaling reminder
- + Incl. cup pedestal for small cups
- + Maximum cup height: with drip tray 17,5 cm / without drip tray 20.5 cm / with platform: 10,5 cm
- + Auto-lock function provides added safety
- + Incl. water filter for perfect water quality

#### Electric kettle

#### Coffee Classic Kettle





TESTSIEGER

aus & Garten Tesi




#### Electric kettle

#### WK 2100 compact





Item 1869



- + High-quality matt black design with curved water spout
- + Ideal for brewing fresh coffee by hand
- + 360° base station with integrated cable rewind function
- + Cool-touch handle
- + ON/OFF switch
- + Elegant LED lighting
- + Automatic switching off
- + High-quality stainless steel interior
- + Capacity of 0,6 litres
- + Minimum filling quantity 200 ml: Also suitable for small amounts of water
- + Non-slip rubber feet
- + Overheating protection



Special

functions

+ High quality stainless steel housing and interior

10 - 100 °C

- + Compact size with capacity of 1.2 litres
- + Precise temperature control for precise control of water temperature with cooking stop function

Keep warm function

- + Temperature control in 10 °C increments from 10 100 °C – ideal for the perfect preparation of tea and baby food
- + Practical heat retention function
- + Safe thanks to automatic power-off function
- + Anti-scale filter that can be removed for cleaning





#### Electric kettle

## **TESTURTEIL WK 2200** ıs & Garten Tes gut


#### Electric kettle

#### **WK Cool Touch**





Item 1873



Item 1870

Special

functions

- + Powerful 2200 watt
- + High quality stainless steel housing and interior
- + Capacity of 1,7 litres
- + Precise temperature control for precise control of water temperature with cooking stop function
- + Temperature control in 10 °C increments from 10 100 °C
- + Display of current water temperature ideal for the perfect preparation of tea and baby food
- + Practical "keep warm" function
- + Acoustic signal
- + Safe thanks to automatic power-off function
- + Lateral water level indicator
- + Cable storage under the base station
- + Anti-scale filter that can be removed for cleaning



Double-walled

- outside + Interior made of high quality stainless steel
- + Thanks to its heat insulation it runs with an economical 1800 watts
- + Compact size with capacity of 1.0 litres
- + Precise temperature control for precise control of water temperature with cooking stop function
- + Temperature control in 5 °C increments from 40 100 °C – ideal for the perfect preparation of tea and baby
- + Practical heat retention function
- + Safe thanks to the automatic switch-off
- + Anti-scale filter and lid can be removed for cleaning





#### Electric kettle

#### Classico WK 2200

#### Electric kettle

#### Selection WK 2200





Item 1886

Special

functions







Item 1887

- + Modern design kettle with a capacity of 1,7 litres for up to 7 cups at maximum fill level
- + Powerful heating element with max. 2200 watts for fast and efficient boiling of water
- + Housing and interior made of high-quality, tasteless, dimensionally stable and rustproof stainless steel
- + 360° base station for easy positioning of the boiling
- + Easy-to-read, external water level indicator with LED indicator light
- + Intuitive operation by on/off tilt switch
- + Easy and safe lid opening at the touch of a button directly on the heat-insulated handle
- + Strix technology for safe automatic switch-off and dry-running/overheating protection
- + Practical cord storage

Special

functions

+ Easy cleaning thanks to removable anti-limescale filter and concealed heating element

- Modern design kettle with a capacity of 1,7 litres for up to 7 cups at maximum fill level
- + Temperature setting from 40 100 °C (in 10 °C steps + special setting at 95 °C) for individual preparation of different types of tea, baby food, boiling water etc.
- + Powerful heating element with max. 2200 watts for fast and efficient boiling of water
- + Practical keep-warm function with automatic switch-
- + Large LED display with temperature display and intuitive sensor-touch operation
- + Housing and interior made of high-quality, tasteless, dimensionally stable and rustproof stainless steel
- + 360° base station for easy positioning of the boiling vessel
- + Easy-to-read, external water level indicator
- + Easy and safe lid opening at the touch of a button - directly on the heat-insulated handle
- + Strix technology for safe automatic switch-off and dry-running/overheating protection
- + Practical cord storage
- + Easy cleaning thanks to removable anti-limescale filter and concealed heating element



#### Turbo hot water dispensers / electric kettles













| Product name               | HW 550                       | HW 600                       | HW 660                       | PerfectCup 1000 Pro          | HW 1660                      |
|----------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Item                       | 1880                         | 1868                         | 1879                         | 1878                         | 1884                         |
| EAN                        | 40 38437 01880 6             | 40 38437 01868 4             | 40 38437 01879 0             | 40 38437 01878 3             | 40 38437 01884 4             |
| Housing / colour           | Black                        | Stainless steel / black      | Stainless steel / black      | Stainless steel / black      | Stainless steel / black      |
| Temperature control        |                              |                              |                              |                              |                              |
| Temperature                | 40 - 100 °C                  | 40 - 100 °C                  | 40 - 100 °C                  | 70 - 100 °C                  | 40 - 100 °C                  |
| Operation                  | Sensor-touch                 | Sensor-touch                 | Sensor-touch                 | Sensor-touch                 | Sensor-touch                 |
| Capycity of the water tank | 2,9 I                        | 2,7                          | 2,7                          | 41                           | 41                           |
| Water filter               |                              |                              |                              |                              |                              |
| Water quantities           | 7                            | 7                            | 7                            | 7                            | 7                            |
| Individual key assignment  |                              |                              |                              |                              |                              |
| FlowFunction               |                              |                              |                              |                              |                              |
| Power                      | 2200 - 2600 Watt             |
| Voltage                    | 220 V - 240 V; 50 Hz / 60 Hz | 220 V - 240 V; 50 Hz / 60 Hz | 220 V - 240 V; 50 Hz / 60 Hz | 220 V - 240 V; 50 Hz / 60 Hz | 220 V - 240 V; 50 Hz / 60 Hz |
| Measures (WxHxD)           | 175 x 300 x 290 mm           | 150 x 300 x 220 mm           | 155 x 315 x 255 mm           | 195 x 340 x 305 mm           | 190 x 350 x 300 mm           |
| Weight                     | 1,94 kg                      | 2,6 kg                       | 2,4 kg                       | 3,2 kg                       | 3,42 kg                      |
| Certification              | CE, GS                       |
| Packing unit               | 1                            | 1                            | 1                            | 1                            | 1                            |
|                            |                              |                              |                              |                              |                              |

#### Accesories





| Product name | Replacement filter 3er-Set | Replacement filter 6er-Set |
|--------------|----------------------------|----------------------------|
| Item         | 1861                       | 1841                       |
| EAN          | 40 38437 01861 5           | 40 38437 01841 7           |
| Packing unit | 24                         | 12                         |
|              |                            |                            |

#### Electric kettles













| Product name          | Coffee Classic Kettle | WK 2100 compact                 | WK 2200                         | WK Cool Touch      | Classico WK 2200     | Selection WK 2200  |
|-----------------------|-----------------------|---------------------------------|---------------------------------|--------------------|----------------------|--------------------|
| Item                  | 1877                  | 1869                            | 1870                            | 1873               | 1886                 | 1887               |
| EAN                   | 40 38437 01877 6      | 40 38437 01869 1                | 40 38437 01870 7                | 40 38437 01873 8   | 40 38437 01886 8     | 40 38437 01887 5   |
| Housing / colour      | Black matt            | Stainless steel                 | Stainless steel                 | Stainless steel    | Stainless steel      | Stainless steel    |
| Temperature control   |                       |                                 |                                 |                    |                      |                    |
| Temperature           | 100 °C                | 10 - 100 °C                     | 10 - 100 °C                     | 40 - 100 °C        | 100 °C               | 40 - 100 °C        |
| Operation             | ON/OFF switch         | Buttons                         | Buttons                         | Buttons            | ON/OFF switch        | Buttons            |
| Capycity              | 0,61                  | 1,2                             | 1,7                             | 11                 | 1,7                  | 1,7                |
| Anti-limescale filter |                       |                                 | •                               | •                  |                      | •                  |
| Acoustic signal       |                       |                                 |                                 |                    |                      |                    |
| Cool touch            |                       |                                 |                                 |                    |                      |                    |
| Keep warm function    |                       |                                 |                                 |                    |                      | •                  |
| Power                 | 1100 - 1310 Watt      | 1850 - 2200 Watt                | 1850 - 2200 Watt                | 1500 - 1800 Watt   | 1850 - 2200 Watt     | 1850 - 2200 Watt   |
| Voltage               | 220-240 V, 50-60 Hz   | 220 V - 240 V;<br>50 Hz / 60 Hz | 220 V - 240 V;<br>50 Hz / 60 Hz | 220-240V~ 50/60 Hz | 220-240 V~, 50/60 Hz | 220-240V~, 50/60Hz |
| Measures (WxHxD)      | 280 x 205 x 160 mm    | 155 x 215 x 210 mm              | 150 x 240 x 195 mm              | 135 x 240 x 200 mm | 220 x 235 x 155 mm   | 240 x 250 x 160 mm |
| Weight                | 0,9 kg                | 1,2 kg                          | 1,2 kg                          | 1,4 kg             | 1 kg                 | 1,04 kg            |
| Certification         | CE, GS                | CE, GS                          | CE, GS                          | CE, GS             | CE, GS               | CE, GS             |
| Packing unit          | 2                     | 2                               | 2                               | 2                  | 2                    | 2                  |
|                       | 1                     |                                 |                                 |                    | -                    |                    |



## Chapter 5 Juicer & blender



## Freshly prepared

CASO Design offers a range of different techniques, allowing you to create tasty, healthy drinks. Whether vitamin-rich smoothies and juices or amazingly good milk shakes to cool you down, there are no limits on your imagination.

## A FIT AND HEALTHY WAY TO START AND ENJOY YOUR DAY

CASO Design helps you create a diverse range of culinary delights with its powerful **blenders** for vitamin-rich breakfast smoothies; tasty milk shakes for young and old people with a sweet tooth or your own creations with or without alcohol.

Our powerful **citrus juicers** can get juice out of almost every citrus fruit. Whether limes, tangerines, grapefruit or oranges, the universal press cone and easy-to-handle lever press arm enable you to press a wide variety of fruit easily and with no mess, for tasty juices.

CASO Design **hand blenders** are perfect aids for making sauces, dips and soups. Despite their compact size, these small powerhouses are true giants.

And if you want to prepare extra gently pressed juices from fruit, vegetables or herbs, then our **slow juicers** are made for you. The juicing auger rotates much more slowly than a centrifugal juicer, so does not generate any heat. This ensures that important nutrients and flavours are preserved. There is no healthier way to start your day.











Item 3604

#### Stick blender

#### **HB 1000**





Item 3603







- + Powerful multifunction hand blender
- + Powerful 1000 watt motor
- + Variable speed regulation by 2 softpress keys:
- 1st stage: Infinitely adjustable 10,000 -17,000 rpm
- 2nd stage: Turbo button (up to 17,000 rpm)
- + Housing made of high quality anodized aluminum
- + Immersion blender with 4 stainless steel wing knives
- + Ergonomically shaped handle for a pleasant operation
- + Easy change for an easy assembly and disassembly of the accessories
- + Easy to clean thanks to removable parts
- + 3-piece accessories set:
- Whisk for easy whipping cream and egg whites
- · Shredder container with 4-fold stainless steel knife for herbs, vegetables, meat, etc.
- Transparent measuring cup with scaling











#### Stick blender

## **HB 2200 Pro** us & Garten Test sehr gut



## HB 2400 Pro XL

Professional stick blender





Special

functions



- + Powerful and quiet mixer for mixing, stirring, whisking, pureeing and mincing
- + Powerful 22,000 rpm for numerous application possibilities such as for the preparation of: smoothies, soups, creams, baby food, meat, crushed ice, etc.
- + Durable, rugged AC motor with 170 watts for constant speed, high efficiency and energy efficiency
- + Length stainless steel rod: 140 mm
- + Ergonomic handle for maximum ease of use
- + Easy and quick cleaning of the items
- + Easy, quick replacement of the plug-on parts
- + Overheating protection
- + Practical accomodation of the accessories thanks to compact 2 in 1 socket: housing of the accessories and holder for the hand blender

#### Description like HB 2200 Pro, additionally:

- + High-performance 24 000 rpm for a wide range of uses such as preparing smoothies, soup, purees, egg whites, baby food, mince, etc.
- + Durable 350-watt AC motor for a consistent speed, high effectiveness and energy efficiency
- + Extra-long stainless steel shaft (29 cm) for easy processing of up to 20 litres of liquid
- + Comes with an extra-long cable









CASO multi knife (titanium coated)



CASO whirling disc (stainless steel)



CASO meat knife (stainless steel)



Stainless steel fork to swap the blades

**TESTURTEIL** 

#### Citrus juicer

#### Citrus juicer



Item 3540 Item 3550



- + Powerful electric designer citrus juicer with stainless steel housing
- + Universal press cone for all common citrus fruits from lime to grapefruit
- + Easy handling thanks to lever press arm
- + High-quality stainless steel strainer insert
- + Soft-touch handle with convenient automatic start
- + Very easy to clean, individual parts removable and dishwasher-safe
- + Extra quiet engine
- + Suction feet for a very secure stand
- + Juice stop (drip stop)







- + Powerful electric designer citrus juicer with stainless steel housing
- + Universal press cone for all common citrus fruits from lime to grapefruit
- + Easy handling thanks to lever press arm
- + High-quality stainless steel strainer insert
- + Soft-touch handle with convenient automatic start
- + Very easy to clean, individual parts removable and dishwasher-safe
- + Extra quiet engine
- + Suction feet for a very secure stand
- + Juice stop (drip stop)

### Citrus juicer

#### **CP 330 Pro**



Item 3560





C050



- + Powerful electric designer citrus juicer with stainless steel housing
- + Universal pressing cone made of stainless steel:
- For all common citrus fruits from lime to grapefruit High juice yield
- + Easy handling with little effort by lever pressing arm
- + Juice spout directly into the glass
- + No dripping thanks to fold-up spout
- + Stainless steel sieve insert
- + Soft touch handle with practical automatic start-up
- + Very easy cleaning due to removable and dishwashersafe components
- + Low noise motor

Special

functions

+ Suction feet to secure stability


















Item 3618

#### Blender

#### B 800



#### Blender



Item 3617

Item 3616



- + Powerful 1000 watt motor
- + Max. 17.000 revolutions / min.
- 6-fold stainless steel blades and housing made of high quality and durable stainless steel
- + Multifunctional Ideal for the preparation of Smoothies, milkshakes, frappés, long drinks, etc.
- + 2-stage speed adjustment via practical control dial with LED lighting
- + Heat-resistant glass blender jug with max. 1,5 l capacity
- + Overheating protection and double safety lock





- + Powerful 1000 Watt motor
- + 8-fold titanium coated blades
- + Housing made of durable stainless steel
- + Multifunctional Ideal for preparing smoothies, milkshakes, frappés, long drinks etc.
- Blend function (infinitely variable and manually)
- Smoothie function (14.000 rpm)
- Ice-Crush function (9.500 rpm average)
- Pulse function (up to 17.000 rpm)
- + Speed control knob with LED display
- + High quality glass mixing jar with 1.5 l capacity and heat resistance up to 80  $^{\circ}\text{C}$
- + Easy cleaning easy dismantling of the knife insert and dishwasher-safe glass jar
- + Overheating protection and double safety lock





#### Blender

#### B 1800 PowerBlender



#### \_\_\_\_

Blender

#### **B 1800 PowerBlender Set**




Item 3619



- + Multifunctional ideal for preparing smoothies, milk shakes, baby food, soup, crushed ice, long drinks, etc.
- + Strong 1800-watt motor with an infinitely variable speed of up to 28 000 rpm
- + Robust 6-blade cutter with gold titanium coating
- + Quick preparation thanks to pre-set extra programmes:
- Smoothie
- Crushed ice
- Auto pulse
- + With separate auto pulse
- + High-quality large glass mixing jug (1,75 l)
- + High-quality stainless steel housing
- + Safe stand thanks to non-slip rubber
- + Easy to clean because dishwasher-proof and knife attachment is simple to dismantle
- + With integrated safety lock (EK 1 standard) and overheating protection
- + Accessories:
- Pestle
- Measuring cup integrated in the lid





#### Description like B 1800 PowerBlender, additionally:

+ Additional accessories:

Special

functions

- Stainless steel chopper (750 ml) with stainless steel blades for coffee beans, nuts, pesto, baby food, dried herbs etc.
- "Mix & go" drink bottle (700 ml)







#### Slow juicer

#### **SJW 300**



#### Slow juicer

#### **SJW 500**



Item 3509



- + Slim design slow juicer with noble silver matte finish
- + For delicious, healthy juices with a natural taste from fruits, vegetables and herbs
- + Gentle juicing thanks to lower RPM (60 rpm)
- → The slow-rotating screw press prevents heat generation and preserves valuable nutrients and
- + Up to 30% higher juice yield compared to conventional
- + Large filling opening with 75 mm Ø for whole fruits
- With juice and sorbet sieve for a variety of applications possibilities
- + Juice spout can be closed with a double lip
- Multi juices are mixed automatically
- Serves as a drip stop
- + Quick to use thanks to simple design
- + Strong, quiet 300 watt motor for hard and soft fruits
- + Two large containers for juice and pomace, each with 0,7 I content
- + Easy and quick cleaning thanks to included cleaning brush and removable parts



Special functions

- + Slim design slow juicer with high quality stainless steel application
- + For delicious, healthy juices with a natural taste from fruits, vegetables and herbs
- + Gentle juicing thanks to lower RPM (50-60 rpm)
- → The slow-rotating screw press prevents heat generation and preserves valuable nutrients and vitamins
- + Up to 30% higher juice yield compared to conventional juicers
- + Large filling opening with 75 mm Ø for whole fruits
- With juice and sorbet sieve for a variety of applications possibilities
- + Juice spout can be closed with a double lip
- Multi juices are mixed automatically
- Serves as a drip stop
- + Quick to use thanks to simple design
- + Strong, quiet 150 watt motor for hard and soft fruits
- + Two large containers for juice and pomace, each with 0,7 I content
- + Easy and quick cleaning thanks to included cleaning brush and removable parts









#### Slow juicer

#### **SJW 600 XL**





Special functions





+ Slow juicer with high quality matt black housing

- + **Gentle juicing thanks to low speed (40 rpm)** slow rotation of the juicing auger means less heat build-up, so preserves valuable nutrients and vitamins
- Up to 30 % more juice compared to conventional juicers
   for tasty, healthy juices with the natural taste of fruit, vegetables and herbs
- + Fill & go! Large 130 mm Ø filling opening for whole fruits, no pre-cutting
- + Overflow stop can be closed for automatic mix function for juice mixes
- + Ready to use quickly thanks to simple assembly with a small number of components
- + Powerful and extra quiet 250 watt AC motor for hard and soft fruit
- + With 'safety stop' function: Rotation stops immediately when the lid is opened
- + Two large containers for juice and pulp, both 1 l capacity
- + Use of juicing pulp juicing pulp can be used as an ingredient in sauces, muesli and much more besides
- + Simple, fast cleaning thanks to cleaning brush
- + Space-saving storage thanks to removable components
- + Non-slip feet ensure stability



#### Juicer / blender









| Product name           | НВ 1000                                                                          | HB 1000 HB 2200 Pro                                                                   |                                                                            |
|------------------------|----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| Item                   | 3603                                                                             | 3602                                                                                  | 3604                                                                       |
| EAN                    | 40 38437 03603 9                                                                 | 40 38437 03602 2                                                                      | 40 38437 03604 6                                                           |
| Housing / colour       | Anodised aluminium                                                               | Silver                                                                                | Silver                                                                     |
| Speed levels           | Stepless + turbo                                                                 | 1 level                                                                               | 1 level                                                                    |
| RPM                    | 10.000 - 17.000 RPM                                                              | 22.000 RPM                                                                            | 24.000 RPM                                                                 |
| Pulse function         | •                                                                                |                                                                                       |                                                                            |
| Stainless steel blades | •                                                                                |                                                                                       |                                                                            |
| Titanium coated blades |                                                                                  |                                                                                       |                                                                            |
| Operation              | Soft-press buttons                                                               | Button                                                                                | Button                                                                     |
| Accessories            | Whisk, shredder container with<br>4-fold stainless steel knife,<br>measuring cup | Socket,<br>meat knife,<br>whirling disc made,<br>multi knife,<br>stainless steel fork | Meat knife,<br>whirling disc made,<br>multi knife,<br>stainless steel fork |
| Power                  | 1000 Watt                                                                        | 170 Watt                                                                              | 350 Watt                                                                   |
| Voltage                | 220 V - 240 V; 50 Hz - 60 Hz                                                     | 220V-240V, 50Hz                                                                       | 220-240V~, 50/60Hz                                                         |
| Measures (WxHxD)       | 145 x 380 x 190 mm                                                               | 70 x 340 x 100 mm                                                                     | 65 x 510 x 110 mm                                                          |
| Weight                 | 1,4 kg                                                                           | 1 kg                                                                                  | 1,1 kg                                                                     |
| Certification          | CE, GS                                                                           | CE                                                                                    | CE                                                                         |
| Packing unit           | 2                                                                                | 4                                                                                     | 4                                                                          |

#### Citrus juicer







|                  | 225                      |                          |                                    |
|------------------|--------------------------|--------------------------|------------------------------------|
| Product name     | CP 200                   | CP 300                   | CP 330 Pro                         |
| Item             | 3540                     | 3550                     | 3560                               |
| EAN              | 40 38437 03540 7         | 40 38437 03550 6         | 40 38437 03560 5                   |
| Housing / colour | Stainless steel          | Stainless steel          | Stainless steel                    |
| Drip stop        |                          |                          |                                    |
| RPM              | 120 RPM                  | 120 RPM                  | 120 RPM                            |
| Fruit strainer   | Stainless steel, 16 cm Ø | Stainless steel, 18 cm Ø | Stainless steel, 18 cm Ø           |
| Operation        | Lever press arm          | Lever press arm          | Lever press arm                    |
| Pressing cone    | Universal                | Universal                | Universal, made of stainless steel |
| Power            | 160 Watt                 | 160 Watt                 | 160 Watt                           |
| Voltage          | 220-240V~ 50/60Hz        | 220-240V~ 50/60Hz        | 220-240V~ 50/60Hz                  |
| Measures (WxHxD) | 180 x 290 x 250 mm       | 205 x 310 x 320 mm       | 205 x 320 x 320 mm                 |
| Weight           | 2,3 kg                   | 2,7 kg                   | 2,7 kg                             |
| Certification    | CE, GS                   | CE, GS                   | CE, GS                             |
| Packing unit     | 2                        | 2                        | 2                                  |

#### Juicer / blender











| Product name           | B 800                     | MX 1000               | B 1800 PowerBlender                                           | B 1800 PowerBlender Set                                                                                                |
|------------------------|---------------------------|-----------------------|---------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Item                   | 3616                      | 3617                  | 3619                                                          | 3618                                                                                                                   |
| EAN                    | 40 38437 03616 9          | 40 38437 03617 6      | 40 38437 03619 0                                              | 40 38437 03618 3                                                                                                       |
| Housing / colour       | Stainless steel           | Stainless steel       | Stainless steel                                               | Stainless steel                                                                                                        |
| Speed levels           | 2 levels                  | Stepless              | Stepless                                                      | Stepless                                                                                                               |
| RPM                    | 13.000 – 17.000 RRM       | 28.000 RRM            | 28.000 RRM                                                    | 28.000 RRM                                                                                                             |
| Ice crush function     |                           |                       |                                                               |                                                                                                                        |
| Pulse function         |                           | •                     |                                                               | •                                                                                                                      |
| Stainless steel blades |                           | •                     |                                                               | •                                                                                                                      |
| Titanium coated blades |                           | •                     |                                                               |                                                                                                                        |
| Operation              | Rotary control            | Rotary control        | Rotary control                                                | Rotary control                                                                                                         |
| Accessories            |                           | Spatula               | Pestle,<br>closure aid<br>measuring cup integrated in the lid | Pestle,<br>stainless steel chopper,<br>"Mix & go" drink bottle,<br>closure aid,<br>measuring cup integrated in the lid |
| Power                  | 1000 Watt                 | 1000 Watt             | 1800 Watt                                                     | 1800 Watt                                                                                                              |
| Voltage                | 220 V - 240 V; 50 / 60 Hz | 220 - 240 V~ 50/60 Hz | 220 V - 240 V; 50 Hz / 60 Hz                                  | 220 V - 240 V; 50 Hz / 60 Hz                                                                                           |
| Measures (WxHxD)       | 170 x 410 x 200 mm        | 205 x 400 x 220 mm    | 220 x 435 x 190 mm                                            | 220 x 435 x 190 mm                                                                                                     |
| Weight                 | 3,8 kg                    | 4,1 kg                | 4,1 kg                                                        | 4,1 kg                                                                                                                 |
| Certification          | CE, GS                    | CE                    | CE, GS                                                        | CE, GS                                                                                                                 |
| Packing unit           | 1                         | 1                     | 1                                                             | 1                                                                                                                      |
|                        |                           |                       |                                                               |                                                                                                                        |


#### Slow juicer







| Product name                       | SJW 300                                                                 | SJW 500                                                                 | SJW 600 XL                                                          |
|------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------|
| Item                               | 3509                                                                    | 3506                                                                    | 3511                                                                |
| EAN                                | 40 38437 03509 4                                                        | 40 38437 03506 3                                                        | 40 38437 03511 7                                                    |
| Housing / colour                   | Silver / black                                                          | Stainless stell / black                                                 | Black matt                                                          |
| Drip stop <i>I</i><br>mix function |                                                                         |                                                                         | •                                                                   |
| Whole fruits                       | Up to 75 mm ø                                                           | Up to 75 mm ø                                                           | Up to 130 mm ø                                                      |
| RPM                                | 60 RPM                                                                  | 50 - 60 RPM                                                             | 40 RPM                                                              |
| Inserts                            | Juice strainer, sorbet strainer                                         | Juice strainer, sorbet strainer                                         | Juice strainer, sorbet strainer                                     |
| Operation                          | Manually via button                                                     | Manually via button                                                     | Manually via button                                                 |
| Accessories                        | Juice container (0,7 I),<br>Pomace container (0,7 I),<br>Cleaning brush | Juice container (0,7 I),<br>Pomace container (0,7 I),<br>Cleaning brush | Juice container (1 I),<br>Pomace container (1 I),<br>Cleaning brush |
| Power                              | 300 Watt                                                                | 150 Watt                                                                | 250 Watt                                                            |
| Voltage                            | 220 - 240 V; 50 - 60 Hz                                                 | 220-240V~, 50-60Hz                                                      | 220-240V, 50Hz                                                      |
| Measures (WxHxD)                   | 210 x 425 x 205 mm                                                      | 200 x 440 x 205 mm                                                      | 205 x 500 x 220 mm                                                  |
| Weight                             | 3,24 kg                                                                 | 4,1 kg                                                                  | 5,1 kg                                                              |
| Certification                      | CE, GS                                                                  | CE, GS                                                                  | CE, GS                                                              |
| Packing unit                       | 1                                                                       | 1                                                                       | 1                                                                   |



# Chapter 6

# Kitchen & small household appliances



# Little helpers, big enjoyment

Our kitchen and small household appliances combine good ideas with stylish products, making them the ideal companion for a life full of enjoyment. Whether at breakfast, when baking or as part of a healthy lifestyle, fall in love with our little helpers that will make your life easier.

# GET THE MOST OUT OF EVERYDAY LIFE

CASO Design makes everyday life easier – with high-quality kitchen and small household appliances that not only impress with powerful functions and intuitive operability but also look great. The diverse range of products offers something for every taste.

For example, in addition to numerous designer egg boilers and toasters, CASO Design also offers a wide selection of innovative kitchen aids. From choppers to food dehydrators; elegant food processors, timeless mincers and environment-friendly scales. We have something for everyone and our innovative devices make cooking and food prep twice as much fun.

















# Egg boiler

E 7

Item 2774







Item 2770

Special (3)

functions

Up to 3 eggs

- + Egg boiler for up to 3 eggs
- + Space-saving design
- + Saves time, energy and water in comparison to boiling eggs on the stove
- + High-quality stainless steel operating panel
- + Electronic control of boiling time, no water measuring
- + Infinitely variable control knob for the desired degree of hardness from soft to hard (boiling time up to 15 mins)
- + Removable egg holder allows quick cooling of eggs under running water
- + Removable transparent cover with handle
- + White LED indicates the operating mode
- + Automatic switch-off with acoustic signal at the end of boiling time thanks to overheating protection
- + Easy-to-clean heating plate
- + Incl. measuring cup with integrated egg piercer

Up to 7 eggs

- + Electronic egg cooker for 7 eggs
- + High-quality stainless steel design
- + Elektronically controlled measuring of water not necessary

(7)

- + No residues (lime & minerals) on the base plate, because water doesn't evaporate completely
- + No release of odor due to leaking eggs
- + Non stick-coated cooking bowl
- + 13 cooking levels, electronically controlled
- + Control lamp with ON/OFF switch
- + Acoustic signal

Special

functions

- + Removable egg holder
- + Incl. measuring cup with egg piercer

#### Egg boiler

TESTURTEIL
Haus & Garten Test

Endnote 1,3

Sehr gut

Caso Design
E9

Sehr gut für große Elermengen
und Rezepte
Im Test Berkecher
Ausgale 3/2019\* www.hausgartentest.de

Egg boiler & steamer



Item 2772

► Up to 8 eggs

- + Electronic egg cooker for 8 eggs
- Elektronically controlled early shutdown, hence no dry cooking, no bad smells and no baking of water residues
- + High-quality stainless steel design
- + LED operating display
- + Non stick-coated cooking bowl
- + Transparent plastic cover & steam-cooking attachment
- + Acoustic signal at the end of cooking time
- + Removable egg holder
- + ON/OFF switch

Special

functions

- + Cable winding facility
- Incl. measuring cup with egg piercer and two poaching bowls

Optional use as egg boiler for up to 8 eggs or as a steam cooker for gentle preparation of fish, vegetables, potatos etc.

(8)

Up to 8 eggs

With two inserts for poached eggs and two inserts for steam cooker

Steam cooking up to 40 min

- Elektronically controlled early shutdown, hence no dry cooking, no bad smells and no baking of water residues
- + High-quality stainless steel design
- + ON/OFF switch with LED operating display
- Rotary knob for adjusting the degree of hardness and cooking time up to 40 minutes
- + Non stick-coated cooking bowl
- + Transparent plastic cover & steam-cooking attachment
- + Removable egg tray and steamer attachment for easy
- + Acoustic signal at the end of cooking time
- + Incl. measuring cup with egg piercer, two inserts for poached eggs and two inserts for steam cooker











Item 2771

Special

functions





Item 2769

#### Toaster

#### Classico T 2



Special

functions



#### Toaster

#### Classico T 2 Duo





Item 1916



+ Modern design toaster for 2 slices of toast

2

- + High-quality stainless steel housing
- + Easy to use thanks to the LED-illuminated rotary knob and control buttons
- + With an extra long toast slot for all types of toast, bread, bagels etc.
- + Optimal toasting level setting with 5 levels
- + With additional rewarming, defrosting and stop functions
- + Self-centring slots for uniform browning
- + Pull-out crumb drawer for easy cleaning
- + With practical power cord storage
- + Incl. practical and stable bun attachment



- + Stainless steel toaster for 2 slices of bread of all sizes - for perfect toast every day
- + Two wide toasting slots (38 mm) for bread, toast, bagels, etc.
- + Simple to use thanks to LED illuminated turning knob and operating buttons
- + 5 browing levels for optimum toasting individually adjustable to personal taste
- + With additional reheat, frozen and cancel functions
- + Integrated bread slice centring for an even, crunchy result
- + Removable crumb tray for easy cleaning
- + With practical power cord storage
- + Incl. practical and stable bun attachment

#### Toaster

#### Classico T 4









#### Toaster

#### Selection T 2








Item 1926



- + Modern toaster design for 4 slices of toast
- + High-quality stainless steel housing
- + Easy to use thanks to the LED-illuminated rotary knob and control buttons
- + With 2 extra long toast slots for all types of toast, bread, bagels etc.
- + Optimal toasting level setting with 5 levels
- + With additional rewarming, defrosting and stop
- + Self-centring slots for uniform browning
- + Pull-out crumb drawer for easy cleaning
- + With practical power cord storage
- + Incl. practical and stable bun attachment



- + Modern toaster design for 2 slices of toast or bread
- + With high-quality stainless steel body and LED display
- + Easy handling due to touch control panel and rotary knob
- + Optimal toasting level setting with 7 levels
- + With additional rewarming, defrosting and stop functions
- + Crumb drawer for easy cleaning
- + Self-centring slots for uniform browning
- + With practical power cord storage
- + With separate bun warmer









Item 1917









Item 2777

#### Toaster

#### Inox 2







Toaster






Item 2778

Item 2779





- + 2-slices toaster with extra wide toast slots
- + Ideal for crispy toast, sandwiches or bagels
- + Practical toast automatic
- + Extra big LCD display to show the browning degree
- + Adjustment with 6 browning levels
- + With additional defrost, stop and warming function
- + Accessories: Stable and large-area bun warmer for fast baking or thawing rolls
- + Automatic shutdown
- + Practical crumb tray



- + Elegant design made of high quality stainless steel
- + 4-slices toaster with extra long and wide toast slots
- + Ideal for crispy toast, sandwiches or bagels
- + Practical toast automatic
- + Extra big LCD display to show the browning degree
- + Adjustment with 6 browning levels
- + With additional defrost, stop and warming function
- + Accessories: Stable and large-area bun warmer for fast baking or thawing rolls
- + Automatic shutdown
- + Practical crumb tray

#### Toaster

#### Novea T 2









Toaster





Item 2776



+ 2-slices toaster with extra big roasting shafts

2

Up to 2 toasts

- + Toast automatic with motorlift
- + Front slot for one slice of toast, can be used singly
- + LCD display with countdown timer
- + Precise setting with 9 browning levels
- + With additional defrost, stop and warming function
- + Accessories: Stable and large bun warmer for quickly baking or defrosting rolls
- + Automatic shutdown

Special

functions

+ Practical crumb tray

Special

functions

chrome accents





+ Precious design made off brushed stainless steel with

- + 4-slices toaster with extra long and big roasting shafts
- + Toast automatic with motorlift
- + Front slot for two slice of toast, can be used singly
- + LCD display with countdown timer
- + Precise setting with 9 browning levels
- + With additional defrost, stop and warming function
- + Accessories: Stable and large bun warmer for quickly baking or defrosting rolls
- + Automatic shutdown
- + Practical crumb tray

















#### Kitchen scales

#### **FinoCompact**



#### Kitchen scales

#### Slim



Item 3210



Item 3201



- + Highly precise weighing scales for spices, tea, coffee, medicine, etc.
- + Exact weighing scale from 0.1 g 500 g in 0.1 g increments
- + Additional units of measurement: 0.1 500 ml / 0.01 -17.7 oz
- + Incl. brushed stainless steel weighing bowl (also suitable for other containers)
- + Tara function for adding of additional objects
- + White LED display and touch control
- + Battery operated (2x 1.5V AAA\*)
- + With practical fixing band for easy storage

Special functions



×

Sensor

- + Large glass surface
- + Sensor touch operation
- + Practical tare function
- + Very accurate load sensor up to 5 kg
- + Exact 1g measurements
- + Choice between grams (g) und oz
- + Super flat, space saving design
- + Automatic switch-off
- + Battery included

\*not included





#### Kitchen scales

LX 20



#### Kitchen scales

L 15






Item 3292





Item 3294



+ Also suitable for particularly heavy vessels: Weighing scale up to a maximum of 20 kg

20kg

Weighing scale up to 20 kg

- + Big, valuable glass weighing surface
- + Precise weighing sensor in 5 g increments
- + Selectable units: g / kg / oz / lb /ml / fl.oz
- + Intuitive sensor touch control
- + Practical tare function
- + Big, well readable display

Special

functions



- + Extra large weighing surface (30 x 22 cm) made of brushed stainless steel
- + Weighing scale up to max. 15 kg
- + Accurate weighing sensor with 1 g increments
- + Elegant touch operation
- + Large, clearly visible display
- + HOLD function: The scales shows the last measured weight permanently - for easy weighing, even with a hidden display
- + Tara function
- + Battery and overload indicator
- + Automatic shutdown



Item 3265

Batteryless

KitchenEcostyle

**AWARD** WINNER 2022

(1,5)

# Eco kitchen scales

Kitchen EcoMaster

#### Kitchen EcoMate

Eco kitchen scales


#### Eco kitchen scales

# KitchenEnergy




Item 3266

Item 3267



- Moving of the leg of the scales generates electricity for the scales for a short time (kinetic energy = energy
- of movement) + No use of batteries necessary: environmentally friendly & sustained
- + Easy to read digital display
- + Weighing units: grams, oz, water in ml, milk in ml
- + Weighing scale up to 5 kg in 1 g increments
- + With practical tare function
- + Very flat, compact design made off brushed stainless
- + Depending on the size of the bowl closed or open





Special 5kg functions Weighing scale up to 5 kg

sehr gut

(1,3)





- + Highly accurate, environment-friendly kitchen weighing
- No batteries required environment friendly & sustainable
- + By turning the Energy-Wheel energy is produced for up to 3 minutes
- + Easy-to-read LCD digital display
- + Weighing units: grams, ounces, water in ml and milk in ml
- + Weighing scale up to 5 kg in 1 g increments
- + With practical tare weight feature
- + Slim-line design
- + Automatic switch-off





Item 3268

- + Environment friendly, sustainable designer kitchen
- + Battery-free use: By turning the swivel arm kinetic energy is produced for up to 3 minutes
- + Space-saving storage thanks to flat, compact design
- + Magnetic base allows the scales to be stored on magnetic surfaces such as a fridge door
- + Accurate weighing scale up to 5 kg (in 1 g increments)
- + LCD display shows weight and weighing unit
- + With practical tare weight feature: Simple adding of additional ingredients
- + High-quality, stainless steel weighing surface (Ø 11.5
- + Units: g, oz, water (ml), milk (ml)
- + Automatic switch-off



Environmentally friendly thanks to battery-free use

+ The designer kitchen scales is always ready for action thanks to kinetic energy: Turning the energy wheel produces energy similar to a dynamo for one minute. The kinetic energy (energy of movement) is converted into electrical energy and thus generates electricity to put the balance into operation.

- + Maximum efficiency, minimum environmental impact (no use of batteries), therefore environmentally friendly and sustainable
- + Weighing scale up to max. 5 kg
- + With practical tare weight feature: Simple adding of additional ingredients
- + Accurate weighing sensor in 1g increments
- + High quality brushed stainless steel surface
- + Digital display incl. a control display of the generated energy
- + Very flat design
- + Extremely long life
- + Automatic switch-off







# **Motion creates energy**

All of the kinetic scales shown on this double page work without batteries. Turning the swivel arm or energy wheel produces energy for a short period of time. This makes batteries superfluous and these great kitchen aids sustainable and environment friendly.

#### Coffee grinder & chopper

#### Coffee & Kitchen Flavour



Item 1831



- Electric coffee grinder with stainless steel cup with 2-fold blade suitable for grinding and crushing of coffee
- Incl. a further stainless steel cup with a 4-fold blade that is ideal for the processing of nuts, pesto, herbs and spices etc.
- Many possible uses, e.g. as an onion cutter, pesto mixer or nut mill
- + Pulse switch with transparent lid
- + Case, blade and housing made of duranle stainless steel
- Capacity for up to 90 g coffee beans (capacity for approx. 4-8 cups)
- + Individual grinding degree from coarse to fine (due to the duration of grinding)
- + Powerful 200 watt motor
- + Safety function: can only be used with the lid on
- + Cable winding facility

#### Multi chopper

#### **UZ 400**



Item 1748



- Very versatile: Slices and chops up fruits, vegetables, onions, garlic, meat, fish, nuts, etc. in a matter of seconds
- + 2 speed settings
- + Robust glass container with a capacity of 1.2 liter
- + 4 high quality blades made of stainless steel
- + Practical protective caps for the blades to ensure safe storage
- + Easy operation by the press of a button
- + High quality stainless steel applications
- + Secure stand thanks to removable rubber lip
- + Can be completely dismantled into individual parts for easy cleaning

#### Multi chopper

#### Chop & Go

Special

functions



Item 1747





- + Cordless multi-chopper ready for use anywhere
- + Long-life lithium-ion battery with up to 60 min. running time (varies depending on filling quantity and speed setting)
- + Integrated battery status display via white LED light with charging indicator
- + Knife unit with 4 stainless steel blades for chopping and pureeing vegetables, fruit, meat, fish, nuts, etc.
- + Emulsifying disc for whipping and blending whipped cream, dips, dressings and much more
- + Easy to use thanks to 2 speed settings (up to 2.300 rpm.)
- Large 1.0 I glass container with non-slip mat and storage lid – Chop & Go!
- + Incl. spatula and charging cable (USB-C)
- + Easy cleaning thanks to dishwasher-safe accessories

















#### ELECTRIC MULTI-GRATER

# TESTSIEGER Haus & Garten Test gut (1,5) Caso CR4 Im Test elektrische Multiraben Ausgabe 1/2020 · www.haus-garten-test.de

#### Multi opener

D 10



Item 3542 Item 2775



- + 4 acid-etched inserts: discs, large Julienne, small Julienne and rasp insert
- + Conical shape of inserts for easier transport of rasped goods
- + Tilt mode for free selection of working angle
- + Touch control panel with five speed levels
- + Power: ca. 200 watts
- + Soft touch surface of control panel
- + High-quality stainless steel housing
- + Security delay of 3 seconds when switching on
- + All parts can be removed easily for cleaning





- + The perfect helper for the household
- Flexible to use as bottle opener, knife sharper, tin opener etc.
- + Magnetic lid holder holds separated lids for safe working
- + Very powerful motor
- + High quality stainless steel housing
- + Easy one-hand operation
- + Incl. practical cable compartment



#### Dehydrator

#### DH 450



Item 3165









- + For drying and preserving of fruit, vegetables, herbs, mushrooms, meat, nuts, grains, seeds, etc.
- + Sustainable: Enjoy regional fruit and vegetables even when out of season
- + Tasty homemade creations such as fruit, vegetable and potato crisps, fruit leather, beef jerky, muesli bars, granola, tea, treats for cats / dogs, etc.
- Healthy alternatives: You will always know what ingredients have been used / Minerals and vitamins are preserved
- + During the dehydration process water is removed from the food product, prolonging its shelf life while preserving nutrients
- + Plenty of space thanks to 5 stackable, heightadjustable drying racks
- + Temperature adjustable from 30 °C to 70 °C (in 5 °C increments)
- + Even heat distribution for optimum results
- + Practical timer adjustable from 0,5 48 hours (in 0,5 h increments) with acoustic signal when the time is up
- + With temperature and time guide on the cover
- + Cover and base in high-quality stainless steel
- + White LED screen with temperature and time display
- + Turning knob for easy temperature and time setting
- + Incl. 2 silicone moulds for muesli bars
- + Incl. 2 reusable dehydration sheets for fruit leather or to prevent drips









Item 2874

#### FW 2000



Item 2870

Special

functions

#### Mincer





Item 2872





Strong engine

and titanium-coated blades

+ Like FW 2000, but with black cast aluminum housing

Titanium-coated



- + High-quality cast aluminum housing
- + Powerful motor (800 W nominal power; 2000 W maximum power) for quick processing of up to 2,5 kg of food/min
- + Easily chops raw and cooked meat, fish and vegetables
- + With high-quality, durable titanium-refined blade
- + Versatile application possibilities thanks to extensive accessories:
- 3 perforated discs (3 mm, 5 mm and 8 mm)
- Shortbread cookie attachment with 4 molds
- Sausage stuffer
- Tamper
- Drip trav
- + Large aluminum filling tray with additional storage options for accessories
- + Includes drip tray, which also serves as a cover for the filling tray
- + Housing in an elegant black design
- + Easy assembly and disassembly of all parts
- + Convenient operation with 2 speed levels
- + Practical return function gently removes jams and residues











#### Mincer

#### FW 2500




Mincer

#### FW 2500 Black



Item 2873



- + Powerful motor (400 W nominal power; 2500 W max. power) for fast processing of up to 2.5 kg food/min.
- + With long-life direct current (DC) motor quieter in comparison to compared to AC motors
- + Easily minces raw and cooked meat, fish, vegetables, tofu, etc.
- + Numerous preparation options, e.g. (fish) meatballs, burger patties, tofu sausage, vegetable patties, shortbread and much more
- + With high-quality, long-lasting titanium-coated blade
- + Convenient operation with 2 speed levels
- + Strong suction feet for a secure stand
- + Burger press for 2 patty sizes and for stuffed patties
- + Space-saving storage of accessories in the filling tray
- + Easy assembly and disassembly of all parts easy cleaning
- + Practical return function gently removes jams and remnants
- + Durable metal gear and metal gear shaft
- + Burger press for 2 patty sizes and for stuffed patties
- + Space-saving storage of accessories in the filling tray
- 3 stainless steel cutting plates (3 mm, 5 mm and 8
- Sausage filler
- · Cookie attachment with 4 moulds
- Stuffer

Special functions





+ Like FW 2500, with black housing













#### Kitchen machine

#### KM 1800 Black-E



Item 3156







- + Elegant food processor with matt black cast aluminium housing and powerful 1800 watts
- + Large 6 I stainless steel bowl with handle (dishwasher safe)
- + Perfect results thanks to planetary mixer (mixing element also rotates on its own axis)
- + LED display with touch control
- + Secure stand thanks to strong suction cups
- + 10 speed settings
- + Practical timer function with auto-stop or counter function for an overview of the runtime
- + Dishwasher-safe accessories:
- Dough hook, non-stick coated
- Flat beater, non-stick coated
- Whisk
- Splash guard with filling chute
- Silicone dough scraper







#### Kitchen machine

#### KM 1800 Black-G



Item 3157







+ Like KM 1800 Black-E, nbut with large 4.5 I glass bowl with handle, spout and measuring scale (dishwasher safe)

Versatile accessories on page 166 - 168







#### Accessories KM 1800 Black

#### Glass bowl with 3 stirrer

#### Stainless steel bowl with 3 stirrer





Item 3158





+ 6 liter stainless steel with handle for KM 1800 Black

(Art.No. 3156 / Art.No. 3157) + Easy to clean

Special

functions

- + Incl. dishwasher-safe accessories:
- Dough hook, non-stick coated
- Flat beater, non-stick coated
- Whisk
- · Splash guard with filling chute



+ 4.5 liter glass bowl with handle, pouring spout and measuring markings for kitchen machine KM 1800 Black (Art. No. 3156 / Art. No. 3157)

Item 3159

- + Easy to clean
- + Incl. dishwasher-safe accessories:
- Dough hook, non-stick coated
- Flat beater, non-stick coated
- Whisk
- Splash guard with filling chute





#### Accessories KM 1800 Black


#### Mincer

Special

functions



Item 3161



- + The perfect addition to kitchen machine KM 1800 Black, e.g. for making meatballs and burger patties
- + Mince meat in the mincer attachment and then process it directly in the KM 1800
- + Easy assembly of the meat grinder attachment on the motor head of the kitchen machine
- + 4 stainless steel blades for an easy, quick chopping of raw and cooked meat, fish and vegetables
- + 3 stainless steel perforated discs in fine, medium and
- + The stainless steel or glass bowl of the kitchen machine can be used as a collection container and makes subsequent processing in the KM 1800 Black easier
- + Including stainless steel sausage attachments for making homemade sausages in 3 different sizes (dishwasher safe)
- + Practical 2 in 1 tamper: for safe use and for storing the sausage attachments
- + Large filling tray enables larger quantities to be processed



Accessories KM 1800 Black

#### Multigrater



Item 3160



- + Multi-grater for Kitchen Machine KM 1800 Black (Art. No. 3156 / Art.No. 3157)
- + Versatile uses through three different, interchangeable drum inserts made of stainless steel for fine and coarse rasps and for slices
- + For quick and easy cutting, rasping and the grating of fruits, vegetables, cheese, nuts and chocolate etc. (e.g. for salads, potato pancakes, cakes etc.)
- + Simple assembly of the filling chute on the motor head
- + Simple assembly and disassembly of the drum as well easy cleaning thanks to dishwasher suitability
- + Practical tamper for safe use



#### Accessories KM 1800 Black

#### Fettuccine cutter

# Spaghetti cutter

#### Pasta roller



Item 3163 Item 3164 Item 3166

Special functions



- + The perfect addition to the kitchen + Like Fettuccine cutter, difference: machine KM 1800 Black – Make pasta dough with the food processor and then process with the Fettuccine
- + Easy assembly of the pasta attachments on the motor head food processor
- + High-quality attachment made of stainless steel
- + Fettuccine cutter for tagliatelle with a width of 6,5 mm
- + Easy to clean thanks to the practical cleaning brush

- + Spaghetti cutter for even, fine spaghetti with a width of 2 mm
- + Like Fettuccine cutter, difference:
- + Multifunctional pasta roller with adjustable thickness in 8 levels: For lasagne sheets, cannelloni or the further processing into spaghetti or fettuccine







#### Party pan



#### Versatile use:

- + Pizza
- + Hamburger
- + Meatballs
- + Sausages
- + Steaks
- + Fried potatoes
- + Vegetables
- + Scrambled
- eggs and more

Item 1491







Temperature up to 240 °C

- + Ideal for pizzas, hamburgers, meatballs, sausages, steaks, fried potatoes, vegetables, scrambled eggs and much more
- + High quality, non-stick coated frying surface
- + Glass lid with vapour-escape outlet
- + Temperature control up to approx. 240 °C
- + Keep-hot function

Special functions







# Kitchen & small household appliances



| Product name                          | E 3                            | E 7                            | E 9                                                          | ED 10                                                                                       |
|---------------------------------------|--------------------------------|--------------------------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Item                                  | 2774                           | 2770                           | 2771                                                         | 2772                                                                                        |
| EAN                                   | 40 38437 02774 7               | 40 38437 02770 9               | 40 38437 02771 6                                             | 40 38437 02772 3                                                                            |
| Housing / colour                      | Stainless steel                | Stainless steel                | Stainless steel                                              | Stainless steel                                                                             |
| Integrated steamer                    |                                |                                |                                                              |                                                                                             |
| Operation                             | Manually                       | Manually                       | Manually                                                     | Manually                                                                                    |
| Eggs                                  | Up to 3 eggs                   | Up to 7 eggs                   | Up to 8 eggs                                                 | Up to 8 eggs                                                                                |
| Timer function                        | Up to 15 min                   | Up to min                      | Up to 16 min                                                 | Up to 40 min                                                                                |
| Electronic cooking time control       |                                |                                |                                                              |                                                                                             |
| Acoustic signal                       |                                |                                |                                                              |                                                                                             |
| ON/OFF switch                         |                                |                                |                                                              |                                                                                             |
| Automatic shutdown                    |                                |                                |                                                              |                                                                                             |
| Accessories                           | Measuring cup with egg piercer | Measuring cup with egg piercer | Measuring cup with egg piercer,<br>2 inserts for poached egg | Measuring cup with egg piercer,<br>2 inserts for poached egg,<br>2 inserts for steam cooker |
| Power                                 | 210 Watt                       | 350 - 380 Watt                 | 400 Watt                                                     | 400 Watt                                                                                    |
| Voltage                               | 220-240 V~ 50-60Hz             | 230-240V~, 50Hz                | 220-240V~ 50/60Hz                                            | 220-240V~ 50/60Hz                                                                           |
| Measures (WxHxD)                      | 75 x 135 x 215 mm              | 200 x 150 x 200 mm             | 175 x 170 x 190 mm                                           | 170 x 230 x 180 mm                                                                          |
| Weight                                | 0,49 kg                        | 0,5 kg                         | 1 kg                                                         | 1,3 kg                                                                                      |
| Certification                         | CE, GS                         | CE, GS                         | CE, GS                                                       | CE, GS                                                                                      |
| Packing unit                          | 6                              | 4                              | 4                                                            | 2                                                                                           |
| · · · · · · · · · · · · · · · · · · · | I                              |                                |                                                              |                                                                                             |





| Product name                       | Classico T 2                  | Classico T 2 Duo                | Classico T 4                  | Selection T 2                  | Inox 2                     | lnox 4                     | Novea T 2                 | Novea T 4                       |
|------------------------------------|-------------------------------|---------------------------------|-------------------------------|--------------------------------|----------------------------|----------------------------|---------------------------|---------------------------------|
| Item                               | 1916                          | 1917                            | 1926                          | 2769                           | 2778                       | 2779                       | 2776                      | 2777                            |
| EAN                                | 40 38437 01916 2              | 40 38437 01917 9                | 40 38437 01926 1              | 40 38437 02769 3               | 40 38437 02778 5           | 40 38437 02779 2           | 40 38437 02776 1          | 40 38437 02777 8                |
| Housing / colour                   | Stainless steel               | Stainless steel                 | Stainless steel               | Stainless steel                | Stainless steel            | Stainless steel            | Stainless steel           | Stainless steel                 |
| Operation                          | Manually, with rotary control | Manually, with rotary control   | Manually, with rotary control | Manually, with touch operation | Manually,<br>with buttons  | Manually,<br>with buttons  | Manually,<br>with buttons | Manually,<br>with buttons       |
| Toasts                             | Up to 2 toasts                | Up to 2 toasts                  | Up to 4 toasts                | Up to 2 toasts                 | Up to 2 toasts             | Up to 4 toasts             | Up to 2 toasts            | Up to 4 toasts                  |
| Display                            | LED                           | LED                             | LED                           | LED                            | LCD                        | LCD                        | LCD                       | LCD                             |
| Browning levels                    | 5                             | 5                               | 5                             | 7                              | 6                          | 6                          | 9                         | 9                               |
| Motor lift                         |                               |                                 |                               |                                |                            |                            | •                         |                                 |
| Defrost, stop and warming function |                               |                                 |                               | •                              |                            |                            |                           |                                 |
| Automatic shutdown                 |                               |                                 |                               |                                |                            |                            |                           |                                 |
| Accessories                        | Bun warmer                    | Bun warmer                      | Bun warmer                    | Bun warmer                     | Bun warmer                 | Bun warmer                 | Bun warmer                | Bun warmer                      |
| Power                              | 900 - 1050 Watt               | 750 - 850 Watt                  | 1180 - 1400 Watt              | 770 - 920 Watt                 | 880 - 1050 Watt            | 1512 - 1850 Watt           | 800 Watt                  | 1340 - 1600 Watt                |
| Voltage                            | 220-240V, 50/60Hz             | 220 V - 240 V;<br>50 Hz / 60 Hz | 220-240V, 50/60Hz             | 220-240V~, 50/60Hz             | 220 V - 240 V;<br>50/60 Hz | 220 V - 240 V;<br>50/60 Hz | 220-240V, 50/60Hz         | 220 V - 240 V;<br>50 Hz / 60 Hz |
| Measures (WxHxD)                   | 400 x 185 x 115 mm            | 285 x 185 x 160 mm              | 395 x 185 x 10 mm             | 260 x 190 x 195 mm             | 240 x 200 x 195 mm         | 420 x 200 x 200 kg         | 280 x 195 x 196 mm        | 385 x 230 x 200 mm              |
| Weight                             | 1,5 kg                        | 1,16 kg                         | 1,8 kg                        | 1,4 kg                         | 1,7 kg                     | 2,3 kg                     | 2,1 kg                    | 2,9                             |
| Certification                      | CE, GS                        | CE, GS                          | CE, GS                        | CE, GS                         | CE, GS                     | CE, GS                     | CE, GS                    | CE, GS                          |
| Packing unit                       | 1                             | 4                               | 1                             | 1                              | 1                          | 1                          | 1                         | 1                               |

# Kitchen & small household appliances



| Product name     | FinoCompact                         | Slim                     | LX 20                    | L 15              | KitchenEcostyle                   | Kitchen EcoMaster                  | Kitchen EcoMate                   | KitchenEnergy                       |
|------------------|-------------------------------------|--------------------------|--------------------------|-------------------|-----------------------------------|------------------------------------|-----------------------------------|-------------------------------------|
| Item             | 3201                                | 3210                     | 3294                     | 3292              | 3266                              | 3267                               | 3268                              | 3265                                |
| EAN              | 40 38437 03201 7                    | 40 38437 03210 9         | 40 38437 03294 9         | 40 38437 03292 5  | 40 38437 03266 6                  | 40 38437 03267 3                   | 40 38437 03268 0                  | 40 38437 03265 9                    |
| Housing / colour | Black <i>l</i> stainless steel bowl | Glass / black            | Glass / white            | Stainless steel   | Stainless steel                   | Stainless steel <i>I</i><br>black  | Stainless steel                   | Stainless steel                     |
| Operation        | Manually                            | Manually                 | Manually                 | Sensor-touch      | Manually                          | Manually                           | Manually                          | Manually                            |
| Eco friendly     |                                     |                          |                          |                   |                                   |                                    |                                   |                                     |
| Display          | LCD                                 | LCD                      | LED                      | LCD               | LCD                               | LCD                                | LCD                               | LCD                                 |
| Tara function    | •                                   |                          |                          |                   |                                   |                                    |                                   |                                     |
| Hold function    |                                     |                          |                          |                   |                                   |                                    |                                   |                                     |
| Weighing scale   | Bis 500 g                           | Bis 5 kg                 | Bis 20 kg                | Bis 15 kg         | Bis 5 kg                          | Bis 5 kg                           | Bis 5 kg                          | Bis 5 kg                            |
| Weighing sensor  | 0,1 g                               | 1 g                      | 5 g                      | 1 g               | 1 g                               | 1 g                                | 1 g                               | 1 g                                 |
| Weighing units   | g, ml, oz                           | ģ, oz                    | g, kg, oz, lb, ml, fl.oz | g, kg, lb: oz, oz | g, oz, water in ml,<br>milk in ml | g, oz, watser in ml,<br>milk in ml | g, oz, water in ml,<br>milk in ml | g, oz, lb: oz,<br>water-ml, milk-ml |
| Batteries        | 2 x 1,5 V AAA                       | 1x CR2032<br>(inklusive) | 2 x 1,5 V AAA            | 4 x 1,5 V AAA     | No, thanks to kinetic energy      | No, thanks to kinetic energy       | No, thanks to kinetic energy      | No, thanks to kinetic energy        |
| Measures (WxHxD) | 80 x 33 x 115 mm                    | 145 x 18 x 200 mm        | 300 x 20 x 320 mm        | 310 x 30 x 260 mm | 65 x 30 x 220 mm                  | 195 x 30 x 185 mm                  | 175 x 35 x 115 mm                 | 190 x 35 x 245 mm                   |
| Weight           | 0,13 kg                             | 0,4 kg                   | 0,96 kg                  | 1,1 kg            | 0,19 kg                           | 0,3 kg                             | 0,2 kg                            | 0,4 kg                              |
| Certification    | CE                                  | CE                       | CE                       | CE                | CE                                | CE                                 | CE                                | CE                                  |
| Packing unit     | 10                                  | 6                        | 6                        | 4                 | 6                                 | 6                                  | 6                                 | 4                                   |
|                  |                                     |                          |                          |                   |                                   |                                    |                                   |                                     |

#### Choppers / multi-grater / multi-opener












|                  | _                            |                                        |                                                                                                        |                       |                                                        |
|------------------|------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------|
| Product name     | Coffee & Kitchen Flavour     | UZ 400                                 | Chop & Go                                                                                              | CR 4                  | D 10                                                   |
| Item             | 1831                         | 1748                                   | 1747                                                                                                   | 3542                  | 2775                                                   |
| EAN              | 40 38437 01831 8             | 40 38437 01748 9                       | 40 38437 01747 2                                                                                       | 40 38437 03542 1      | 40 38437 02775 4                                       |
| Housing / colour | Stainless steel              | Stainless steel                        | Black                                                                                                  | Stainless steel       | Stainless steel                                        |
| Operation        | Manually, pulse switch       | Manually, 2 buttons                    | Manually, 2 buttons                                                                                    | Manually, soft touch  | Manually                                               |
| Capacity         | 4 - 8 cups of coffee         | 1,2                                    | 11                                                                                                     |                       |                                                        |
| RPM              | 24.000 RPM                   | Level 1: 2650 RPM<br>Level 2: 3900 RPM | Level 1: 2100 RPM<br>Level 2: 2300 RPM                                                                 |                       |                                                        |
| Special features | 2 cups                       |                                        | Wireless / battery operated                                                                            | Tilt mode             | Bottle opener, knife sharper,<br>tin opener all in one |
| Accessories      | 2 stainless steel cups       | Blade guard                            | Blade guard, emulsifying disc,<br>storage lid, USB-C charging cable<br>(without power supply), spatula | 4 acid-etched inserts |                                                        |
| Power            | 200 Watt                     | 400 Watt                               | 200 Watt                                                                                               | 200 Watt              | 68 Watt                                                |
| Voltage          | 220 V - 240 V; 50 Hz / 60 Hz | 220-240V~, 50-60 Hz                    | 10,8V (3 x 3.6V), 2000mAh                                                                              | 220-240V~ 50/60Hz     | 220 - 240V, 50 Hz                                      |
| Measures (WxHxD) | 100 x 205 x 100 mm           | 180 x 260 x 180 mm                     | 150 x 230 x 150 mm                                                                                     | 115 x 305 x 195 mm    | 125 x 240 x 140 mm                                     |
| Weight           | 1 kg                         | 1,7 kg                                 | 1,64 kg                                                                                                | 1,6 kg                | 1,2 kg                                                 |
| Certification    | CE, GS                       | CE, GS                                 | CE                                                                                                     | CE                    | CE, GS                                                 |
| Packing unit     | 4                            | 4                                      | 6                                                                                                      | 2                     | 4                                                      |
|                  | I .                          |                                        |                                                                                                        |                       |                                                        |

# Kitchen & small household appliances



| Product name        | DH 450                                                                                     |
|---------------------|--------------------------------------------------------------------------------------------|
| Item                | 3165                                                                                       |
| EAN                 | 40 38437 03165 2                                                                           |
| Housing / colour    | Stainless steel                                                                            |
| Operation           | Manually, buttons and rotary knob                                                          |
| Display             | LED                                                                                        |
| Temperature setting | 30 - 70 °C                                                                                 |
| Time setting        | 0,5 - 48 h                                                                                 |
| Special features    | Temperature and time guide on the lid                                                      |
| Accessories         | 5 stackable drying racks,<br>2 silicone moulds for<br>muesli bars,<br>2 dehydration sheets |
| Power               | 370 - 450 Watt                                                                             |
| Voltage             | 220-240 V~, 50-60 Hz                                                                       |
| Measures (WxHxD)    | 320 x 210 x 260 mm                                                                         |
| Weight              | 2,9 kg                                                                                     |
| Certification       | CE, GS                                                                                     |
| Packing unit        | 2                                                                                          |
|                     |                                                                                            |



| Product name     | FW 2000                                                                                                              | FW 2000 Black                                                                                                        | FW 2500                                                                                                                                  | FW 2500 Black                                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| Item             | 2870                                                                                                                 | 2872                                                                                                                 | 2873                                                                                                                                     | 2874                                                                                                                   |
| EAN              | 40 38437 02870 6                                                                                                     | 40 38437 02872 0                                                                                                     | 40 38437 02873 7                                                                                                                         | 40 38437 02874 4                                                                                                       |
| Housing / colour | Cast aluminum                                                                                                        | Cast aluminum, black                                                                                                 | Cast aluminum                                                                                                                            | Cast aluminum, black                                                                                                   |
| Operation        | Rotary knob                                                                                                          | Rotary knob                                                                                                          | Rotary knob                                                                                                                              | Rotary knob                                                                                                            |
| Blades           | Titanium-coated                                                                                                      | Titanium-coated                                                                                                      | Titanium-coated                                                                                                                          | Titanium-coated                                                                                                        |
| Speed levels     | 2                                                                                                                    | 2                                                                                                                    | 2                                                                                                                                        | 2                                                                                                                      |
| Return function  | •                                                                                                                    |                                                                                                                      |                                                                                                                                          |                                                                                                                        |
| Accessories      | 3 cutting plates<br>(3/5/8 mm),<br>cookie attachment,<br>sausage filler, stuffer,<br>collection pan,<br>filling tray | 3 cutting plates<br>(3/5/8 mm),<br>cookie attachment,<br>sausage filler, stuffer,<br>collection pan,<br>filling tray | 3 cutting plates<br>(3/5/8 mm),<br>cookie attachment,<br>sausage filler, stuffer,<br>collection pan,<br>filling tray<br>2 burger presses | 3 cutting plates (3/5/8 mm), cookie attachment, sausage filler, stuffer, collection pan, filling tray 2 burger presses |
| Power            | 800 Watt /<br>max. 2000 Watt (locked)                                                                                | 800 Watt /<br>max. 2000 Watt (locked)                                                                                | 400 Watt                                                                                                                                 | 400 Watt                                                                                                               |
| Voltage          | 220 V - 240 V; 50/60 Hz                                                                                              | 220 V - 240 V;<br>50 Hz - 60 Hz                                                                                      | 220 V - 240 V;<br>50 Hz - 60 Hz                                                                                                          | 220 V - 240 V;<br>50 Hz - 60 Hz                                                                                        |
| Measures (WxHxD) | 370 x 355 x 180 mm                                                                                                   | 370 x 355 x 180 mm                                                                                                   | 375 x 310 x 170 mm                                                                                                                       | 375 x 310 x 170 mm                                                                                                     |
| Weight           | 5,1 kg                                                                                                               | 5,5 kg                                                                                                               | 4,6 kg                                                                                                                                   | 4,6 kg                                                                                                                 |
| Certification    | CE, GS                                                                                                               | CE, GS                                                                                                               | CE, GS                                                                                                                                   | CE, GS                                                                                                                 |
| Packing unit     | 1                                                                                                                    | 1                                                                                                                    | 1                                                                                                                                        | 1                                                                                                                      |







#### Electric pan



| Product name     | KM 1800 Black-E                                             | KM 1800 Black-G                                             |  |
|------------------|-------------------------------------------------------------|-------------------------------------------------------------|--|
| Item             | 3156                                                        | 3157                                                        |  |
| EAN              | 40 38437 03156 0                                            | 40 38437 03157 7                                            |  |
| Housing / colour | Cast aluminum, black matt                                   | Cast aluminum, black matt                                   |  |
| Operation        | Touch operation                                             | Touch operation                                             |  |
| Display          | LED                                                         | LED                                                         |  |
| Bowl             | Stainless steel, 6 I volume                                 | Stainless steel, 6 I volume                                 |  |
| Planetary mixer  |                                                             |                                                             |  |
| Speed levels     | 10                                                          | 10                                                          |  |
| Accessories      | Dough hook, flat beater, whisk, splash guard, dough scraper | Dough hook, flat beater, whisk, splash guard, dough scraper |  |
| Power            | 1800 Watt                                                   | 1800 Watt                                                   |  |
| Voltage          | 220-240 V; 50-60 Hz                                         | 220-240 V; 50-60 Hz                                         |  |
| Measures (WxHxD) | 390 x 355 x 205 mm                                          | 390 x 355 x 205 mm                                          |  |
| Weight           | 7,25 kg                                                     | 7,25 kg                                                     |  |
| Certification    | CE, GS                                                      | CE, GS                                                      |  |
| Packing unit     | 1                                                           | 1                                                           |  |

| Product name      | Partypfanne            |  |  |
|-------------------|------------------------|--|--|
| Item              | 1491                   |  |  |
| EAN               | 40 38437 01491 4       |  |  |
| Housing / colour  | Stainless steel, black |  |  |
| Operation         | Rotary knob            |  |  |
| Temperature       | Up to 240 °C           |  |  |
| Non-stick coating | •                      |  |  |
| Power             | 1500 Watt              |  |  |
| Voltage           | 220-240V-, 50/60Hz     |  |  |
| Measures (WxHxD)  | 490 x 160 x 430 mm     |  |  |
| Weight            | 1,55 kg                |  |  |
| Certification     | CE, GS                 |  |  |
| Packing unit      | 4                      |  |  |

#### Accesories KM 1800 Black











| Product name  | Stainless steel bowl with 3 stirrers               | Glass bowl with 3 stirrers                         | Mincer                                                   | Multi grater              | Fettuccine cutter | Spaghetti cutter | Pasta roller     |
|---------------|----------------------------------------------------|----------------------------------------------------|----------------------------------------------------------|---------------------------|-------------------|------------------|------------------|
| Item          | 3158                                               | 3159                                               | 3161                                                     | 3160                      | 3163              | 3164             | 3166             |
| EAN           | 40 38437 03158 4                                   | 40 38437 03159 1                                   | 40 38437 03161 4                                         | 40 38437 03160 7          | 40 38437 03163 8  | 40 38437 03164 5 | 40 38437 03166 9 |
| Material      | Stainless steel                                    | Glass                                              | Stainless steel                                          | Stainless steel, plastic  | Stainless steel   | Stainless steel  | Stainless steel  |
| Volume        | 61                                                 | 4,5 I                                              |                                                          |                           |                   |                  |                  |
| Accessories   | Dough hook, flat<br>beater, whisk,<br>splash guard | Dough hook, flat<br>beater, whisk,<br>splash guard | 3 perforated discs,<br>3 sausage attachments,<br>stuffer | 3 drum insert,<br>stuffer |                   |                  |                  |
| Certification | CE                                                 | CE                                                 | CE                                                       | CE                        | CE                | CE               | CE               |
| Packing unit  | 2                                                  | 2                                                  | 10                                                       | 20                        | 10                | 10               | 10               |
|               |                                                    |                                                    |                                                          |                           |                   |                  |                  |

Item 3415

# **BODY ENERGY TECHNOLOGY: ENERGY WITHOUT BATTERY**

Designer bathroom weighing scales with Body Energy technology are powered by kinetic energy, meaning that they are always ready to use. Energy is generated for one minute by pressing the power button.

Environmentally friendly thanks to battery-free use

## Body scales

# **Body Energy Ecostyle**



#### Body scales

# **Body Energy**







Item 3416



- 200 Special kģ functions Batteryless
- + This design personal scale is always ready for use as a result of body energy technology: By activating the power button, energy is generated for one minute. Kinetic energy (energy of movement) is converted into electrical energy and, as a result of activation of the power button, kinetic energy generates electricity which brings the scales into operation.

180

kģ

- + Maximum efficiency and minimal environmental burden (no use of batteries), so they spare the environment and are durable
- + High quality all-glass surface
- + Extremely long life

Special

functions

- + Digital display incl. control display of generated energy
- + Up to 180 kg in 100 g increments

- This design personal scale is always ready for use as a result of body energy technology: By activating the power button, energy is generated for one minute. Kinetic energy (energy of movement) is converted into electrical energy and, as a result of activation of the power button, kinetic energy generates electricity which brings the scales into operation.
- Maximum efficiency and minimal environmental burden (no use of batteries), so they spare the environment and are durable
- + High quality all-glass surface
- + Extremely long life
- + Digital display incl. control display of generated energy
- + Up to 200 kg in 100 g increments







Kinetic energy (created by movement) is converted into electrical energy, thus generating electricity to power the scales.

Your benefit: The scales are almost never "dead". There is no battery with toxic heavy metals to dispose of. The German Federal Environmental Agency recommends, "Avoid batteries wherever possible. Buy mains-operated or battery-free appliances."\*

\* www.umweltbundesamt.de/umwelttipps-fuer-den-alltag/elektrogeraete/

# Kitchen & small household appliances



| Product name     | Body Energy Ecostyle | Body Energy       |
|------------------|----------------------|-------------------|
| Item             | 3416                 | 3415              |
| EAN              | 40 38437 03416 5     | 40 38437 03415 8  |
| Housing / colour | Glass / white        | Glass / white     |
| Operation        | Power Button         | Power Button      |
| Display          | LED                  | LED               |
| Eco friendly     |                      |                   |
| Weighing scale   | 180 kg               | 200 kg            |
| Weighing sensor  | 100 g                | 100 g             |
| Measures (WxHxD) | 300 x 45 x 300 mm    | 340 x 45 x 295 mm |
| Weight           | 1,4 kg               | 1,8 kg            |
| Certification    | CE                   | CE                |
| Packing unit     | 2                    | 2                 |

# CASO Design online

# Social media & websites




















# Website:

www.caso-design.de

# CASO app portal:

www.casoapp.com

CASO apps: www.myfoodmanager.de www.caso-winemanager.com www.casocontrol.de





# Chapter 7 Cooling & dry aging



# It depends on the temperature

Whether red wine with an aromatic bouquet; a crisp white wine; a well-chilled beer or cool summer drinks, CASO Design wine and barbecue coolers ensure maximum enjoyment. Ice cube makers and ice cream machines deliver that extra helping of coolness. And if you like tasty, tender meat, then you will love the CASO Design Dry Aged Cooler. There is no better way to get the best out of your meat!

# ALWAYS PERFECTLY COOLED

Whether freestanding, built-in or undercounter, High-quality CASO Design wine refrigerators are perfect additions to any kitchen or living area, delivering functionality and convenience. Barbecue coolers are a great way to ensure you always have well-chilled drinks and ideal for covered patios and outdoor kitchens. Not to mention our exclusive lounge table with a sound bar.

High-quality dry aged coolers also offer a special taste experience, creating the perfect conditions for the traditional dry aging process. There is no better way to get the best out of your meat. And if you need to cool down, then try our ice cream machines that enable you to make tasty treats in the blink of an eye.


















#### Enjoy wine with your meal

# Stable temperatures thanks to CASO Design

For many connoisseurs, gourmet cuisine must be accompanied by a great white or red wine, depending on what they are eating.

Without a doubt, the perfect wine rounds off a good meal. Achieving the ideal drinking temperature is an essential element of this. Wine coolers are a great way to keep wine that has been stored in a CASO Design wine refrigerator at a desired temperature ranging from 5 to 18°C when served at the table.

Other drinks such as mineral water, lemonade or sparkling wine can also be chilled and kept cool.



#### Wine cooler for 1 bottle

#### VinoCase Black



Item 615



- + Modern table-top wine cooler, ideal to maintain the temperature of an already chilled bottle of wine, champagne, sparkling wine, etc.
- + Suitable for all bottles with a diameter up to 9 cm
- + High-quality, elegant matt black housing enables you to perfectly stage your favourite wine on any table/ sideboard
- + Temperature electronically adjustable from 5 to 18 °C\* in 1 °C - increments (or 41 to 64 °F in 1 °F increments) - for the optimum drinking temperature
- + White LED temperature display with practical sensor touch controls
- + Ouiet operation
- + Compact size for space-saving storage

#### Wine cooler for 1 bottle

#### WineCase One Inox







- + High quality wine cooler for one bottle (up to 9 cm Ø)
- + Ideal for maintaining the temperature of an already cooled bottle of wine, champagne, sparkling wine, etc.
- + Put your favourite wine in the limelight
- + Noble design with stainless steel housing
- + Compact size perfect on every sideboard
- + Temperature electronically adjustable from 5 18 °C\* in 1°C steps (or 41 - 64 °F in 1 °F steps)
- + White LED temperature display
- + Practical sensor touch operation

#### Wine cooler for 1 bottle

#### WineCase One Black




Item 614



+ Like WineCase One Inox, but with black stainless steel








#### Wine coolers

#### Series WineComfort Smart



- + High quality wine control device with compressor
- + Via integrated Wi-Fi module and with the CASO app controllable from almost anywhere
- + CASO app monitors and reports any errors in seconds
- + Two separate temperature zones, individually adjustable for white & red wine
- + Sensor-touch operation
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Active fans per temperature zone ensuring a very even temperature per zone

- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)\*\*
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant stainless steel front and ergonomic handle
- + With lockable door

#### Smart Kitchen

# Temperature control easily via the CASO Control app

Every wine has its own character that becomes more pronounced as it ages. CASO Design wine refrigerators provide the ideal conditions required for this process.

The CASO CONTROL APP allows you to easily regulate the perfect storage temperature for your wine.\*\*

- · Perfect temperature control on the go
- App development 'Made in Germany'
- Monitors your wine refrigerator
- Easy control from almost anywhere
- · For Android and iOS


#### www.casocontrol.de



180

#### **SCAN ME** DOWNLOAD

\*\* All Wi-Fi-enabled wine coolers can, of course, also be controlled manually on the unit without using the CASO





#### WineComfort 240 Smart

- + Storage of up to 24 bottles (up to 310 mm in height)\*
- + Six wood storage shelves (five of them with ball bearing extensions)

#### WineComfort 380 Smart

- + Storage of up to 38 bottles (up to 310 mm in height)\*
- + Seven wood storage shelves (six of them with ball bearing extensions)

#### WineComfort 660 Smart

- + Storage of up to 66 bottles (up to 310 mm in height)\*
- Seven wood storage shelves (six of them with ball bearing extensions)

#### WineComfort 1260 Smart

- + Storage of up to 126 bottles (up to 310 mm in height)\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### WineComfort 1800 Smart

- + Storage of up to 180 bottles (up to 310 mm in height)\*
- + Eight wood storage shelves (even of them with ball bearing extensions) incl. one with a device for presenting your best wines

Item 730

#### Wine coolers with base ventilation

#### Series WineChef Pro




- + WiFi Smart Control comfortable control from almost anywhere due to the innovative CASO Control App
- + CASO app monitors and reports any errors in seconds
- + Two separate temperature zone
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)\*\*
- + High quality stainless steel design
- + Sensor-Touch operation
- temperature per zone
- used free-standing or can be built under (WineChef Pro 40) resp. convertible (WineChef Pro 126 / 126-2D /

- + Lockable door











With a wooden storage shelf that can be tilted to display your wines (for models WineChef Pro 126, 126-2D, 180)



#### WineChef Pro 40

- + Storage of up to 40 bottles\*
- + Five wood storage shelves (four of them with ball bearing extensions)

#### WineChef Pro 126

- + Storage of up to 126 bottles\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### WineChef Pro 126-2D

- + With two doors for each zone
- + Storage of up to 126 bottles\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### WineChef Pro 180

- + Storage of up to 180 bottles\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### Wine coolers with base ventilation

#### Series WineChef Pro Black





















The ventilation located at the front of the device under the base makes it possible to use WineChef Pro Black wine refrigerators both as freestanding appliances as well as also as convertible and integrated  $% \left( x\right) =\left( x\right) +\left( x\right) =\left( x\right)$ 

#### Wine cooler

#### WineComfort 24 black

Item 644



- + High quality wine cooler with compressor technology
- + Two separate temperature zones for white and red wine, individually adjustable via sensor touch operation
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Storage of up to 24 bottles (up to 310 mm height)\*
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)\*\*
- + LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design and elegant handle
- + Five wood storage shelves
- + Lockable door





#### WiFi Smart Control – comfortable control from almost anywhere due to the innovative CASO Control App

- + High quality wine cooler with compressor technology
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Thanks to cooling above the device base, it can be used freely or can be built under
- + Two separate temperature zones for white and red wine, individually adjustable
- + Temperature electronically adjustable from 5 20 °C (41 - 68 °F)\*\* + Active fans per temperature zone ensuring a very even
- temperature per zone
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Sensor-touch operation
- + White LED temperature display of the cooling zones
- + Switchable interior lighting
- + Timeless design with elegant, black stainless steel front and ergonomic handle
- + Lockable door



#### WineChef Pro 126-2D Black

- + With two doors for each zone
- + Storage of up to 126 bottles\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

AV 178 00

#### WineChef Pro 180 Black

- + Storage of up to 180 bottles\*
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### WineChef Pro 40 Black

- + Storage of up to 40 bottles (up to 310 mm height)\*
- + Five wood storage shelves (four of them with ball bearing extensions)

temperature at the installation site

#### Wine coolers with base ventilation

#### Series WineExclusive Smart




Special

functions









- + Via integrated Wi-Fi Module and with the CASO Control App contrillable from almost everywhere
- + Two separate temperature zones for white and red wine, individually adjustable via sensor touch
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Storage of up to 24 / 38 / 66 / 126 / 180 bottles (up to 310 mm height)\*





With a wooden storage shelve with a device for presenting your best wines (model WineExklusive 126 / 180 Smart)





#### WineExclusive 24 Smart

+ Six wood storage shelves (five of them with ball bearing extensions)

#### WineExclusive 38 Smart

- + Active fans per temperature zone ensuring a very even temperature per zone
- + Seven wood storage shelves (six of them with ball bearing extensions)

#### WineExclusive 66 Smart

- + Active fans per temperature zone ensuring a very even temperature per zone
- Seven wood storage shelves (six of them with ball bearing extensions)

#### WineExclusive 126 Smart

- + Active fans per temperature zone ensuring a very even temperature per zone
- + Seven wood storage shelves (six of them with ball bearing extensions) incl. one with a device for presenting your best wines

#### WineExclusive 180 Smart

- + Active fans per temperature zone ensuring a very even temperature per zone
- + Eight wood storage shelves (seven of them with ball bearing extensions) incl. one with a device for presenting your best wines **192** | 193

#### Better view of wines and drinks

# Wine & Bar Manager App — Your digital enjoyment archive





#### An excellent app for your best wines and drinks


The new CASO Design Wine & Bar Manager app provides you with a perfect overview of what wines and spirits/drinks (gin, vodka, whisky, cognac, liqueurs, beer) you have on hand. This practical app is a fantastic way to organise your wine and drinks portfolio as well as to add informative notes.

Structure your digital archive according to various criteria, such as type, price, vintage or quantity. Save your own photos, such as shots of vineyard labels or bottle designs. Create notes that allow you to access key information on wines or drinks whenever you want,

So you will always have all the details of your wine and spirits stocks at your fingertips and can check which wines or drinks are available; need to be replaced; are ready to drink or are simply there to be tried.

Find out more about the free CASO Design app and its practical features! Ideal for all wine lovers and connoisseurs!

#### www.caso-winemanager.com



#### Built-in wine coolers


#### Series WeinSafe 18 EB




- + High quality wine control device with compressor technology
- + One temperature zone
- + Smooth running compressors on vibration-reduced feet: provide the calm, quiet location your wine requires
- + Storage of up to 18 bottles (up to 310 mm in height)\*
- + 3-layer insulating glass with UV filter for optimum aroma protection
- + Temperature electronically adjustable from 5 20 °C (41 68 °F)\*\*
- + Active fan ensures a very even temperature
- + LED temperature display of the cooling zone
- + Switchable interior lighting
- + Timeless and elegant design
- 627: Glass front and minimalist handle
- 629: Stainless steel frame and minimalist handle
- + Three removable wood storage shelves (two of them with ball bearing extensions)



The wooden storage shelves are easy to pull out.



Note! No standard kitchen furniture installation dimensions!
Wine cooler hinge from above / door swings out





Item 629



WineSafe 18 EB Inox

\*Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

\*\* The achievable value in the interior can not exceed the ambient

\*\* The achievable value in the interior can not exceed the ambient temperature at the installation site



# **Outdoor Cooling**

#### Counter & Cool



Item 681

Special functions







- + Stainless steel trolley for CASO Barbecue Cooler with removable side shelves
- + With built-in barbecue cooler with a storage capacity of approx. 63 liters
- + High quality stainless steel design
- + Ideal for covered terraces etc. thanks to splash water protection (according to IPX-4)
- + One temperature zone, manually adjustable from 0 10 °C
- + Compressor technology
- + Connectable LED interior lighting
- + Removable shelves
- + 3-layer insulating safety glass with UV filter for optimal light protection
- + Drawer with self-closing mechanism
- + Side parts up to 25 kg loadable
- + Easily washable and very hygienic
- + With four stable swivel castors for easy transport
- + Front castors with parking brake



+ Single trolley, without barbecue cooler



# **Outdoor Cooling**

#### **Barbecue Cooler**





Item 680 Item 683







#### + Ideal for covered terraces etc. thanks to splash water protection (according to IPX-4)

- + High-quality stainless steel housing
- + 680 / Barbecue Cooler R: Door hinge on the right 683 / Barbecue Cooler L: Door hinge on the left
- + One temperature zone
- + Temperature manual adjustable from 0 10 °C
- + Compressor technology
- + Connectible white LED interior illumination
- + Storage volume of about 63 liters
- + Removable shelves
- + 3-coat insulating safety glass with UV filter for optimal light protection





Item 697

Uν,

UV protection

#### **BBQ-Cooler S**

#### Outdoor Cooling

#### **BBQ-Cooler Black S**



Item 700 / item 701

Item 702 / item 703









+ Versions:

stainless steel housing



+ Like BBQ-Cooler S, but with high-quality black

• 702 / BBQ-Cooler Black S-R: Door hinge on the right

• 703 / BBQ-Cooler Black S-L: Door hinge on the left



+ Design barbecue cooler with high-quality stainless steel housing and compressor technology

- + Versions:
- 700 / BBQ-Cooler S-R: Door hinge on the right
  701 / BBQ-Cooler S-L: Door hinge on the left
- + Ideal for interior and exterior use (splash water pro-
- tection according to IPX-4, e.g. for covered terraces)
  + 6 adjustable temperature increments (ca. 2 14 °C)
- + A lot of space for beverages and foods due to ca. 63 I interior volume
- + 4 practical iron chrome shelves with height adjustability thanks to easy click system
- + Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms
- 3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods
- + Always have an overview of the drinks thanks to glass pane without opening the door
- + Door with self-closing mechanism reliable cooling
- Interior made of hygienic stainless steel for an easy cleaning
- + Connectible LED interior illumination









# **Outdoor Cooling**

#### **BBQ-Cooler M-R**





#### BBQ-Cooler L-R




Item 696

Special

functions





- Ideal for interior and exterior use (splash water protection according to IPX-4, e.g. for covered terraces)
- + 6 adjustable temperature increments (ca. -1 10 °C)
- + A lot of space for beverages and foods due to ca. 125 I interior volume
- + 4 practical shelves with height adjustability thanks to easy easy click system
- + Also suitable as a built-in device, e.g. for kitchens, outdoor kitchens and basement party rooms
- + 3-layer, tinted UV safety glass for optimal protection and reliable cooling of the drinks and foods
- + Always have an overview of the drinks thanks to glass pane without opening the door
- + Door with self-closing mechanism reliable cooling
- Interior made of hygienic stainless steel for an easy cleaning
- + Connectible LED interior illumination
- + Suitable for professional catering as well as for household use

Like BBQ-Cooler M-R, only with a generous 190 I interior volume

Stainless steel



# Lounge table with soundbar and cooling compartments

#### **Sound & Cool**

Sound & Cool

More than a lounge table





Item 79

Special functions














- + Reliable compressor cooling
- + Two cooling compartments (total 135 l) for snacks and drinks with individually adjustable temperature:
- Left cooling zone: 3 8 °C / 70 I volume
- Right cooling zone: 6 12 °C / 65 I volume
- + The practical ECO mode ensures the temperature setting with the lowest power consumption (depending on the ambient temperature)
- + Convenient playback of music etc. via Bluetooth 5.0
- + Different sound programme: auto, rock, film, pop, jazz
- + With RGB LED light strip for atmospheric ambience: Individual lighting depending on the music setting
- + Practical charging options:
- · USB ports: 2x USB (5 V) and 1x USB-C (5 V).
- Wireless charging for compatible smartphones (up to 15 W )
- + LED display with touch control panel
- + High-quality tempered glass with a max. load of up to 200 kg
- + Acoustic signal if the refrigerator compartment is open for too long
- + Versions:
  - 792: Black body with black glass top
  - 793: White body with black glass top
  - 794: Wood effect body with black glass top











# Dry aging cabinet

#### **DryAged Master 63**

# Dry aging cabinet

#### **DryAged Master 125**

#### **DryAged Master 380 Pro**

Dry aging cabinet



- + High quality maturing cabinet with compressor technology
- + For storing, presenting and maturing high quality meat
- + DryAged Master 125 can be built under and converted, DryAged Master 380 Pro convertible
- + Usable volume:
- 689: 63 I
- 690: 125 I
- 691: 380 I
- Temperature electronically adjustable from 2 14 °C (in 1 °C steps)

- + Indoor humidity adjustable from 50 85 %
- + Active fans for a very even temperature
- + Intuitive operation using the touch control panel
- + 3-layer UV glass
- + Lockable with an integrated lock
- + Switchable interior lighting
- + Switchable, antibacterial UV light
- + With built-in activated carbon filter
- + Incl. Racks and hangers with meat hooks made of stainless steell + one H2O storage (two pieces for DryAged Master 380 Pro)

#### The special way to age meat





reestanding convertible 0000000000000

2222222222



The hook supplied with the appliance ensures that every surface of the meat matures perfectly.



The dark colouring is a classic characteristic and is removed before using the meat.




Perfectly marbled meat for an intensive taste experience.

#### Accesories

Item 691

- + Activated carbon filter, item 692
- + H2O storeage (4 pieces), item 693





Can be ordered on www.caso-design.de

\* The achievable value in the interior can not exceed the ambient temperature at the installation site

#### IceMaster Pro



Ice cube maker





Item 3302



coso

Item 3301



- + Produces approx. 500 g ice cubes / h\*
- + Quick ice cube production inn 6 13 min.
- + Two ice cube sizes, small & big
- + Good insulation

Special

functions

- + Stainless steel design
- + Compressor technology
- + Lid with window
- + Water level indicator
- + Automatic switch-off
- + Large water tank with a volume of 2,2 I
- + Inkl. handy ice scoop



- + Produces approx. 500 g ice cubes / h\*
- + Rapid ice cube creation within 6 13 minutes due to compressor technology
- + Two ice cube sizes, small and big
- + Adjustable cleaning function
- + Easy operation and overview by means of the LCD display
- + High quality stainless steel housing
- + Transparent lid for observing ice cube production without opening the device
- + Practical removable ice cube container (1,3 l)
- + Large water tank with a volume of 2,2 l
- + Incl. handy ice scoop

# Ice cream and yoghurt maker

#### **IceCreamer**






















- + 4 programmes for the fully automatic production of ice cream or yoghurt
- + Fast, delicious and individual:

Special

functions

- Creamy ice cream creations in max. 60 minutes
- Finest yoghurt in 5-8 hours
- + No precooling necessary thanks to powerful compressor technology and 180 watts cooling capacity
- + Suitable for cow's and plant milk
- + Intuitive and clear operation
- + Removable ice cream container
- + Incl. ice creme scoop and measuring cup
- + Housing made of high quality stainless steel
- + Ingredients can be added during operation via the refill
- + With practical aftercooling function up to 60 min











# Wine coolers






| Product<br>name       | VineCase<br>Black               | WineCase One<br>Inox            | WineCase One<br>Black           |
|-----------------------|---------------------------------|---------------------------------|---------------------------------|
| Item                  | 615                             | 611                             | 614                             |
| EAN                   | 40 38437 00615 5                | 40 38437 00611 7                | 40 38437 00614 8                |
| Housing /<br>colour   | Black                           | Stainless steel                 | Stainless steel<br>black        |
| Temperature range**   | 5 - 18 °C                       | 5 - 18 °C                       | 5 - 18 °C                       |
| Cooling<br>technology | Peltier                         | Peltier                         | Peltier                         |
| Bottles*              | 1                               | 1                               | 1                               |
| Operation             | Sensor-touch                    | Sensor-touch                    | Sensor-touch                    |
| Power                 | 72 Watt                         | 72 Watt                         | 72 Watt                         |
| Voltage               | 100 V - 240 V;<br>50 Hz / 60 Hz | 100 V - 240 V;<br>50 Hz / 60 Hz | 100 V - 240 V;<br>50 Hz / 60 Hz |
| Measures<br>(WxHxD)   | 140 x 260 x<br>270 mm           | 135 x 245 x<br>285 mm           | 135 x 245 x<br>285 mm           |
| Weight                | 1,23 kg                         | 2,4 kg                          | 2,4 kg                          |
| Certification         | CE, GS                          | CE, GS                          | CE, GS                          |
| Packing unit          | 1                               | 1                               | 1                               |



| Product<br>name              | WineComfort<br>240 Smart | WineComfort<br>380 Smart | WineComfort<br>660 Smart | WineComfort<br>1260 Smart | WineComfort<br>1800 Smart |
|------------------------------|--------------------------|--------------------------|--------------------------|---------------------------|---------------------------|
| Item                         | 719                      | 720                      | 725                      | 728                       | 730                       |
| EAN                          | 40 38437 00719 0         | 40 38437 00720 6         | 40 38437 00725 1         | 40 38437 00728 2          | 40 38437 00730 5          |
| Housing /<br>colour          | Stainless steel front    | Stainless steel<br>front | Stainless steel front    | Stainless steel<br>front  | Stainless steel<br>front  |
| Temperature range**          | 5 - 20 °C                 | 5 - 20 °C                 |
| Temperature<br>zones         | 2                        | 2                        | 2                        | 2                         | 2                         |
| Cooling<br>technology        | Compressor               | Compressor               | Compressor               | Compressor                | Compressor                |
| Bottles*                     | 24                       | 38                       | 66                       | 126                       | 180                       |
| Smart<br>Control             | -                        |                          |                          |                           | •                         |
| Shelves                      | 6                        | 7                        | 7                        | 7                         | 8                         |
| Operation                    | Sensor-touch             | Sensor-touch             | Sensor-touch             | Sensor-touch              | Sensor-touch              |
| UV filter<br>glass           | -                        |                          |                          |                           |                           |
| Interior<br>lighting         | LED                      | LED                      | LED                      | LED                       | LED                       |
| Energy effi-<br>ciency class | G                        | G                        | G                        | G                         | G                         |
| Annual consumption           | 136 kWh/a                | 146 kWh/a                | 165 kWh/a                | 180 kWh/a                 | 184 kWh/a                 |
| Power                        | 60 Watt                  | 60 Watt                  | 60 Watt                  | 75 Watt                   | 75 Watt                   |
| Voltage                      | 220 V - 240 V;<br>50 Hz   | 220 V - 240 V;<br>50 Hz   |
| Measures<br>(WxHxD)          | 395 x 875 x 595<br>mm    | 395 x 1035 x<br>675 mm   | 595 x 1035 x<br>675 mm   | 595 x 1590 x<br>685 mm    | 595 x 1860 x<br>760 mm    |
| Weight                       | 35,7 kg                  | 45,9 kg                  | 56,9 kg                  | 76,9 kg                   | 87,6 kg                   |
| Certification                | CE, GS                   | CE, GS                   | CE, GS                   | CE, GS                    | CE, GS                    |
| Packing unit                 | 1                        | 1                        | 1                        | 1                         | 1                         |





| Product name            | WineChef Pro 40                        | WineChef Pro 126             | WineChef Pro 126-2D          | WineChef Pro 180             |
|-------------------------|----------------------------------------|------------------------------|------------------------------|------------------------------|
| Item                    | 772                                    | 775                          | 776                          | 779                          |
| EAN                     | 40 38437 00772 5                       | 40 38437 00775 6             | 40 38437 00776 3             | 40 38437 00779 4             |
| Housing / colour        | Stainless steel front                  | Stainless steel front        | Stainless steel front        | Stainless steel front        |
| Temperature range**     | 5 - 20 °C                              | 5 - 20 °C                    | 5 - 20 °C                    | 5 - 20 °C                    |
| Temperature zones       | 2                                      | 2 + 2 Türen                  | 2                            | 2                            |
| Cooling technology      | Compressor                             | Compressor                   | Compressor                   | Compressor                   |
| Bottles*                | 40                                     | 126                          | 126                          | 180                          |
| Kind of use             | Free-standing or<br>can be built under | Free-standing or convertible | Free-standing or convertible | Free-standing or convertible |
| Smart Control           |                                        |                              |                              |                              |
| Shelves                 | 5                                      | 7                            | 7                            | 7                            |
| Operation               | Sensor-touch                           | Sensor-touch                 | Sensor-touch                 | Sensor-touch                 |
| UV filter glass         |                                        |                              |                              |                              |
| Interior lighting       | LED                                    | LED                          | LED                          | LED                          |
| Energy efficiency class | G                                      | G                            | G                            | G                            |
| Annual consumption      | 142 kWh/a                              | 166 kWh/a                    | 166 kWh/a                    | 175 kWh/a                    |
| Power                   | 70 Watt                                | 55 Watt                      | 55 Watt                      | 55 Watt                      |
| Voltage                 | 220 V - 240 V; 50 Hz                   | 220 V - 240 V; 50 Hz         | 220 V - 240 V; 50 Hz         | 220 V - 240 V; 50 Hz         |
| Measures (WxHxD)        | 595 x 825 x 625 mm                     | 595 x 1630 x 740 mm          | 595 x 1630 x 740 mm          | 595 x 1860 x 740 mm          |
| Weight                  | 48,5 kg                                | 101 kg                       | 97,8 kg                      | 107 kg                       |
| Certification           | CE, GS                                 | CE, GS                       | CE, GS                       | CE, GS                       |
| Packing unit            | 1                                      | 1                            | 1                            | 1                            |

<sup>\*</sup>Bottle size based on a standard Bordeaux bottle (max.  $\emptyset$  75 mm)

<sup>\*\*</sup> The achievable value in the interior can not exceed the ambient temperature at the installation site

#### Wine coolers







| Product name            | WineComfort 24 Black             |
|-------------------------|----------------------------------|
| Item                    | 644                              |
| EAN                     | 40 38437 00644 5                 |
| Housing / colour        | Black with stainless steel frame |
| Temperature range**     | 5 - 20 °C                        |
| Temperature zones       | 2                                |
| Cooling technology      | Compressor                       |
| Bottles*                | 24                               |
| Shelves                 | 5                                |
| Operation               | Sensor-touch                     |
| UV filter glass         |                                  |
| Interior lighting       | LED                              |
| Energy efficiency class | G                                |
| Annual consumption      | 135 kWh/a                        |
| Power                   | 60 Watt                          |
| Voltage                 | 220 V - 240 V; 50 Hz             |
| Measures (WxHxD)        | 395 x 820 x 550 mm               |
| Weight                  | 36 kg                            |
| Certification           | CE, GS                           |
| Packing unit            | 1                                |
|                         |                                  |













|                         |                        | _                      |                        |                         |                         |
|-------------------------|------------------------|------------------------|------------------------|-------------------------|-------------------------|
| Product name            | WineExclusive 24 Smart | WineExclusive 38 Smart | WineExclusive 66 Smart | WineExclusive 126 Smart | WineExclusive 180 Smart |
| Item                    | 718                    | 721                    | 726                    | 729                     | 731                     |
| EAN                     | 40 38437 00718 3       | 40 38437 00721 3       | 40 38437 00726 8       | 40 38437 00729 9        | 40 38437 00731 2        |
| Housing / colour        | Black / glass front     | Black / glass front     |
| Temperature range**     | 5 - 20 °C               | 5 - 20 °C               |
| Temperature zones       | 2                      | 2                      | 2                      | 2                       | 2                       |
| Cooling technology      | Compressor             | Compressor             | Compressor             | Compressor              | Compressor              |
| Bottles*                | 24                     | 38                     | 66                     | 126                     | 180                     |
| Smart Control           |                        |                        |                        |                         |                         |
| Shelves                 | 6                      | 7                      | 7                      | 7                       | 8                       |
| Operation               | Sensor-touch           | Sensor-touch           | Sensor-touch           | Sensor-touch            | Sensor-touch            |
| UV filter glass         |                        |                        |                        |                         |                         |
| Interior lighting       | LED                    | LED                    | LED                    | LED                     | LED                     |
| Energy efficiency class | G                      | G                      | G                      | G                       | G                       |
| Annual consumption      | 136 kWh/a              | 146 kWh/a              | 165 kWh/a              | 180 kWh/a               | 184 kWh/a               |
| Power                   | 60 Watt                | 70 Watt                | 60 Watt                | 75 Watt                 | 75 Watt                 |
| Voltage                 | 220 V - 240 V; 50 Hz    | 220 V - 240 V; 50 Hz    |
| Measures (WxHxD)        | 400 x 876 x 585 mm     | 400 x 1035 x 685 mm    | 600 x 1035 x 685 mm    | 600 x 1590 x 685 mm     | 600 x 1860 x 750 mm     |
| Weight                  | 37 kg                  | 47,8 kg                | 60,4 kg                | 84,6 kg                 | 97 kg                   |
| Certification           | CE, GS                 | CE, GS                 | CE, GS                 | CE, GS                  | CE, GS                  |
| Packing unit            | 1                      | 1                      | 1                      | 1                       | 1                       |
|                         | I                      |                        |                        |                         |                         |

<sup>\*</sup>Bottle size based on a standard Bordeaux bottle (max.  $\emptyset$  75 mm)

<sup>\*\*</sup> The achievable value in the interior can not exceed the ambient temperature at the installation site

# Wine coolers

Built-in wine coolers





| Product name            | WineSafe 18 EB Black | WineSafe 18 EB Inox   |  |
|-------------------------|----------------------|-----------------------|--|
| Item                    | 627                  | 629                   |  |
| EAN                     | 40 38437 00627 8     | 40 38437 00629 2      |  |
| Housing / colour        | Glass front          | Stainless steel frame |  |
| Niche height            | 45er                 | 45er                  |  |
| Temperature range**     | 5 - 20 °C            | 5 - 20 °C             |  |
| Temperature zones       | 1                    | 1                     |  |
| Cooling technology      | Compressor           | Compressor            |  |
| Bottles*                | 18                   | 18                    |  |
| Shelves                 | 3                    | 3                     |  |
| Operation               | Sensor-touch         | Sensor-touch          |  |
| UV filter glass         |                      |                       |  |
| Interior lighting       | LED                  | LED                   |  |
| Energy efficiency class | G                    | G                     |  |
| Annual consumption      | 128 kWh/a            | 128 kWh/a             |  |
| Power                   | 60 Watt              | 60 Watt               |  |
| Voltage                 | 220 V - 240 V; 50 Hz | 220 V - 240 V; 50 Hz  |  |
| Measures (WxHxD)        | 590 x 455 x 575 mm   | 590 x 455 x 575 mm    |  |
| Weight                  | 28,3 kg              | 28,5 kg               |  |
| Certification           | CE, GS               | CE, GS                |  |
| Packing unit            | 1                    | 1                     |  |
|                         |                      |                       |  |











| Product name                    | Counter & Cool       | Steel trolley<br>(without cooler) | Barbecue Cooler R    | Barbecue Cooler L    |
|---------------------------------|----------------------|-----------------------------------|----------------------|----------------------|
| Item                            | 681                  | 682                               | 680                  | 683                  |
| EAN                             | 40 38437 00681 0     | 40 38437 00682 7                  | 40 38437 00680 3     | 40 38437 00683 4     |
| Housing / colour                | Stainless steel      | Stainless steel                   | Stainless steel      | Stainless steel      |
| Door hinge                      | On the right         |                                   | On the right         | On the left          |
| Temperature range**             | 0 - 10 °C            |                                   | 0 - 10 °C            | 0 - 10 °C            |
| Temperature zones               | 1                    |                                   | 1                    | 1                    |
| Cooling technology              | Compressor           |                                   | Compressor           | Compressor           |
| Storage capacity                | 63 I                 |                                   | 63                   | 63                   |
| IPX-4 (splash water protection) |                      |                                   |                      |                      |
| UV filter glass                 |                      |                                   |                      |                      |
| Interior lighting               | LED                  |                                   | LED                  | LED                  |
| Energy efficiency class         | F                    |                                   | F                    | F                    |
| Annual consumption              | 99 kWh/a             |                                   | 99 kWh/a             | 99 kWh/a             |
| Power                           | 60 Watt              |                                   | 60 Watt              | 60 Watt              |
| Voltage                         | 220 V - 240 V; 50 Hz |                                   | 220 V - 240 V; 50 Hz | 220 V - 240 V; 50 Hz |
| Measures (WxHxD)                | 1010 x 985 x 620 mm  | 1010 x 985 x 620 mm               | 430 x 690 x 540 mm   | 430 x 690 x 540 mm   |
| Weight                          | 59,2 kg              | 27,8 kg                           | 31,4 kg              | 31,4 kg              |
| Certification                   | CE, GS               |                                   | CE, GS               | CE, GS               |
| Packing unit                    | 1                    | 1                                 | 1                    | 1                    |
|                                 | 1                    |                                   |                      |                      |

<sup>\*</sup>Bottle size based on a standard Bordeaux bottle (max.  $\emptyset$  75 mm)

<sup>\*\*</sup> The achievable value in the interior can not exceed the ambient temperature at the installation site

# Barbecue coolers / lounge tables

Barbecue coolers












| Product name                    | BBQ-Cooler S-R       | BBQ-Cooler S-L       | BBQ-Cooler Black S-R  | BBQ-Cooler Black S-L  | BBQ Cooler M-R       | BBQ Cooler M-L       |
|---------------------------------|----------------------|----------------------|-----------------------|-----------------------|----------------------|----------------------|
| Item                            | 700                  | 701                  | 702                   | 703                   | 696                  | 697                  |
| EAN                             | 40 38437 00700 8     | 40 38437 00701 5     | 40 38437 00702 2      | 40 38437 00703 9      | 40 38437 00696 4     | 40 38437 00697 1     |
| Housing / colour                | Stainless steel      | Stainless steel      | Stainless steel black | Stainless steel black | Stainless steel      | Stainless steel      |
| Door hinge                      | On the right         | On the left          | On the right          | On the left           | On the right         | On the right         |
| Temperature range**             | 2 - 14 °C            | 2 - 14 °C            | 2 - 14 °C             | 2 - 14 °C             | -1 - 10 °C           | -1 - 10 °C           |
| Temperature zones               | 1                    | 1                    | 1                     | 1                     | 1                    | 1                    |
| Cooling technology              | Compressor           | Compressor           | Compressor            | Compressor            | Compressor           | Compressor           |
| Storage capacity                | 63                   | 63                   | 63 I                  | 63 I                  | 125 I                | 190                  |
| Shelves                         | 4                    | 4                    | 4                     | 4                     | 4                    | 4                    |
| IPX-4 (splash water protection) |                      |                      |                       |                       |                      |                      |
| UV filter glass                 | •                    |                      |                       |                       |                      |                      |
| Interior lighting               | LED                  | LED                  | LED                   | LED                   | LED                  | LED                  |
| Energy efficiency class         | F                    | F                    | F                     | F                     | В                    | В                    |
| Annual consumption              | 99 kWh/a             | 99 kWh/a             | 99 kWh/a              | 99 kWh/a              | 584 kWh/a**          | 657 kWh/a**          |
| Power                           | 0,4 A                | 0,4 A                | 0,4 A                 | 0,4 A                 | 0,6 A                | 0,6 A                |
| Voltage                         | 220 V - 240 V; 50 Hz | 220 V - 240 V; 50 Hz | 220 V - 240 V; 50 Hz  | 220 V - 240 V; 50 Hz  | 220 V - 240 V; 50 Hz | 220 V - 240 V; 50 Hz |
| Measures (WxHxD)                | 430 x 675 x 555 mm   | 430 x 675 x 555 mm   | 430 x 680 x 550 mm    | 430 x 680 x 550 mm    | 395 x 1025 x 650 mm  | 595 x 1025 x 650 mm  |
| Weight                          | 35 kg                | 35 kg                | 35,15 kg              | 35,15 kg              | 44,1 kg              | 59,5 kg              |
| Certification                   | CE, GS               | CE, GS               | CE, GS                | CE, GS                | CE, GS               | CE, GS               |
| Packing unit                    | 1                    | 1                    | 1                     | 1                     | 1                    | 1                    |









| Product name              | Sound & Cool Black                                           | Sound & Cool White                                           | Sound & Cool Wood                                            |
|---------------------------|--------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| Item                      | 792                                                          | 793                                                          | 794                                                          |
| EAN                       | 40 38437 00792 3                                             | 40 38437 00793 0                                             | 40 38437 00794 7                                             |
| Housing / colour          | Black housing with black glass top                           | White housing with black glass top                           | Wood-look housing with black glass top                       |
| Temperature range*        | Left cooling zone: 3 - 8 °C<br>Right cooling zone: 6 - 12 °C | Left cooling zone: 3 - 8 °C<br>Right cooling zone: 6 - 12 °C | Left cooling zone: 3 - 8 °C<br>Right cooling zone: 6 - 12 °C |
| Temperature zones         | 2                                                            | 2                                                            | 2                                                            |
| Cooling technology        | Compressor                                                   | Compressor                                                   | Compressor                                                   |
| Storage volume            | Left cooling zone: 70 l<br>Right cooling zone: 65 l          | Left cooling zone: 70 l<br>Right cooling zone: 65 l          | Left cooling zone: 70 l<br>Right cooling zone: 65 l          |
| Operation                 | Touch                                                        | Touch                                                        | Touch                                                        |
| Load capacity glass plate | Up to 200 kg                                                 | Up to 200 kg                                                 | Up to 200 kg                                                 |
| Sound programs            | Auto, Rock, Film, Pop, Jazz                                  | Auto, Rock, Film, Pop, Jazz                                  | Auto, Rock, Film, Pop, Jazz                                  |
| RGB light bar             |                                                              |                                                              |                                                              |
| Energy efficiency class   | F                                                            | F                                                            | F                                                            |
| Annual consumption        | 91 kWh/a                                                     | 91 kWh/a                                                     | 91 kWh/a                                                     |
| Power                     | 0,7 A                                                        | 0,7 A                                                        | 0,7 A                                                        |
| Voltage                   | 220 V - 240 V; 50/60 Hz                                      | 220 V - 240 V; 50/60 Hz                                      | 220 V - 240 V; 50/60 Hz                                      |
| Measures (WxHxD)          | 1305 x 460 x 700 mm                                          | 1305 x 460 x 700 mm                                          | 1305 x 460 x 700 mm                                          |
| Weight                    | 55,3 kg                                                      | 55,3 kg                                                      | 55,3 kg                                                      |
| Certification             | CE                                                           | CE                                                           | CE                                                           |
| Packing unit              | 1                                                            | 1                                                            | 1                                                            |

<sup>\*</sup>Bottle size based on a standard Bordeaux bottle (max. Ø 75 mm)

<sup>\*\*</sup> The achievable value in the interior can not exceed the ambient temperature at the installation site

# Dry aged coolers

Dry aged coolers







| Product name        | DryAged Master 63                                     | DryAged Master 125                                    | DryAged Master 380 Pro                                   |
|---------------------|-------------------------------------------------------|-------------------------------------------------------|----------------------------------------------------------|
| Item                | 689                                                   | 690                                                   | 691                                                      |
| EAN                 | 40 38437 00689 6                                      | 40 38437 00690 2                                      | 40 38437 00691 9                                         |
| Housing / colour    | Stainless steel front                                 | Stainless steel front                                 | Stainless steel front                                    |
| Temperature range** | 2 - 14 °C                                             | 2 - 14 °C                                             | 2 - 14 °C                                                |
| Temperature zones   | 1                                                     | 1                                                     | 1                                                        |
| Cooling technology  | Compressor                                            | Compressor                                            | Compressor                                               |
| Volume              | 63 Liter                                              | 125 Liter                                             | 380 Liter                                                |
| Operation           | Sensor-touch                                          | Sensor-touch                                          | Sensor-touch                                             |
| UV filter glass     | •                                                     |                                                       |                                                          |
| Interior lighting   | •                                                     |                                                       |                                                          |
| Annual consumption  | 190 kWh/a                                             | 200 kWh/a                                             | 290 kWh/a                                                |
| Accesories          | 4 racks,<br>hangers with 3 meat hooks,<br>H2O storage | 4 racks,<br>hangers with 3 meat hooks,<br>H2O storage | 4 racks,<br>hangers with 6 meat hooks,<br>2x H2O storage |
| Power               | 0,4 A                                                 | 140 Watt                                              | 240 Warr                                                 |
| Voltage             | 220 V - 240 V; 50 Hz                                  | 220 V - 240 V; 50 Hz                                  | 220 V - 240 V; 50 Hz                                     |
| Measures (WxHxD)    | 395 x 875 x 595 mm                                    | 595 x 825 x 640 mm                                    | 595 x 1860 x 740 mm                                      |
| Weight              | 41,4 kg                                               | 57,4 kg                                               | 104,2 kg                                                 |
| Certification       | CE, GS                                                | CE, GS                                                | CE, GS                                                   |
| Packing unit        | 1                                                     | 1                                                     | 1                                                        |

# Article overview

# Ice cube and ice cream makers

Ice cube makers





Ice cream and yoghurt maker




| Product name         | IcaMaster Pro        | IceChef Pro         | IceCreamer         |
|----------------------|----------------------|---------------------|--------------------|
| Item                 | 3301                 | 3302                | 3298               |
| EAN                  | 40 38437 03301 4     | 40 38437 03302 1    | 40 38437 03298 7   |
| Housing / colour     | Stainless steel look | Stainless steel     | Stainless steel    |
| Cooling technology   | Compressor           | Compressor          | Compressor         |
| Ice cubes I capacity | 500 g ice cubes / h  | 500 g ice cubes / h | Up to 2 I          |
| Operation            | Manually             | Manually            | Manually           |
| Display              | LED                  | LCD                 | LED                |
| Programmes           |                      |                     | 4                  |
| Water tank           | 2,2                  | 2,2                 |                    |
| Ice cube sizes       | 2                    | 2                   |                    |
| Power                | 1,0 A                | 120 Watt            | 180 Watt           |
| Voltage              | 220-240V~, 50Hz      | 220-240V, 50Hz      | 220-240V AC, 50Hz  |
| Measures (WxHxD)     | 240 x 320 x 360 mm   | 250 x 325 x 370 mm  | 430 x 280 x 285 mm |
| Weight               | 9,39 kg              | 9 kg                | 11,8 kg            |
| Certification        | CE, GS               | CE, GS              | CE, GS             |
| Packing unit         | 1                    | 1                   | 1                  |

<sup>\*</sup> The achievable value in the interior can not exceed the ambient temperature at the installation site









Competence book wine coolers



SCAN ME All catalogues here

#### Germany

#### CASO Design

CASO GmbH Raiffeisenstraße 9 59757 Arnsberg Germany

fon +49 (0) 29 32 . 547 66 0 fax +49 (0) 29 32 . 547 66 77 info@caso-design.de